



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

HC 202Y 7



BOSTON
MEDICAL LIBRARY
8 THE FENWAY

*13V11

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

151

MORTALITY FROM CANCER
AND OTHER MALIGNANT TUMORS
IN THE REGISTRATION AREA
OF THE UNITED STATES

1914



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916



CONTENTS.

TEXT.

	Page.
INTRODUCTION.....	7-12
Classification according to location.....	7
Proportion of transcripts which contained needed information.....	7
Circular letter to physicians.....	7
Classification as to diagnosis.....	8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this report, together with inclusions under each title.....	9
THE REGISTRATION AREA.....	12, 13
Growth of the registration area: 1880 to 1914.....	12
Extent of the registration area in 1914.....	13
Population of registration states, by age and sex, in 1914.....	13
SUMMARY AND ANALYSIS OF THE STATISTICS.....	13-18
Color, nativity, parent nativity, age, and sex of decedent.....	13
Deaths and crude death rates.....	14
High and low rates for states.....	14
High and low rates for cities.....	14
Crude rates for different localities noncomparable.....	15
Deaths and death rates in seven titles of International Classification: 1900-1914.....	15
Deaths, death rates, and per cent distribution, by location of disease: 1914.....	15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors, according to the part of the body affected, for the registration states: 1914.....	16
Death rates in foreign countries: 1900-1914.....	18

SUMMARY AND RATE TABLES.

TABLE I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registration area and its subdivisions: 1914.....	21
TABLE II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914.....	35

GENERAL TABLES.

TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914..	44
TABLE 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914.....	88
TABLE 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex, color, general nativity, and parent nativity of decedent: 1914.....	182
TABLE 4.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, in the registration states, by age, sex, color, general nativity, and parent nativity of decedent: 1914.....	184
TABLE 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of decedent: 1914.....	210

MAPS AND DIAGRAM.

Growth of the registration area for deaths: 1880-1914 (maps).....	11
Percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram).....	12

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., August 21, 1916.

SIR:

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfooy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.

This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

TO HON. WILLIAM C. REDFIELD,
Secretary of Commerce.

(5)

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES: 1914.

APR 17 1920

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resolution, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63-66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths,¹ classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (a) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (b) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

¹ The term "cancer," as used throughout this monograph, includes "other malignant tumors."

PROPORTION OF TRANSCRIPTS WHICH CONTAINED NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8,500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
WASHINGTON.

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malignant tumors:

(a) Statistics of deaths in which the diagnoses were based on clinical findings.

(b) Statistics of deaths in which the diagnoses were confirmed by autopsies, or in which surgical operations were performed.

Will you kindly examine the accompanying transcript of a medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on *clinical findings* or *autopsy*; also whether there was *surgical intervention*? In either case the *seat of the disease* should also be stated. Any further data which you care to give may be written on the reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appreciated, as we are now compiling these returns.

Very respectfully,

SAM. L. ROGERS, Director.

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesy shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants, but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records, nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. The bureau in classifying such a case was therefore confronted with this situation: (a) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (b) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (c) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain

class' regardless of any strength of assertion by the physician that the diagnosis was correct."

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was cancer, than to tabulate under the head of cancer of any given organ deaths which were declared by the society to be *uncertain as to cause* by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement, would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

- (a) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified).
- (b) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not specified).
- (c) All cases in which diagnosis was confirmed by surgical intervention (including exploratory operations).
- (d) All cases in which diagnosis was confirmed by microscopic findings.
- (e) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsies.

The following cases were compiled under "Diagnosis uncertain":

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no post-mortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer.

Under "Diagnosis unknown" were compiled—

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.

39.—CANCER AND OTHER MALIGNANT TUMORS OF THE BUCCAL CAVITY.

- 39A.—*Cancer of the lip:*
Cancer of lip.
Smokers' cancer.
- 39B.—*Cancer of the tongue:*
Cancer of tongue.
Carcinoma linguae.
Lingual cancer.
- 39C.—*Cancer of the mouth* (without further qualification):
Cancer of mouth.
- 39D.—*Cancer of the jaw:*
Cancer of jaw.
Cancer of maxilla.
- 39X.—*Other cancers of this class:*
Cancer of buccal cavity (without further qualification).
Cancer of cheek.
Cancer of gum.
Cancer of palate.
Cancer of soft palate.
Cancer of tonsil.

40.—CANCER AND OTHER MALIGNANT TUMORS OF THE STOMACH, LIVER.

- 40A.—*Cancer of the pharynx:*
Cancer of pharynx.
- 40B.—*Cancer of the esophagus:*
Cancer of esophagus.
- 40C.—*Cancer of the stomach:*
Cancer of cardia.
cardiac orifice of stomach.
pylorus.
stomach.
Carcinoma ventriculi.
Gastric tumor.
Gastrocarcinoma.
Tumor of stomach.
- 40D.—*Cancer of the liver and gall bladder:*
Cancer of bile duct.
gall bladder.
duct.
liver.
Hepatic cancer.
Melanosis of liver.

41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, INTESTINES, RECTUM.

- 41A.—*Cancer of the mesentery and peritoneum:*
Cancer of mesentery.
omentum.
peritoneum.
retroperitoneal gland.
Cancerous peritonitis.
Lymphosarcoma of peritoneum.
Malignant peritonitis.
Retroperitoneal cancer.
- 41B.—*Cancer of the intestines* (except rectum):
Cancer of appendix.
cecum.
caput coli.
colon.
duodenum.
ileum.

41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM, INTESTINES, RECTUM—Continued.

- 41B.—*Cancer of the intestines* (except rectum)—Continued.
Cancer of intestinal gland.
intestine.
sigmoid flexure.
Carcinoma entericum.
Malignant stricture of intestine.
ulceration of intestine.
- 41C.—*Cancer of the rectum and anus:*
Cancer of anus.
rectum.
- 41X.—*Other cancers of this class:*
Cancer of abdominal viscera.
Malignant internal stricture.

42.—CANCER AND OTHER MALIGNANT TUMORS OF THE FEMALE GENITAL ORGANS.

- 42A.—*Cancer of the ovary and fallopian tube:*
Cancer of fallopian tube.
ovary.
- 42B.—*Cancer of the uterus:*
Cancer of cervix.
uterus.
womb.
Cervical cancer.
Neoplasm of uterus.
- 42C.—*Cancer of the vagina and vulva:*
Cancer of vagina.
vulva.
- 42X.—*Other cancers of this class:*
Cancer of broad ligament.
female genital organ (unspecified).
uterine ligament.
Chorioepithelioma.
Deciduoma malignum.
Hydatid mole.
Hydatidiform mole.
Syncytioma.

43.—CANCER AND OTHER MALIGNANT TUMORS OF THE BREAST.

- Cancer of breast.
mammary gland.
nipple.
Cancer en cuirasse.
Neoplasm of breast.

44.—CANCER AND OTHER MALIGNANT TUMORS OF THE SKIN.

- Cancer of auricle (of ear).
chin.
connective tissue.
ear.
face.
head.
nose.
scalp.
skin.
umbilicus.
Cancroid (unqualified).
Cervicofacial cancer.
Columnar epithelioma.
Epithelial tumor (location not indicated).
Epithelioma (location not indicated).
Noli me tangere.
Rodent dermatitis.
ulcer.

[This title does not include *Ecthyma* (34) or *Lupus* (34).]

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—Continued.

45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
OR OF ORGANS NOT SPECIFIED.

45A.—*Cancer of the larynx:*

Cancer of larynx.

45B.—*Cancer of the lung and pleura:*

Cancer of anterior mediastinum.

lung.
mediastinal gland.
mediastinum.
pleura.

Pulmonary cancer.

45C.—*Cancer of the pancreas:*

Cancer of pancreas.

45D.—*Cancer of the kidneys and suprarenals:*

Cancer of adrenal.

kidney.
suprarenal.

Renal cancer.

Rhabdomyosarcoma of kidney.

45E.—*Cancer of the prostate:*

Cancer of prostate.

Malignant prostatitis.

45F.—*Cancer of the bladder:*

Cancer of bladder.

45G.—*Cancer of the brain:*

Cancer of brain.

membrane of brain.

45H.—*Cancer of the bones (except jaw):*

Cancer of bone.

joint.
sacrum.
scapula.
spine.
sternum.
vertebra.
zygoma.

Osteosarcoma.

45K.—*Cancer of the testes:*

Cancer of testicle.

Sarcocoele.

45X.—*Other cancers of this class:*

Cancer of abdomen (without further qualification):

accessory sinus.
antrum.
arm.
artery.
axilla.
back.
body.
bronchi.
cervical gland.
chest.
choroid.
conjunctiva.
cord.
cornea.
extremity.
eye.
fauces.
ganglia.
genital organ (male).
gland.
glandular system.
groin.
hand.
heart.
hip.

45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
OR OF ORGANS NOT SPECIFIED—Continued.

45X.—*Other cancers of this class—Continued.*

Cancer of iliac region.

inguinal gland.
region.

iris.
lacrimal apparatus.

leg.
lower extremity.

lymph gland.
node.

lymphatic gland.
vessel.

membrane of spinal cord.

meninges.

muscle.

nates.

neck.

nerve

orbit.

parotid gland.

pectoral region.

pelvic viscera.

pelvis.

penis.

pericardium.

perineum.

posterior nares.

prepuce.

salivary gland.

scrotum.

shoulder.

spinal cord.

spleen.

temporal region.

thorax.

throat.

thymus gland.

thyroid gland.

trachea.

upper extremity.

ureter.

urethra.

viscera.

Cancerous cachexia.

goiter.

humor.

neuritis.

toxemia.

Carcinomatous septicemia.

Chimney sweeps' cancer.

Disseminated cancer.

General carcinomatosis.

sarcomatosis.

Intra-abdominal cancer.

Lobstein's cancer.

Malignant disease (undefined)

fistula.

Miliary carcinosis.

Multiple cancer.

melanosarcomata.

Pelvic cancer.

Retropharyngeal cancer.





Sarcomatosis (unqualified).

Sarcomatous phlebitis.

Thyreosarcoma.

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.

Note.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.



THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.

The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:


YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
	Population.	Land area (square miles).	Population.		Land area.	
			Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1914.....	98,781,324	2,973,890	65,989,295	66.8	1,228,644	41.3
Calendar year 1913.....	97,163,330	2,973,890	63,298,718	65.1	1,147,039	38.6
Calendar year 1912.....	95,545,336	2,973,890	60,427,247	63.2	1,106,777	37.2
Calendar year 1911.....	93,927,342	2,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910.....	92,309,348	2,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909.....	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908.....	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1907.....	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906.....	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905.....	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904.....	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903.....	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
Calendar year 1902.....	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901.....	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Census year 1900 ¹	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
Census year 1890 ²	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1880 ²	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

¹ Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.

² Ended May 31.

The percentages which the population and the land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND THE LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

California.	Minnesota.	Ohio.
Colorado.	Missouri.	Pennsylvania.
Connecticut.	Montana.	Rhode Island.
Indiana.	New Hampshire.	Utah.
Kansas.	New Jersey.	Vermont.
Kentucky.	New York.	Virginia.
Maine.	North Carolina (mu-	Washington.
Maryland.	nicipalities of 1,000	Wisconsin.
Massachusetts.	population and over	
Michigan.	in 1910).	

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Alabama:	Illinois:	South Carolina:
Birmingham.	Aurora.	Charleston.
Mobile.	Belleville.	Tennessee:
Montgomery.	Chicago.	Chattanooga.
Delaware:	Decatur.	Jackson.
Wilmington.	Evanston.	Knoxville.
Florida:	Jacksonville.	Memphis.
Jacksonville.	Quincy.	Nashville.
Key West.	Springfield.	Texas:
Pensacola.	Louisiana:	El Paso.
Georgia:	New Orleans.	Galveston.
Atlanta.	Nebraska:	San Antonio.
Augusta.	Lincoln.	West Virginia:
Savannah.	Omaha.	Wheeling.
	Oregon:	
	Portland.	

POPULATION OF REGISTRATION STATES, BY AGE AND SEX, IN 1914.

The following table shows the estimated midyear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.	ESTIMATED POPULATION OF REGISTRATION STATES, ¹ JULY 1, 1914.		
	Both sexes.	Male.	Female.
All ages ²	60,641,905	31,186,024	29,455,881
Under 1 year.....	1,341,242	679,463	661,779
1 year.....	1,202,228	608,543	593,685
2 years.....	1,310,794	664,206	646,589
3 years.....	1,295,311	652,795	642,516
4 years.....	1,262,416	639,508	622,908
Under 5 years.....	6,411,991	3,244,514	3,167,477
5 to 9 years.....	5,873,325	2,963,133	2,910,192
10 to 14 years.....	5,600,632	2,823,196	2,777,436
15 to 19 years.....	5,755,656	2,880,666	2,874,990
20 to 24 years.....	5,946,734	3,028,437	2,918,297
25 to 29 years.....	5,521,323	2,888,261	2,633,062
30 to 34 years.....	4,820,255	2,534,500	2,285,755
35 to 39 years.....	4,459,917	2,343,591	2,116,326
40 to 44 years.....	3,781,174	2,001,707	1,779,467
45 to 49 years.....	3,212,589	1,699,274	1,513,315
50 to 54 years.....	2,756,467	1,466,599	1,289,868
55 to 59 years.....	1,984,772	1,041,288	943,484
60 to 64 years.....	1,612,750	828,184	784,566
65 to 69 years.....	1,225,094	621,895	603,199
70 to 74 years.....	825,713	412,863	412,850
75 to 79 years.....	495,855	242,626	253,229
80 to 84 years.....	238,537	112,773	125,764
85 to 89 years.....	90,880	41,133	49,747
90 to 94 years.....	22,946	9,826	13,120
95 to 99 years.....	4,284	1,697	2,587
100 years and over.....	1,011	361	650

¹ Exclusive of North Carolina.

² "Age unknown," distributed.

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or

96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

Further comparisons of these groups may be made from the table on the following page.

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000 of aggregate.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate.....	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
White.....	50,515	20,717	29,798	963.7	973.5	957.0
Native.....	31,288	11,586	19,702	596.9	544.4	632.7
Both parents native.....	17,648	6,342	11,306	336.7	296.0	363.1
One or both parents foreign born.....	8,509	3,144	5,365	162.3	147.7	172.3
Parentage unknown.....	5,131	2,100	3,031	97.9	96.7	97.3
Foreign born.....	18,775	8,871	9,904	358.2	416.8	318.1
Nativity unknown.....	452	260	192	8.6	12.2	6.2
Colored.....	1,905	565	1,340	36.3	26.5	43.0
Negro.....	1,824	507	1,317	34.8	23.8	42.3
Chinese.....	40	37	3	0.8	1.7	0.1
Japanese.....	17	12	5	0.3	0.6	0.2
Indian.....	22	7	15	0.4	0.3	0.5
Other colored.....	2	2	(¹)	0.1

¹ Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.					
	Number.			Distribution per 1,000 of number at all ages.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages.....	52,420	21,282	31,138	1,000.0	1,000.0	1,000.0
Under 1 year.....	49	21	28	0.9	1.0	0.9
1 year.....	42	20	22	0.8	0.9	0.7
2 years.....	61	33	28	1.2	1.6	0.9
3 years.....	43	27	16	0.8	1.3	0.5
4 years.....	42	17	25	0.8	0.8	0.8
Under 5 years.....	237	118	119	4.5	5.6	3.8
5 to 9 years.....	122	70	52	2.3	3.3	1.7
10 to 14 years.....	92	54	38	1.8	2.5	1.2
15 to 19 years.....	174	86	88	3.3	4.0	2.8
20 to 24 years.....	294	147	147	5.6	6.9	4.7
25 to 29 years.....	587	222	365	11.2	10.4	11.7
30 to 34 years.....	1,064	323	741	20.3	15.2	23.8
35 to 39 years.....	2,119	566	1,553	40.4	26.6	49.9
40 to 44 years.....	3,325	967	2,358	63.4	45.4	75.7
45 to 49 years.....	4,632	1,502	3,130	88.4	70.6	100.5
50 to 54 years.....	6,131	2,323	3,808	117.0	109.2	122.3
55 to 59 years.....	6,663	2,741	3,922	127.1	128.8	126.0
60 to 64 years.....	6,909	3,071	3,838	131.8	144.3	123.3
65 to 69 years.....	6,780	3,134	3,646	129.4	147.3	117.1
70 to 74 years.....	5,863	2,754	3,109	112.4	129.4	100.8
75 to 79 years.....	4,033	1,757	2,276	76.9	82.6	73.1
80 to 84 years.....	2,213	966	1,247	42.2	45.4	40.1
85 to 89 years.....	828	352	476	15.8	16.5	15.3
90 to 94 years.....	225	94	131	4.3	4.4	4.2
95 to 99 years.....	34	9	25	0.6	0.4	0.8
100 years and over.....	8	4	4	0.2	0.2	0.1
Unknown.....	57	22	35	1.1	1.0	1.1

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates

per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.		YEAR.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA.	
	Number.	Rate per 100,000 population.		Number.	Rate per 100,000 population.
1914.....	52,420	79.4	1905.....	24,330	71.4
1913.....	49,928	78.9	1904.....	23,395	70.2
1912.....	46,531	77.0	1903.....	22,325	68.3
1911.....	44,024	74.3	1902.....	20,847	65.1
1910.....	41,039	76.2	1901.....	20,171	64.3
1909.....	37,562	73.8	1900.....	19,381	63.0
1908.....	33,465	71.5	1900 ¹	17,296	60.0
1907.....	30,514	70.9	1890 ¹	9,657	47.9
1906.....	29,020	69.1	1880 ¹	3,651	42.8

¹ Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration states, taken as a whole, in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

Crude rates for different localities noncomparable.—The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of non-residents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less suscepti-

ble to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900-1914.—The following table presents, for the registration area, for each of the years 1900-1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

CALENDAR YEAR.	REGISTRATION AREA.																	
	Estimated population, July 1,	Per cent population of area formed of total population of the United States.	Deaths from cancer and other malignant tumors.	Deaths from cancer and other malignant tumors of the—							Death rate per 100,000 population from cancer and other malignant tumors.	Death rate per 100,000 population from cancer and other malignant tumors of the—						
				Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.		Buccal cavity.	Stomach, liver.	Peritoneum, intestines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.
1914.....	65,989,295	66.8	52,420	2,270	19,889	6,745	8,152	5,423	1,957	7,984	79.4	3.4	30.1	10.2	12.4	8.2	3.0	12.1
1913.....	63,293,718	65.1	49,928	1,966	19,767	6,625	7,706	4,592	1,725	7,547	78.9	3.1	31.2	10.5	12.2	7.3	2.7	11.9
1912.....	60,427,247	63.2	46,531	1,838	18,517	5,923	7,089	4,431	1,743	6,990	77.0	3.0	30.6	9.8	11.7	7.3	2.9	11.6
1911.....	59,275,977	63.1	44,024	1,727	17,365	5,824	6,707	4,264	1,619	6,518	74.3	2.9	29.3	9.8	11.3	7.2	2.7	11.0
1910.....	58,843,896	58.3	41,039	1,576	16,475	5,258	6,147	3,730	1,459	6,394	76.2	2.9	30.6	9.8	11.4	6.9	2.7	11.9
1909.....	50,870,518	56.1	37,562	1,427	14,915	4,676	5,714	3,585	1,492	5,753	73.8	2.8	29.3	9.2	11.2	7.0	2.9	11.3
1908.....	46,786,913	52.5	33,465	1,148	13,044	3,963	5,250	3,023	1,282	5,755	71.5	2.5	27.9	8.5	11.2	6.5	2.7	12.3
1907.....	43,016,990	49.2	30,514	968	11,596	3,570	4,388	2,590	1,121	6,281	70.9	2.3	27.0	8.3	10.2	6.0	2.6	14.6
1906.....	41,983,419	48.9	29,020	941	10,946	3,273	4,090	2,421	984	6,365	69.1	2.2	26.1	7.8	9.7	5.8	2.3	15.2
1905.....	34,062,201	40.4	24,330	792	8,939	2,732	3,637	2,010	818	5,402	71.4	2.3	26.3	8.0	10.7	5.9	2.4	15.9
1904.....	33,345,163	40.4	23,395	737	8,744	2,399	3,436	2,030	758	5,291	70.2	2.2	26.2	7.2	10.3	6.1	2.3	15.9
1903.....	32,701,083	40.4	22,325	661	8,193	2,134	3,289	1,787	752	5,509	68.3	2.0	25.1	6.5	10.1	5.5	2.3	16.8
1902.....	32,029,815	40.4	20,847	583	7,483	2,239	3,033	1,750	688	5,071	65.1	1.8	23.4	7.0	9.5	5.5	2.1	15.8
1901.....	31,370,952	40.3	20,171	612	7,005	2,157	2,919	1,647	683	5,058	64.3	2.0	22.6	6.9	9.3	5.3	2.2	16.1
1900.....	30,766,618	40.5	19,381	495	6,918	1,760	2,696	1,433	602	5,477	63.0	1.6	22.5	5.7	8.8	4.7	2.0	17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

DEATHS, REGISTRATION AREA: 1914.				DEATHS, REGISTRATION AREA: 1914.			
SEAT OF DISEASE.		SEAT OF DISEASE.		SEAT OF DISEASE.		SEAT OF DISEASE.	
Number.	Rate per 100,000 population.	Per cent.		Number.	Rate per 100,000 population.	Per cent.	
Cancer and other malignant tumors (aggregate).....				52,420	79.4	100.0	
Cancer of the buccal cavity (total).....				2,270	3.4	4.3	
Cancer of the—							
Lip.....				376	0.6	0.7	
Tongue.....				614	0.9	1.2	
Mouth.....				230	0.3	0.4	
Jaw.....				851	1.3	1.6	
Others of this class.....				199	0.3	0.4	
Cancer of the stomach, liver (total).....				19,889	30.1	37.9	
Cancer of the—							
Pharynx.....				58	0.1	0.1	
Esophagus.....				605	0.9	1.2	
Stomach.....				12,768	19.3	24.4	
Liver and gall bladder.....				6,468	9.8	12.3	
Cancer of the peritoneum, intestines, rectum (total).....				6,745	10.2	12.9	
Cancer of the—							
Mesentery and peritoneum.....				485	0.7	0.9	
Intestines (except rectum).....				4,055	6.1	7.7	
Rectum and anus.....				2,171	3.3	4.1	
Others of this class.....				34	0.1	0.1	
Cancer of the female genital organs (total).....				8,152	12.4	15.6	
Cancer of the—							
Ovary and fallopian tube.....				451	0.7	0.9	
Uterus.....				7,470	11.3	14.3	
Vagina and vulva.....				184	0.3	0.4	
Others of this class.....				47	0.1	0.1	
Cancer of the breast.....				5,423	8.2	10.3	
Cancer of the skin.....				1,957	3.0	3.7	
Cancer of other organs or of organs not specified (total).....				7,984	12.1	15.2	
Cancer of the—							
Larynx.....				341	0.5	0.7	
Lung and pleura.....				371	0.6	0.7	
Pancreas.....				686	1.0	1.3	
Kidneys and suprarenals.....				538	0.8	1.0	
Prostate.....				784	1.2	1.5	
Bladder.....				1,014	1.5	1.9	
Brain.....				141	0.2	0.3	
Bones (except jaw).....				497	0.8	0.9	
Testes.....				121	0.2	0.2	
Others of this class.....				3,491	5.3	6.7	

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given

in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES:¹ 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

SEAT OF DISEASE.	DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.													
	All ages. ²	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
BOTH SEXES.														
Cancer and other malignant tumors (aggregate).....	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	839.6	873.6
Cancer of the buccal cavity (total).....	3.4	0.1	0.3	0.9	2.3	3.9	7.0	11.9	16.9	26.1	36.2	46.0	65.0	66.3
Cancer of the—														
Lip.....	0.6	(³)	(³)	0.1	0.2	0.3	0.9	1.3	2.7	3.9	5.7	9.7	23.9	25.2
Tongue.....	0.9	(³)	0.1	0.4	0.6	1.4	2.2	3.8	4.9	6.6	8.6	10.1	10.1	10.1
Mouth.....	0.4	(³)	(³)	(³)	0.2	0.3	0.6	1.3	1.9	2.9	4.2	5.2	7.5	6.7
Jaw.....	1.3	0.1	0.1	0.4	1.0	1.5	2.8	4.6	5.7	9.9	13.9	16.7	18.4	19.3
Others of this class.....	0.3	(³)	0.1	0.1	0.2	0.4	0.6	0.9	1.6	1.8	3.8	4.2	5.0	5.0
Cancer of the stomach, liver (total).....	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	320.3	344.6	239.3
Cancer of the—														
Pharynx.....	0.1	(³)	(³)	(³)	0.1	0.1	0.2	0.7	0.3	0.4	0.6	0.8	0.4	0.8
Esophagus.....	0.9	(³)	(³)	0.3	0.6	1.4	2.8	3.8	5.1	6.4	7.6	8.1	8.8	8.4
Stomach.....	19.3	0.1	2.0	7.2	13.6	25.8	47.7	77.9	110.4	147.8	192.4	214.0	228.1	151.9
Liver and gall bladder.....	9.8	0.2	1.1	3.4	7.0	13.6	24.1	40.2	55.3	75.8	95.4	106.5	107.3	73.1
Cancer of the peritoneum, intestines, rectum (total).....	10.3	0.4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96.8	108.1	104.4	90.7
Cancer of the—														
Mesentery and peritoneum.....	0.7	0.1	0.3	0.4	0.7	0.8	1.8	3.3	3.4	3.5	5.2	8.5	5.0	4.2
Intestines (except rectum).....	6.2	0.2	1.3	3.0	5.3	9.4	13.3	23.2	33.5	43.6	57.2	67.8	68.3	53.7
Rectum and anus.....	3.3	0.1	0.8	1.4	2.8	4.7	7.7	12.6	17.0	22.6	34.2	31.5	31.0	32.7
Others of this class.....	(³)	(³)	(³)	0.1	(³)	0.1	0.1	0.1	0.3	0.4	0.2	0.4	(³)	(³)
Cancer of the female genital organs (total).....	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the—														
Ovary and fallopian tube.....	0.7	0.1	0.3	0.8	1.5	1.4	2.2	2.5	3.3	2.0	1.7	2.0	1.7	1.7
Uterus.....	10.9	0.1	3.3	11.6	20.7	28.5	36.6	46.7	45.0	46.1	48.6	49.2	49.0	43.7
Vagina and vulva.....	0.3	(³)	0.1	0.1	0.2	0.4	0.5	0.9	1.0	2.0	2.9	3.0	5.4	8.4
Others of this class.....	0.1	(³)	(³)	(³)	0.1	0.2	0.1	0.3	0.4	0.2	0.4	1.0	(³)	0.8
Cancer of the breast.....	8.3	(³)	1.4	6.7	12.2	20.1	24.4	33.2	34.2	43.3	52.7	62.7	86.8	102.4
Cancer of the skin.....	3.0	0.1	0.2	0.3	0.8	2.2	4.5	6.4	11.1	18.2	33.3	55.5	101.9	194.8
Cancer of other organs or of organs not specified (total).....	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	100.7	120.8	127.6
Cancer of the—														
Larynx.....	0.5	(³)	(³)	0.2	0.4	0.7	1.6	2.2	3.4	4.2	3.5	4.2	3.4	5.0
Lung and pleura.....	0.5	0.1	0.2	0.4	0.6	1.0	1.6	2.5	2.9	2.2	2.9	1.8	1.3	1.7
Pancreas.....	1.0	(³)	0.2	0.6	1.1	1.6	2.8	4.7	6.0	6.9	8.2	8.9	3.8	5.0
Kidneys and suprarenals.....	0.8	0.3	0.2	0.5	0.7	1.1	1.6	2.8	2.4	4.0	4.6	5.6	5.0	4.2
Prostate.....	1.2	(³)	(³)	0.1	0.3	0.5	1.0	3.7	6.8	12.9	18.0	20.8	17.6	12.4
Bladder.....	1.6	(³)	0.2	0.5	1.0	1.6	3.8	5.1	8.7	11.3	16.3	19.6	18.4	20.1
Brain.....	0.2	0.1	0.2	0.3	0.3	0.5	0.6	0.7	0.3	0.7	0.4	(³)	(³)	(³)
Bones (except jaw).....	0.7	0.3	0.4	0.3	0.9	0.9	1.7	2.1	2.5	3.8	4.8	3.4	3.4	2.5
Testes.....	0.2	0.1	0.2	0.3	0.3	0.4	0.2	0.3	0.4	0.6	0.8	0.8	1.3	(³)
Others of this class.....	5.3	0.8	1.2	2.4	5.1	7.3	12.0	18.3	22.5	32.0	44.0	44.6	76.7	75.6

¹ Exclusive of North Carolina.

² "Age unknown," distributed.

³ Less than one-tenth of 1 per 100,000 population.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES:¹ 1914—Continued.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

SEAT OF DISEASE.	DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.												
	All ages. ²	Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 years and over.
MALE.													
Cancer and other malignant tumors (aggregate).....	62.4	2.8	8.7	21.5	43.0	78.9	140.9	237.7	339.8	467.0	627.4	684.2	826.4
Cancer of the buccal cavity (total).....	5.5	0.1	0.5	1.5	3.2	6.4	11.3	20.8	27.5	42.8	59.9	70.9	104.6
Cancer of the—													
Lip.....	1.1	(³)	0.1	0.2	0.4	0.6	1.6	2.5	5.2	7.6	10.9	18.1	41.7
Tongue.....	1.5	(³)	0.1	0.6	0.8	2.2	3.8	6.9	8.2	11.4	14.8	15.2	17.0
Mouth.....	0.5	(³)	(³)	0.2	0.2	0.5	0.9	2.1	3.1	4.7	6.8	7.0	11.5
Jaw.....	2.0	0.1	0.2	0.5	1.4	2.2	4.2	7.7	8.6	16.2	21.8	24.7	32.1
Others of this class.....	0.5	(³)	0.1	0.1	0.3	0.7	0.8	1.6	2.4	2.9	5.6	5.8	8.0
Cancer of the stomach, liver (total).....	29.6	0.3	2.7	9.9	20.1	39.5	75.8	122.8	175.9	232.0	295.6	307.9	331.6
Cancer of the—													
Pharynx.....	0.1	(³)	(³)	(³)	0.2	0.4	1.1	0.6	0.8	0.7	0.4	0.9
Esophagus.....	1.3	0.1	0.2	0.8	2.1	4.4	6.4	7.8	9.3	11.4	12.8	12.4
Stomach.....	20.5	0.1	1.8	6.9	14.1	27.1	53.8	85.5	122.7	162.1	202.2	214.3	227.9
Liver and gall bladder.....	7.6	0.2	0.8	2.8	5.1	10.0	17.3	29.9	44.8	59.8	81.2	80.4	90.4
Cancer of the peritoneum, intestines, rectum (total).....	8.6	0.5	2.1	3.4	7.5	11.8	17.9	32.6	48.4	60.3	81.5	90.7	85.1
Cancer of the—													
Mesentery and peritoneum.....	0.5	0.1	0.3	0.5	0.5	0.6	1.5	2.2	2.2	1.8	2.7	4.5	1.8
Intestines (except rectum).....	4.9	0.3	1.1	2.2	4.7	7.2	9.5	17.6	27.9	34.9	44.6	54.0	49.7
Rectum and anus.....	3.1	0.1	0.7	0.7	2.3	4.0	6.9	12.8	18.1	23.5	33.7	32.1	33.7
Others of this class.....	(³)	0.1	0.2	0.2	0.5
Cancer of the breast.....	0.3	0.1	0.1	0.2	0.4	0.8	0.8	1.4	2.1	2.2	2.5	1.8
Cancer of the skin.....	3.8	0.1	0.2	0.4	0.7	3.1	5.7	9.0	14.5	25.9	44.6	69.7	124.1
Cancer of other organs or of organs not specified (total).....	14.6	1.9	3.3	6.1	11.2	17.7	29.3	51.7	72.0	103.9	143.6	142.6	179.1
Cancer of the—													
Larynx.....	0.8	(³)	0.1	0.2	0.6	1.1	2.6	3.8	5.3	7.1	6.1	7.8	6.2
Lung and pleura.....	0.6	0.1	0.3	0.4	0.6	1.2	1.6	2.7	3.3	2.1	3.2	0.8	1.8
Pancreas.....	1.0	(³)	0.1	0.6	1.3	1.9	2.5	4.8	7.0	7.2	7.8	7.0	1.8
Kidneys and suprarenals.....	0.8	0.4	0.2	0.5	0.8	1.1	1.5	3.0	2.3	3.1	4.6	5.8	4.4
Prostate.....	2.3	0.1	0.3	0.5	1.0	1.8	7.1	13.3	25.4	36.1	42.5	37.2
Bladder.....	2.1	(³)	0.1	0.5	0.9	1.6	5.3	7.2	12.7	16.6	25.2	28.0	26.6
Brain.....	0.2	0.1	0.2	0.2	0.3	0.6	0.7	0.7	0.2	0.8
Bones (except jaw).....	0.7	0.3	0.4	0.4	0.8	0.6	1.5	2.3	2.4	4.5	5.1	2.5	2.7
Testes.....	0.4	0.1	0.4	0.6	0.6	0.8	0.3	0.5	0.7	1.1	1.7	1.6	2.7
Others of this class.....	5.7	0.8	1.5	2.6	4.6	7.7	11.5	19.6	24.8	36.0	53.8	46.6	95.8
FEMALE.													
Cancer and other malignant tumors (aggregate).....	96.8	2.7	19.6	64.7	118.7	184.4	266.5	381.1	449.4	566.6	717.1	845.5	946.2
Cancer of the buccal cavity (total).....	1.2	0.1	0.1	0.4	1.2	1.1	2.1	2.0	5.6	6.8	12.6	22.1	29.4
Cancer of the—													
Lip.....	0.1	(³)	(³)	0.1	0.2	0.5	1.6	8.0
Tongue.....	0.3	(³)	(³)	0.1	0.4	0.4	0.5	0.3	1.4	1.7	2.4	5.1	5.6
Mouth.....	0.2	(³)	(³)	0.2	0.2	0.3	0.6	1.0	1.7	3.6	4.0
Jaw.....	0.6	(³)	(³)	0.2	0.5	0.7	1.1	1.3	2.7	3.3	6.0	9.1	9.5
Others of this class.....	0.1	(³)	(³)	0.1	0.1	0.4	0.1	0.8	0.7	1.9	2.8	2.4
Cancer of the stomach, liver (total).....	30.7	0.3	3.7	12.0	22.6	42.7	73.7	122.2	166.0	228.8	296.6	249.9	356.2
Cancer of the—													
Pharynx.....	(³)	(³)	0.1	0.2	0.5	1.2
Esophagus.....	0.4	(³)	0.4	0.4	0.7	1.0	1.0	2.2	3.3	3.9	3.6	5.6
Stomach.....	18.1	0.1	2.2	7.6	13.2	24.3	40.7	69.5	97.4	133.1	182.7	213.6	228.2
Liver and gall bladder.....	12.2	0.2	1.5	4.0	9.0	17.7	31.9	51.5	66.4	92.3	109.6	131.5	122.5
Cancer of the peritoneum, intestines, rectum (total).....	12.0	0.3	2.7	6.5	10.4	18.6	28.5	46.5	60.4	80.2	112.0	124.8	121.7
Cancer of the—													
Mesentery and peritoneum.....	0.9	0.1	0.2	0.4	1.0	1.1	2.2	4.5	4.7	5.3	7.7	12.2	8.0
Intestines (except rectum).....	7.6	0.2	1.5	3.9	6.0	12.0	17.5	29.4	39.5	52.6	69.7	81.0	85.1
Rectum and anus.....	3.4	0.1	1.0	2.2	3.4	5.5	8.7	12.5	15.8	21.7	34.6	30.8	28.6
Others of this class.....	0.1	0.1	0.1	0.1	0.2	0.2	0.4	0.7	0.8
Cancer of the female genital organs (total).....	24.6	0.4	7.7	26.5	48.0	65.0	84.1	106.0	102.1	102.3	106.9	108.2	106.5
Cancer of the—													
Ovary and fallopian tube.....	1.4	0.1	0.6	1.7	3.3	3.0	4.7	5.3	6.8	4.1	3.4	3.9	3.2
Uterus.....	22.5	0.2	6.9	24.4	44.1	60.6	78.1	98.3	92.4	93.7	97.0	96.4	93.0
Vagina and vulva.....	0.6	(³)	0.2	0.2	0.5	0.9	1.0	1.9	2.0	4.0	5.8	5.9	10.3
Others of this class.....	0.1	(³)	0.1	0.1	0.2	0.4	0.2	0.5	0.9	0.5	0.7	2.0	1.5
Cancer of the breast.....	16.9	0.1	2.9	14.1	25.7	42.3	51.2	69.0	68.8	85.7	103.1	120.4	163.0
Cancer of the skin.....	2.2	0.1	0.1	0.2	0.9	1.1	3.1	3.6	7.5	10.3	22.0	41.9	81.9
Cancer of other organs or of organs not specified (total).....	9.1	1.4	2.3	5.1	9.9	13.6	23.9	31.8	39.0	52.6	63.9	78.2	87.5
Cancer of the—													
Larynx.....	0.2	(³)	(³)	0.2	0.2	0.3	0.5	0.3	1.4	1.2	1.0	0.8	0.8
Lung and pleura.....	0.5	0.1	0.2	0.5	0.6	0.8	1.6	2.2	2.5	2.3	2.7	2.8	0.8
Pancreas.....	1.0	(³)	0.2	0.5	0.8	1.4	3.1	4.6	5.0	6.6	8.7	10.7	5.6
Kidneys and suprarenals.....	0.8	0.3	0.3	0.5	0.7	1.1	1.6	2.5	2.4	5.0	4.6	5.5	5.6
Bladder.....	0.9	(³)	0.2	0.4	1.0	1.6	2.1	2.8	4.5	6.0	7.5	11.5	11.1
Brain.....	0.2	0.1	0.2	0.4	0.2	0.4	0.5	0.6	0.4	0.7	0.7
Bones (except jaw).....	0.7	0.3	0.4	0.3	1.0	1.2	1.9	1.8	2.7	3.0	4.6	4.3	4.0
Others of this class.....	4.8	0.7	0.9	2.3	5.6	6.8	12.6	17.0	20.1	27.9	34.1	42.6	59.6

¹ Exclusive of North Carolina.

² "Age unknown" distributed.

³ Less than one-tenth of 1 per 100,000 population.

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritonéum, intestines,

and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900-1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table.

The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

COUNTRY.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS.														
	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900
United States (registration area).....	79.4	78.9	77.0	74.3	76.2	73.8	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.0
Australian Commonwealth..	74.7	75.0	76.1	74.0	73.3	72.3	69.6	71.3	64.2	63.5	60.1	61.5	64.1	63.3	62.6
Austria.....	(1)	(1)	81.4	82.3	77.9	78.7	78.0	77.4	77.9	76.2	74.9	73.7	74.2	72.9	70.9
Belgium.....	(1)	(1)	71.0	68.6	63.3	64.2	63.8	60.1	58.5	58.7	56.1	58.5	(1)	(1)	(1)
Chile.....	36.3	33.1	32.2	29.8	31.8	40.9	43.5	38.5	37.8	30.2	38.4	29.2	(1)	(1)	(1)
France.....	(1)	(1)	(1)	80.2	79.2	77.7	76.5	74.6	69.5	(1)	(1)	(1)	(1)	(1)	(1)
German Empire ¹	(1)	(1)	90.1	88.9	87.9	84.5	83.6	83.1	82.0	(1)	(1)	(1)	(1)	(1)	(1)
Prussia.....	(1)	82.7	81.5	80.6	78.5	74.8	73.6	73.4	70.4	69.4	68.6	65.2	61.9	61.7	59.6
Hungary.....	(1)	(1)	47.2	46.4	45.6	44.5	44.1	42.7	40.9	40.8	40.9	39.4	38.2	35.9	36.7
Italy.....	(1)	66.7	64.7	66.8	65.6	64.2	64.5	61.7	62.0	58.3	57.1	54.1	53.9	52.8	52.2
Jamaica.....	18.1	17.7	17.4	17.9	20.8	18.3	16.1	15.1	17.0	18.8	15.9	15.7	14.0	15.5	16.5
Japan.....	(1)	(1)	(1)	65.5	64.2	64.8	61.4	58.3	57.8	55.9	55.0	54.7	53.4	48.7	45.4
Netherlands.....	106.8	109.5	109.4	108.6	106.4	102.6	102.8	101.8	100.7	101.2	97.9	98.9	95.0	93.7	92.1
New Zealand.....	82.9	80.1	78.2	79.7	74.7	73.2	69.5	73.3	69.6	65.1	67.6	71.0	67.2	66.2	56.3
Norway ⁴	(1)	97.3	104.8	96.7	92.9	95.2	97.1	100.3	97.6	98.4	95.9	93.2	87.1	95.1	91.2
Ontario.....	69.6	67.4	68.8	63.5	70.9	71.5	60.5	59.9	63.7	55.4	56.9	52.6	47.5	50.1	45.4
Serbia.....	(1)	(1)	(1)	13.5	12.8	13.1	12.6	13.3	10.6	10.4	10.3	9.1	9.6	9.1	9.4
Spain.....	55.7	55.0	55.7	51.4	51.7	51.0	51.4	47.7	47.6	45.8	46.6	44.1	43.3	42.4	36.3
Switzerland ⁵	(1)	126.7	127.2	123.6	123.5	126.7	128.0	122.5	129.0	129.5	128.6	129.7	125.8	127.8	129.9
United Kingdom.....	105.7	105.1	101.6	98.0	96.0	95.1	92.1	90.6	91.5	87.6	86.0	85.1	82.2	82.0	80.0
England and Wales.....	106.9	106.4	102.6	99.2	96.7	96.1	93.3	91.5	92.2	88.9	88.2	87.4	84.6	84.3	82.9
Scotland.....	113.5	110.2	109.6	104.1	102.6	101.5	98.5	97.9	97.6	90.0	85.9	83.7	82.3	81.8	79.0
Ireland.....	86.9	89.1	85.2	81.7	83.5	79.8	75.6	79.1	79.2	74.8	69.8	69.0	64.5	65.1	60.8

¹ Figures not available.

² The rates for the years shown relate to the deaths for 24 of the 26 states of the Empire, representing 98.9 per cent of the total population in 1912.

³ Figures are provisional.

⁴ The figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 88 per cent in 1910, and 84 per cent in 1913.

⁵ The deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES

(19)

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
SUMMARY.				REGISTRATION STATES—Continued.				REGISTRATION CITIES—Continued.			
The registration area (total).....	65,989,295	52,420	79.4	Minnesota (total).....	2,213,919	1,701	76.8	ALABAMA²—continued.			
White.....	62,631,566	50,515	80.7	White.....	2,196,341	1,696	77.2	Montgomery (total).....	41,777	30	71.8
Colored.....	3,357,729	1,905	56.7	Colored.....	17,578	5	28.4	White.....	20,597	18	87.4
Registration states ¹ (total).....	61,114,200	48,259	79.0	Missouri (total).....	3,372,886	2,326	69.0	Colored.....	21,180	12	56.7
White.....	58,408,039	46,739	80.0	White.....	3,210,657	2,233	69.5	CALIFORNIA.			
Colored.....	2,706,161	1,520	56.2	Colored.....	162,229	93	57.3	Registration cities (total).....	1,546,725	1,754	113.4
Cities in registration states ¹ (total).....	30,287,640	26,795	88.5	Montana (total).....	432,614	223	51.5	White.....	1,478,748	1,720	116.3
White.....	29,029,647	25,893	89.2	White.....	414,814	218	52.6	Colored.....	67,977	34	50.0
Colored.....	1,257,993	902	71.7	Colored.....	17,800	5	28.1	Alameda.....	26,330	19	72.2
Rural part of registration states (total).....	30,826,560	21,464	69.6	New Hampshire (total).....	438,662	442	100.8	Bakersfield.....	15,538	20	128.7
White.....	29,378,392	20,846	71.0	White.....	437,963	440	100.5	Berkeley.....	52,105	46	88.3
Colored.....	1,448,168	618	42.7	Colored.....	679	2	294.6	Eureka.....	13,768	30	217.9
Registration states, ¹ exclusive of North Carolina (total).....	60,641,905	47,986	79.1	New Jersey (total).....	2,815,663	2,223	79.0	Fresno.....	29,809	28	93.9
White.....	58,098,403	46,549	80.1	White.....	2,714,371	2,163	79.7	Long Beach.....	24,437	39	158.6
Colored.....	2,543,502	1,437	56.5	Colored.....	101,292	60	59.2	Los Angeles (total).....	438,914	443	100.9
Registration cities in other states (total).....	4,875,095	4,161	85.4	New York (total).....	9,899,761	8,907	90.0	White.....	419,813	436	103.9
White.....	4,223,527	3,776	89.4	White.....	9,740,332	8,791	90.3	Colored.....	19,101	7	36.6
Colored.....	651,568	385	59.1	Colored.....	159,429	116	72.8	Oakland.....	183,002	170	92.9
All registration cities ¹ (total).....	35,162,735	30,956	88.0	North Carolina ² (total).....	472,295	273	57.8	Pasadena.....	40,880	53	129.6
White.....	33,253,174	29,669	89.2	White.....	309,636	190	61.4	Pomona.....	12,202	10	82.0
Colored.....	1,909,561	1,287	67.4	Colored.....	162,659	83	51.0	Redlands.....	12,856	8	62.2
REGISTRATION STATES.				Ohio (total).....	5,026,898	4,176	83.1	Riverside (total).....	18,297	15	82.0
California (total).....	2,757,895	2,701	97.9	White.....	4,908,559	4,080	83.1	White.....	16,245	15	92.3
White.....	2,621,161	2,649	101.1	Colored.....	118,339	96	81.1	Colored.....	2,052
Colored.....	136,734	52	38.0	Pennsylvania (total).....	8,245,967	5,997	72.7	Sacramento.....	62,717	65	103.6
Colorado (total).....	909,537	530	58.3	White.....	8,083,610	5,807	72.3	San Bernardino.....	15,603	25	160.2
White.....	891,769	517	58.0	Colored.....	212,357	190	89.5	San Diego.....	48,900	85	173.8
Colored.....	17,768	13	73.2	Rhode Island (total).....	591,215	539	91.2	San Francisco (total).....	448,502	576	128.4
Connecticut (total).....	1,202,688	1,040	86.5	White.....	580,191	530	91.3	White.....	430,324	563	130.8
White.....	1,185,578	1,022	86.2	Colored.....	11,024	9	81.6	Colored.....	18,178	13	71.5
Colored.....	17,110	18	105.2	Utah (total).....	414,518	190	45.8	San Jose.....	37,086	41	110.6
Indiana (total).....	2,779,467	2,199	79.1	White.....	407,004	185	45.5	Santa Barbara.....	13,818	20	144.7
White.....	2,716,779	2,162	79.6	Colored.....	7,514	5	66.5	Santa Cruz.....	13,482	22	163.2
Colored.....	62,688	37	59.0	Vermont (total).....	361,206	397	109.9	Stockton*.....	25,702	28	106.9
Kansas (total).....	1,784,897	1,095	61.3	White.....	359,523	396	110.1	Vallejo.....	12,777	11	86.1
White.....	1,725,156	1,064	61.7	Colored.....	1,682	1	59.5	COLORADO.			
Colored.....	59,741	31	51.9	Virginia (total).....	2,150,009	1,051	48.9	Registration cities (total).....	341,257	293	85.9
Kentucky (total).....	2,350,731	1,061	46.0	White.....	1,449,401	767	52.9	White.....	330,537	281	85.0
White.....	2,081,819	959	46.1	Colored.....	700,608	284	40.5	Colored.....	10,720	12	111.9
Colored.....	268,912	122	45.4	Washington (total).....	1,407,865	871	61.9	Colorado Springs.....	31,717	30	94.6
Maine (total).....	762,787	821	107.6	White.....	1,367,331	865	63.3	Denver.....	245,523	222	90.4
White.....	760,346	819	107.7	Colored.....	40,534	6	14.8	Pueblo.....	51,218	37	72.2
Colored.....	2,441	2	81.9	Wisconsin (total).....	2,446,716	1,985	81.1	Trinidad.....	12,799	4	31.3
Maryland (total).....	1,341,075	1,092	81.4	White.....	2,432,768	1,976	81.2	CONNECTICUT.			
White.....	1,100,153	947	86.1	Colored.....	13,948	9	64.5	Registration cities (total).....	825,200	717	86.9
Colored.....	240,922	145	60.2	REGISTRATION CITIES.				White.....	812,646	699	86.0
Massachusetts (total).....	3,605,522	3,649	101.2	ALABAMA.²				Colored.....	12,644	18	142.4
White.....	3,561,085	3,613	101.5	Registration cities (total).....	263,504	159	60.3	Ansonia.....	16,204	3	18.5
Colored.....	44,437	36	81.0	White.....	152,236	115	75.5	Bridgeport.....	115,289	97	84.1
Michigan (total).....	2,976,030	2,395	80.5	Colored.....	111,268	44	39.5	Bristol.....	15,145	11	72.6
White.....	2,949,633	2,379	80.7	Birmingham (total).....	166,154	77	46.3	Danbury town.....	25,219	21	83.3
Colored.....	26,397	16	60.6	White.....	100,642	56	55.6	Greenwich town.....	18,200	14	76.5
				Colored.....	65,512	21	32.1	Hartford.....	107,038	132	123.3
				Mobile (total).....	55,573	52	93.6	Manchester town.....	14,935	12	80.3
				White.....	30,997	41	132.3	Meriden town.....	33,501	35	104.5
				Colored.....	24,576	11	44.8	Middletown town.....	22,138	18	81.3
								Naugatuck.....	13,651	3	22.0
								New Britain.....	50,612	26	51.4
								New Haven.....	144,505	164	113.5
								New London.....	20,557	21	102.2

¹ Includes District of Columbia.

² Includes only municipalities having a population of 1,000 or over in 1910.

³ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.			
CONNECTICUT—continued.				INDIANA—continued.				KENTUCKY—continued.			
Norwalk.....	26,033	29	111.4	Fort Wayne.....	72,423	69	95.3	Louisville (total).....	235,114	187	79.5
Norwich town.....	29,032	17	58.6	Gary.....	(*)	8	(*)	White.....	192,551	168	87.2
Orange town.....	13,094	7	53.5	Hammond.....	24,481	12	49.0	Colored.....	42,563	19	44.6
Stamford town.....	33,095	23	69.5	Huntington.....	10,479	13	124.1	Newport (total).....	31,517	17	53.9
Torrington town.....	18,709	8	42.8	Indianapolis (total).....	259,820	265	102.0	White.....	30,925	16	51.7
Wallingford town.....	12,072	9	74.6	White.....	235,500	250	106.2	Colored *.....	592	1	168.9
Waterbury.....	82,517	57	69.1	Colored.....	24,320	15	61.7	Owensboro (total).....	17,212	11	63.9
Windham town.....	13,664	10	73.2	Jeffersonville (total).....	10,260	7	68.2	White.....	13,862	9	64.9
DELAWARE. ¹				White.....	8,744	4	45.7	Colored.....	3,350	2	59.7
Wilmington (total).....	92,087	81	88.0	Colored.....	1,516	3	197.9	Paducah (total).....	24,170	10	41.4
White.....	82,471	75	90.9	Kokomo.....	19,694	20	101.6	White.....	17,745	9	50.7
Colored.....	9,586	6	62.6	Lafayette.....	20,896	29	138.8	Colored.....	6,425	1	15.6
DISTRICT OF COLUMBIA.				Laporte.....	12,533	9	71.8	LOUISIANA. ¹			
Washington (total).....	353,378	355	100.5	Logansport.....	20,262	22	108.6	New Orleans (total).....	361,221	358	99.1
White.....	252,039	271	107.5	Marion.....	19,656	18	91.6	White.....	265,092	257	96.7
Colored.....	101,339	84	82.9	Michigan City.....	20,710	18	86.9	Colored.....	96,529	101	105.7
FLORIDA. ¹				Mishawaka.....	14,579	9	61.7	MAINE.			
Registration cities (total).....	116,535	72	61.8	Muncie.....	24,969	19	76.1	Registration cities (total).....	175,127	212	121.0
White.....	63,729	58	91.0	New Albany.....	20,629	20	97.0	White.....	174,404	212	121.6
Colored.....	52,806	14	26.5	Peru.....	12,201	9	73.8	Colored.....	723
Jacksonville (total).....	70,173	47	67.0	Richmond.....	23,932	12	50.1	Auburn.....	15,965	23	144.1
White.....	34,453	88	110.3	South Bend.....	65,114	24	52.2	Augusta *.....	13,860	16	115.4
Colored.....	35,720	9	25.2	Terre Haute.....	63,529	52	81.9	Bangor *.....	26,061	42	161.2
Key West (total).....	21,150	18	85.1	Vincennes.....	16,759	16	96.5	Biddeford.....	17,475	12	68.7
White.....	15,280	16	104.7	KANSAS.				Lewiston.....	27,305	42	153.8
Colored.....	5,870	2	34.1	Registration cities (total).....	345,280	282	81.7	Portland.....	62,161	65	104.6
Pensacola (total).....	25,212	7	27.8	White.....	312,516	263	84.2	Waterville.....	12,300	12	97.6
White.....	13,996	4	28.6	Colored.....	32,744	19	58.0	MARYLAND.			
Colored.....	11,216	3	26.7	Atchison (total).....	16,635	18	108.2	Registration cities (total).....	640,317	653	102.0
GEORGIA. ¹				White.....	13,984	15	107.3	White.....	547,542	567	103.6
Registration cities (total).....	296,060	186	62.7	Colored.....	2,651	3	113.2	Colored.....	92,775	86	92.7
White.....	179,573	139	77.4	Coffeyville (total).....	15,982	8	50.1	Baltimore (total).....	579,500	589	101.6
Colored.....	117,087	47	40.1	White.....	14,181	8	56.4	White.....	491,276	510	103.8
Atlanta (total).....	179,292	106	59.1	Colored.....	1,801	Colored.....	88,314	79	89.5
White.....	119,105	82	68.8	Fort Scott (total).....	10,522	14	133.1	Cumberland (total).....	25,054	25	90.8
Colored.....	60,187	24	39.9	White.....	9,469	13	137.3	White.....	23,830	24	100.7
Augusta (total).....	49,451	37	74.8	Colored.....	1,053	1	95.0	Colored *.....	1,224	1	81.7
White.....	27,290	24	87.9	Hutchinson.....	19,339	15	77.6	Frederick (total).....	10,886	16	147.0
Colored.....	22,161	13	58.7	Independence.....	13,296	6	45.1	White.....	9,349	14	149.7
Savannah (total).....	67,917	43	63.3	Kansas City (total).....	94,271	61	64.7	Colored.....	1,537	2	130.1
White.....	33,178	33	99.5	White.....	85,582	55	65.8	Hagerstown (total).....	24,787	23	92.8
Colored.....	34,739	10	28.8	Colored.....	10,689	6	56.1	White.....	23,087	19	82.3
ILLINOIS. ¹				Lawrence (total).....	13,018	18	138.3	Colored *.....	1,700	4	235.3
Registration cities (total).....	2,627,143	2,338	89.0	White.....	10,437	16	153.0	MASSACHUSETTS.			
White.....	2,567,385	2,278	88.7	Colored.....	2,561	2	78.1	Registration cities (total).....	2,814,238	2,781	98.8
Colored.....	59,758	60	100.4	Leavenworth (total).....	18,778	19	101.2	White.....	2,776,966	2,749	99.0
Aurora.....	33,022	33	99.9	White.....	16,371	17	103.8	Colored.....	37,272	32	85.9
Belleville.....	21,159	16	75.7	Colored.....	2,407	2	83.1	Adams town.....	13,830	7	50.6
Chicago (total).....	2,397,600	2,107	87.9	Parsons.....	14,500	10	69.0	Arlington town.....	12,287	9	73.2
White.....	2,346,883	2,059	87.7	Pittsburg.....	16,845	11	65.3	Attleborough town.....	18,284	23	125.7
Colored.....	50,717	48	94.6	Topeka (total) *.....	47,102	52	110.4	Beverly.....	20,679	31	149.9
Decatur.....	37,525	38	101.3	White.....	42,198	49	116.1	Boston (total).....	733,802	871	118.7
Evanston.....	27,724	25	90.2	Colored.....	4,904	3	61.2	White.....	717,767	854	119.0
Jacksonville *.....	15,431	20	129.6	Wichita.....	64,972	50	77.0	Colored.....	16,035	17	106.0
Quincy.....	36,730	37	100.7	KENTUCKY.				Brookton.....	64,043	55	85.9
Springfield.....	57,972	62	106.9	Registration cities (total).....	425,563	328	77.1	Brookline town.....	31,138	45	144.5
INDIANA.				White.....	351,273	291	82.8	Cambridge.....	110,357	111	100.6
Registration cities (total).....	901,437	765	84.9	Colored.....	74,290	37	49.8	Chelsea.....	31,765	45	141.7
White.....	856,953	739	86.2	Covington (total).....	55,896	38	68.0	Chicopee.....	28,057	15	53.5
Colored.....	44,484	26	58.4	White.....	52,840	35	66.2	Clinton town.....	12,762	11	86.2
Anderson.....	23,528	13	55.3	Colored *.....	3,056	3	98.2	Everett.....	37,381	28	74.9
East Chicago.....	25,658	10	39.0	Frankfort (total).....	10,882	6	55.1	Fall River.....	125,443	70	55.8
Elkhart.....	21,028	32	152.2	White.....	7,917	4	50.5	Fitchburg.....	40,507	38	93.8
Elwood.....	10,211	3	29.4	Colored.....	2,965	2	67.5	Frammingham town.....	13,648	17	124.6
Evansville.....	71,284	46	64.5	Henderson (total).....	11,953	18	150.6	Gardner town.....	16,333	11	67.3
				White.....	8,905	17	193.1	Gloucester.....	23,666	32	135.2
				Colored.....	3,148	1	31.8	Greenfield town.....	11,492	13	113.1
				Lexington (total) *.....	38,819	41	105.6	Haverhill.....	47,071	42	89.2
				White.....	26,628	33	123.9	Holyoke.....	62,852	42	66.8
				Colored.....	12,191	8	65.6	Lawrence.....	95,834	60	62.6
								Leominster town.....	19,799	19	96.0

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Incorporated in 1906; population not estimated.

* Colored population less than 10 per cent of the total in 1910.

* Probably does not include deaths in territory annexed in April, 1914.

SUMMARY AND RATE TABLES.

23

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.			
MASSACHUSETTS—contd.				MISSOURI.				NEW JERSEY—continued.			
Lowell.....	111,004	98	88.3	Registration cities (total)	1,232,741	1,171	95.0	Irvington.....	14,697	15	102.1
Lynn.....	98,207	91	92.7	White.....	1,144,180	1,121	98.0	Jersey City.....	293,921	217	73.8
Malden.....	48,979	44	89.8	Colored.....	88,561	50	56.4	Kearny.....	21,967	10	45.5
Marlborough.....	14,991	18	120.1	Hannibal (total).....	20,710	15	72.4	Long Branch.....	14,719	15	101.9
Medford.....	25,240	23	91.1	White.....	18,622	14	75.2	Millville.....	13,246	13	98.1
Melrose.....	16,887	20	118.4	Colored.....	2,088	1	47.9	Montclair (total).....	24,782	21	84.7
Methuen town.....	13,123	12	91.4	Jefferson City (total).....	13,031	9	60.1	White.....	21,902	19	86.8
Millford town.....	13,770	12	87.1	White.....	10,915	9	82.5	Colored.....	2,880	2	69.4
New Bedford.....	111,230	93	83.6	Colored.....	2,116			Morristown.....	13,033	23	176.5
Newburyport.....	15,147	29	191.5	Joplin.....	32,848	33	100.5	New Brunswick.....	24,827	22	88.6
Newton.....	42,455	41	96.6	Kansas City (total).....	281,911	254	90.1	Newark.....	389,106	340	87.4
North Adams.....	21,090	26	123.3	White.....	255,007	240	94.1	Orange.....	31,968	40	125.1
Northampton*.....	19,766	26	131.5	Colored.....	26,904	14	52.0	Passaic.....	66,276	29	43.8
Peabody town.....	17,510	7	40.0	Moberly.....	12,162	10	82.2	Paterson.....	134,305	124	92.3
Pittsfield.....	36,531	41	112.2	St. Joseph*.....	182,712	97	117.3	Perth Amboy.....	38,265	19	49.7
Plymouth town.....	13,227	13	98.3	St. Louis (total).....	734,667	701	95.4	Phillipsburg.....	15,057	6	39.8
Quincy.....	36,366	36	99.0	White.....	687,038	671	97.7	Plainfield.....	22,755	27	118.7
Revere town.....	21,552	6	27.8	Colored.....	47,629	30	63.0	Trenton*.....	106,831	98	91.7
Salem.....	46,994	44	93.6	Sedalia (total).....	18,925	17	89.8	Union.....	28,588	10	42.4
Somerville.....	83,881	71	84.6	White.....	16,938	15	88.6	West Hoboken.....	40,647	19	46.7
Southbridge town.....	13,685	6	43.8	Colored.....	1,987	2	100.7	West New York.....	17,093	10	58.5
Springfield.....	100,490	92	91.6	Springfield.....	38,685	29	75.0	West Orange.....	12,722	6	47.2
Taunton*.....	35,631	46	129.1	Webb City.....	13,299	6	45.1				
Wakefield town.....	12,306	8	65.0	MONTANA.				NEW YORK.			
Waltham.....	20,688	35	117.9	Registration cities (total)	109,011	82	75.2	Registration cities (total).....	7,520,670	6,621	88.0
Watertown town.....	14,225	12	84.4	White.....	106,606	81	76.0	White.....	7,388,358	6,528	88.4
Webster town.....	12,662	5	39.5	Colored.....	2,403	1	41.6	Colored.....	132,312	93	70.3
Westfield town.....	17,635	22	124.8	Anaconda.....	10,424	6	57.6	Albany.....	102,961	151	146.7
Weymouth town.....	13,564	13	95.8	Billings.....	13,020	8	61.4	Amsterdam.....	35,223	20	56.8
Winthrop town.....	11,866	9	75.8	Butte.....	42,286	28	66.2	Auburn.....	36,509	36	98.6
Woburn.....	15,755	11	69.8	Great Falls.....	13,531	19	140.4	Batavia.....	12,614	12	95.1
Worcester.....	157,732	176	111.6	Helena.....	13,258	6	45.3	Binghamton*.....	52,191	46	88.1
MICHIGAN.				Missoula.....	16,492	15	91.0	Buffalo.....	454,112	435	95.8
Registration cities (total)	1,166,668	997	85.2	NEBRASKA.*				Cohoes.....	26,049	24	96.8
White.....	1,157,410	988	85.4	Registration cities (total)	178,917	187	104.5	Corning.....	14,866	7	47.1
Colored.....	12,258	9	73.4	White.....	173,287	185	106.8	Cortland.....	12,565	11	87.5
Adrian.....	11,234	11	97.9	Colored.....	5,630	2	35.5	Dunkirk.....	19,607	7	35.7
Alpena.....	13,080	4	30.6	Lincoln.....	45,643	47	103.0	Elmira.....	37,816	42	111.1
Ann Arbor.....	14,948	38	254.2	Omaha.....	133,274	140	105.0	Fulton.....	11,448	6	52.4
Battle Creek.....	28,122	38	135.1	NEW HAMPSHIRE.				Geneva.....	12,303	11	82.7
Bay City.....	47,047	29	61.6	Registration cities (total).....	184,187	173	93.9	Glens Falls.....	16,362	21	128.3
Detroit.....	537,650	424	78.9	White.....	183,849	172	93.6	Gloversville.....	21,618	19	87.9
Escanaba.....	14,747	9	61.0	Colored.....	338	1	295.9	Hornell.....	14,341	18	125.5
Flint.....	49,546	25	50.4	Berlin.....	13,013	9	69.2	Hudson.....	12,221	16	130.9
Grand Rapids.....	123,227	120	97.5	Concord*.....	22,291	29	130.1	Ithaca.....	15,510	19	122.5
Holland.....	11,639	11	94.5	Dover.....	13,264	21	158.3	Jamestown.....	34,878	48	137.6
Ironwood.....	14,147	6	42.4	Keene.....	10,451	6	57.4	Johnstown.....	10,582	12	113.4
Ishpeming.....	12,106	7	57.8	Laconia.....	11,094	7	63.1	Kingston.....	26,493	45	169.9
Jackson.....	34,097	35	102.6	Manchester.....	76,635	56	74.0	Lackawanna.....	19,012	4	21.0
Kalamazoo*.....	45,842	49	106.9	Nashua.....	26,901	21	78.1	Little Falls.....	13,077	11	84.1
Lansing.....	37,512	20	53.3	Portsmouth.....	11,538	24	208.0	Lockport.....	19,581	20	102.1
Manistee.....	11,581	9	77.7	NEW JERSEY.				Middletown*.....	15,650	27	172.5
Marquette.....	12,117	17	140.3	Registration cities (total).....	1,828,462	1,426	78.0	Mount Vernon.....	35,047	31	88.5
Menominee.....	9,522	4	42.0	White.....	1,765,930	1,384	78.4	New Rochelle.....	84,803	28	80.2
Muskegon.....	25,442	33	129.7	Colored.....	62,532	42	67.2	New York (total).....	5,333,539	4,452	83.5
Pontiac*.....	16,560	23	138.9	Asbury Park (total).....	12,763	12	94.0	Bronx Borough.....	529,198	516	97.5
Port Huron.....	18,738	15	80.1	White.....	10,322	11	106.6	Brooklyn Borough.....	1,833,096	1,439	78.5
Saginaw.....	53,988	80	92.6	Colored.....	2,441	1	41.0	Manhattan Borough.....	2,536,716	2,124	83.7
Sault Ste. Marie.....	13,499	6	44.4	Atlantic City (total).....	53,962	39	72.3	Queens Borough.....	339,886	277	81.5
Traverse City*.....	13,268	14	105.5	White.....	42,566	36	85.0	Richmond Borough.....	94,043	96	102.1
MINNESOTA.				Colored.....	11,396	3	26.9	White.....	5,224,202	4,399	83.6
Registration cities (total)	732,326	605	82.6	Bayonne.....	65,271	26	42.9	Bronx Borough.....	523,758	511	97.6
White.....	724,979	604	83.3	Bloomfield.....	17,372	13	74.8	Brooklyn Borough.....	1,806,496	1,410	78.1
Colored.....	7,347	1	13.6	Bridgeton.....	14,335	20	139.5	Manhattan Borough.....	2,465,456	2,079	84.3
Duluth.....	89,331	68	76.1	Camden.....	102,465	74	72.2	Queens Borough.....	335,798	276	82.2
Mankato.....	10,268	11	107.1	East Orange.....	39,852	17	42.7	Richmond Borough.....	92,494	93	100.3
Minneapolis.....	343,466	313	91.1	Elizabeth.....	82,411	76	92.2	Colored.....	109,337	83	75.9
St. Cloud.....	11,425	13	113.8	Garfield.....	13,071	6	45.9	Bronx Borough.....	5,440	5	91.9
St. Paul.....	236,766	166	70.1	Hackensack.....	16,011	16	99.9	Brooklyn Borough.....	27,200	29	106.6
Stillwater.....	9,296	7	75.3	Harrison.....	16,160	12	74.3	Manhattan Borough.....	71,260	45	63.1
Virginia.....	13,671	4	29.3	Hoboken.....	74,994	49	65.3	Queens Borough.....	4,088	1	24.5
Winona.....	18,103	23	127.1					Richmond Borough.....	1,349	3	222.4

* Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

* Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Num-ber.	Rate per 100,000 population.			Num-ber.	Rate per 100,000 population.			Num-ber.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.			
NEW YORK—continued.				OHIO—continued.				PENNSYLVANIA—contd.			
Newburgh.....	29,023	37	127.5	East Liverpool.....	21,877	13	59.4	Johnstown.....	64,642	36	55.7
Niagara Falls.....	35,127	26	74.0	Elmira.....	17,396	19	109.2	Lancaster.....	49,685	55	110.7
North Tonawanda.....	13,184	9	68.3	Findlay.....	13,684	19	138.8	Lebanon.....	19,926	20	100.4
Ogdensburg *.....	16,464	17	103.3	Hamilton.....	38,814	31	79.9	McKees Rocks.....	18,258	3	16.4
Olean.....	16,018	14	87.4	Ironton.....	13,690	14	102.3	McKeesport.....	45,965	26	56.6
Ossining.....	12,987	15	115.5	Lakewood.....	20,219	11	54.4	Mahanoy City.....	16,971	5	29.5
Oswego.....	23,865	30	125.7	Lancaster.....	14,840	11	74.1	Meadville.....	13,472	19	141.0
Peekskill.....	17,327	13	75.0	Lima.....	33,904	40	118.0	Monessen.....	18,752	1	5.3
Plattsburg.....	12,289	8	65.1	Lorain.....	34,360	20	58.2	Mount Carmel.....	19,386	4	20.6
Port Chester.....	15,085	11	72.9	Mansfield.....	22,100	15	67.9	Nanticoke.....	21,756	6	27.8
Poughkeepsie.....	29,598	31	104.7	Marietta.....	14,742	15	101.8	New Castle.....	39,569	25	63.2
Rensselaer.....	11,027	13	117.9	Marion.....	22,032	22	99.9	Norristown *.....	30,265	26	85.9
Rochester.....	245,077	261	106.5	Massillon.....	14,912	7	46.9	North Braddock.....	14,076	2	14.2
Rome.....	22,693	25	110.2	Middletown.....	14,837	5	33.7	Oil City.....	18,645	11	59.0
Saratoga Springs.....	12,813	18	140.5	Newark.....	28,271	17	60.1	Old Forge.....	13,748	4	29.1
Schenectady.....	91,012	36	39.6	Norwood.....	20,320	16	78.7	Philadelphia (total).....	1,657,810	1,541	93.0
Syracuse.....	149,353	126	84.4	Piqua.....	13,906	16	115.1	White.....	1,566,158	1,455	92.9
Troy.....	77,580	136	175.3	Portsmouth.....	27,511	17	61.8	Colored.....	91,652	86	93.8
Utica *.....	82,060	82	99.9	Sandusky.....	20,127	23	114.3	Phoenixville.....	11,400	8	70.2
Watertown.....	28,874	33	114.3	Springfield (total).....	50,068	37	73.9	Pittsburgh (total).....	564,878	481	85.2
Watervliet.....	15,394	17	110.4	White.....	44,782	38	73.7	White.....	537,479	460	85.6
White Plains.....	19,379	19	98.0	Colored.....	5,276	4	75.8	Colored.....	27,399	21	76.6
Yonkers.....	93,383	66	69.6	Steubenville.....	25,817	19	73.6	Pittston.....	17,847	11	61.6
NORTH CAROLINA.				TOLEDO.....				Plymouth.....			
Registration cities (total).....	176,010	124	70.5	Toledo.....	12,278	10	81.4	Pottstown.....	18,422	9	48.9
White.....	109,604	76	69.3	Warren.....	184,126	194	99.9	Pottsville.....	16,408	15	91.4
Colored.....	66,406	48	72.3	Youngstown.....	12,074	10	82.8	Pottsville.....	21,684	18	83.0
Asheville (total).....	20,157	11	54.6	Zanesville.....	100,593	66	65.6	Reading.....	103,361	86	83.2
White.....	14,397	9	62.5	29,949	39	130.2	Scranton.....	141,351	85	60.1
Colored.....	5,760	2	24.7	OREGON. ¹				Shamokin.....	20,841	14	67.2
Charlotte (total).....	37,951	30	79.0	Portland (total).....	260,601	226	87.9	Sharon.....	17,538	10	57.0
White.....	24,835	19	76.5	White.....	250,210	222	88.7	Shenandoah.....	28,097	6	21.4
Colored.....	13,116	11	83.9	Colored *.....	10,391	7	67.4	South Bethlehem.....	22,840	9	39.4
Durham (total).....	22,863	14	61.2	PENNSYLVANIA.				Steelton.....	15,126	7	46.3
White.....	14,253	6	42.1	Registration cities (total).....	3,967,679	3,245	82.0	Sunbury.....	15,458	14	90.6
Colored.....	8,610	8	92.9	White.....	3,800,812	3,104	81.7	Uniontown.....	19,140	18	94.0
Greensboro (total).....	18,391	15	81.6	Colored.....	156,867	141	89.9	Warren.....	14,045	12	85.4
White.....	11,793	9	76.4	Allentown.....	60,297	59	97.8	Washington.....	20,702	12	58.0
Colored.....	6,608	6	90.8	Altoona.....	56,553	44	77.8	West Chester (total).....	12,722	15	117.9
Raleigh (total) *.....	19,833	21	105.9	Beaver Falls.....	13,100	11	84.0	White.....	10,691	13	121.6
White.....	12,225	10	81.8	Bethlehem.....	13,721	8	58.3	Colored.....	2,081	2	96.5
Colored.....	7,608	11	144.6	Braddock.....	20,985	6	28.7	Wilkes-Barre.....	73,660	46	62.4
Wilmington (total).....	27,781	19	68.4	Bradford.....	14,838	9	60.7	Wilkinsburg.....	21,701	22	101.4
White.....	14,703	12	81.6	Butler.....	25,543	21	82.2	Williamsport.....	33,181	50	150.7
Colored.....	13,078	7	53.5	Carbondale.....	18,532	13	70.1	York.....	49,430	47	95.1
Winston-Salem (total).....	29,084	14	48.2	Carlisle (total).....	10,589	10	94.4	RHODE ISLAND.			
White.....	17,408	11	63.2	White.....	9,436	8	84.8	Registration cities (total).....	479,487	426	88.8
Colored.....	11,676	3	25.8	Colored.....	1,153	2	173.5	White.....	470,169	419	89.1
OHIO.				Carnegie.....	11,150	2	17.9	Colored.....	9,318	7	75.1
Registration cities (total).....	2,410,207	2,104	87.3	Chambersburg.....	12,192	16	131.2	Central Falls.....	24,707	11	44.5
White.....	2,335,493	2,041	87.4	Chester (total).....	40,474	25	61.8	Cranston *.....	24,415	34	139.3
Colored.....	74,714	63	84.3	White.....	35,419	22	62.1	Cumberland town.....	10,608	10	94.3
Akron.....	80,291	62	77.2	Colored.....	5,055	3	59.3	East Providence town.....	17,369	23	132.4
Alliance.....	17,718	15	84.7	Costesville (total).....	13,360	5	37.4	Newport.....	29,154	25	85.8
Ashtabula.....	20,478	10	48.8	White.....	11,533	5	43.4	Pawtucket.....	56,901	44	77.3
Bellaire.....	13,896	7	50.4	Colored.....	1,826	Providence.....	245,080	227	92.6
Cambridge.....	12,844	9	70.1	Columbia.....	11,065	17	153.8	Warwick town *.....	28,893	31	107.3
Canton.....	57,426	35	60.9	Connellsville.....	14,613	15	102.6	Woonsocket.....	42,350	21	49.6
Chillicothe.....	15,160	15	98.9	Dubois.....	14,007	9	64.3	SOUTH CAROLINA. ¹			
Cincinnati (total).....	402,175	419	104.2	Dunmore.....	19,757	6	30.4	Charleston (total).....	60,121	35	58.2
White.....	380,415	400	105.1	Duquesne.....	18,576	8	43.1	White.....	28,372	23	81.1
Colored.....	21,760	19	87.3	Easton.....	29,882	25	83.7	Colored.....	31,749	12	37.8
Cleveland.....	639,431	483	75.5	Erie.....	73,401	55	76.0				
Columbus (total).....	204,567	220	107.5	Farrell.....	(*)	1	(*)				
White.....	190,139	208	109.4	Greensburg.....	14,687	7	47.7				
Colored.....	14,428	12	83.2	Harrisburg.....	69,463	57	82.0				
Dayton.....	123,794	133	107.4	Hazleton.....	27,511	27	98.1				
				Homestead.....	21,256	10	47.0				

¹ Nonregistration state; cities shown below only those with effective local ordinances.

* Colored population less than 10 per cent of the total in 1910.

* Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.

* Includes state institutions.

* Includes West Warwick town, organized Nov. 1, 1913.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
REGISTRATION CITIES—Continued.				REGISTRATION CITIES—Continued.				RURAL PART OF REGISTRATION STATES—Con.			
TENNESSEE. ¹				VIRGINIA—continued.				CALIFORNIA—continued.			
Registration cities (total).....	370,662	289	78.0	Portsmouth (total).....	37,569	18	47.9	Glenn County.....	8,033	4	49.8
White.....	237,961	209	87.8	White.....	24,405	11	45.1	Humboldt County.....	22,967	13	56.6
Colored.....	132,701	80	60.3	Colored.....	13,164	7	53.2	Imperial County.....	16,683	5	30.0
Chattanooga (total).....	57,077	40	70.1	Richmond (total).....	134,917	127	94.1	Inyo County.....	8,082	2	24.7
White.....	34,115	32	93.8	White.....	85,498	89	104.1	Kern County.....	31,226	4	12.8
Colored.....	22,962	8	34.8	Colored.....	49,419	38	76.9	Kings County.....	18,940	12	63.4
Jackson (total).....	17,531	8	45.6	Roanoke (total).....	40,574	20	49.3	Lake County.....	5,320	5	94.0
White.....	11,170	4	35.8	White.....	31,349	15	47.8	Lassen County.....	4,925	4	81.2
Colored.....	6,361	4	62.9	Colored.....	9,225	5	54.2	Los Angeles County.....	129,965	161	123.9
Knoxville (total).....	37,924	29	76.5	Staunton (total) *.....	11,316	6	53.0	Madera County.....	9,222	5	54.2
White.....	29,952	19	63.4	White.....	8,667	5	57.7	Marin County.....	29,126	14	48.1
Colored.....	7,972	10	125.4	Colored.....	2,649	1	37.8	Mariposa County.....	3,633	1	27.5
Memphis (total).....	143,231	114	79.6	WASHINGTON.				Mendocino County *.....	26,406	10	39.4
White.....	85,850	86	100.2	Registration cities (total).....	674,321	499	74.0	Merced County.....	17,676	11	62.2
Colored.....	57,372	28	48.8	White.....	655,806	497	75.8	Modoc County.....	6,667	2	30.0
Nashville (total).....	114,890	98	85.3	Colored.....	18,425	2	10.9	Mono County.....	1,992
White.....	78,865	68	88.5	WEST VIRGINIA. ¹				Monterey County.....	26,176	16	61.1
Colored.....	36,024	30	78.9	Aberdeen.....	18,220	10	54.9	Napa County *.....	21,228	32	150.7
TEXAS. ¹				Bellingham.....	29,937	21	70.1	Nevada County.....	13,748	14	101.8
Registration cities (total).....	204,857	181	88.4	Everett.....	32,048	19	59.3	Orange County.....	40,716	39	96.8
White.....	181,036	170	93.9	North Yakima.....	18,737	20	106.7	Placer County.....	19,281	13	67.4
Colored.....	23,821	11	46.2	Seattle.....	313,029	221	70.6	Plumas County.....	5,516	1	18.1
El Paso (total).....	49,505	48	97.0	Spokane.....	135,657	102	75.2	Riverside County.....	23,567	7	29.7
White.....	47,371	48	101.3	Tacoma.....	103,418	84	81.2	Sacramento County.....	14,416	5	34.7
Colored *.....	2,134	Walla Walla.....	23,275	22	94.5	San Benito County.....	8,639	9	104.2
Galveston (total).....	40,289	52	129.1	WISCONSIN.				San Bernardino County *.....	40,510	34	83.9
White.....	31,480	45	142.9	Wheeling (total).....	42,817	46	107.4	San Diego County.....	26,799	24	89.6
Colored.....	8,809	7	79.5	White.....	41,575	45	108.2	San Joaquin County.....	31,539	32	101.6
San Antonio (total).....	115,063	81	70.4	Colored *.....	1,242	1	80.5	San Luis Obispo County.....	20,553	14	68.1
White.....	102,185	77	75.4	Registration cities (total).....				San Mateo County.....	32,759	23	70.2
Colored.....	12,878	4	31.1	White.....	833,974	712	85.4	Santa Barbara County.....	17,670	5	28.3
UTAH.				Colored.....	831,317	710	85.4	Santa Clara County *.....	56,301	78	138.3
Registration cities (total).....	139,264	93	66.8	Appleton.....	2,657	2	75.3	Santa Cruz County.....	14,628	9	61.5
White.....	136,066	88	64.2	Ashland.....	17,492	21	120.1	Shasta County.....	19,002	13	66.3
Colored.....	2,296	5	217.8	Beloit.....	10,964	10	91.2	Sierra County.....	4,132	2	48.4
Ordan.....	29,528	22	74.5	Eau Claire.....	17,122	15	87.6	Siskiyou County.....	19,584	8	40.8
Salt Lake City.....	109,736	71	64.7	Fond du Lac.....	18,647	25	134.1	Solano County.....	16,238	9	55.4
VERMONT.				Fond du Lac.....	20,367	26	127.7	Sonoma County.....	52,618	63	119.7
Registration cities (total).....	47,370	73	154.1	Green Bay.....	28,026	36	128.5	Stanislaus County.....	28,048	19	67.7
White.....	47,221	72	152.5	Janesville.....	14,195	20	140.9	Sutter County.....	6,515	5	76.7
Colored.....	149	1	67.1	Kenosha.....	29,062	16	55.1	Tehama County.....	11,574	10	96.4
Barre.....	11,706	5	42.7	La Crosse.....	31,867	36	114.8	Trinity County.....	2,842	2	70.4
Burlington.....	21,247	35	164.7	Madison.....	29,499	29	98.4	Tulare County.....	42,712	23	53.8
Rutland.....	14,417	33	228.9	Manitowoc.....	13,553	17	125.4	Tuolumne County.....	9,474	5	52.8
VIRGINIA.				Marquette.....	18,687	11	78.9	Ventura County.....	20,043	14	69.8
Registration cities (total).....	423,671	304	71.8	Milwaukee.....	419,589	291	69.4	Yolo County.....	14,057	12	85.4
White.....	277,249	216	77.9	Oshkosh.....	35,097	38	108.3	Yuba County.....	10,648	10	93.9
Colored.....	146,422	88	60.1	Racine.....	44,528	44	98.8	COLORADO.			
Alexandria (total).....	15,670	16	102.1	Sheboygan.....	27,893	35	125.6	Total.....	568,290	237	41.7
White.....	11,890	14	123.0	Superior.....	44,344	26	58.6	White.....	561,232	236	42.1
Colored.....	4,290	2	46.6	Wausau.....	18,352	16	87.2	Colored.....	7,048	1	14.2
Danville (total).....	19,067	19	94.5	RURAL PART OF REGISTRATION STATES. ¹				Adams County.....	10,652	3	28.2
White.....	13,267	14	105.5	CALIFORNIA.				Arapahoe County.....	12,295	4	32.5
Colored.....	6,490	5	77.8	Total.....	1,211,170	947	78.2	Archuleta County.....	3,808
Lynchburg (total).....	31,530	27	84.8	White.....	1,142,413	929	81.3	Baca County.....	3,266
White.....	21,809	20	92.6	Colored.....	68,757	18	26.2	Bent County.....	5,894	2	33.9
Colored.....	10,221	7	68.5	Alameda County.....	34,101	39	114.4	Boulder County.....	34,073	25	73.4
Newport News (total).....	20,446	5	24.5	Alpine County.....	8,226	Chaffee County.....	7,850	6	76.4
White.....	13,069	4	30.6	Amador County.....	8,224	7	85.1	Cheyenne County.....	5,044	1	19.8
Colored.....	7,357	1	13.6	Butte County.....	31,641	23	72.7	Clear Creek County.....	4,117	1	24.3
Norfolk (total).....	86,540	46	53.2	Calaveras County.....	8,309	2	24.1	Conejos County *.....	18,213	3	16.5
White.....	54,338	33	60.7	Colusa County.....	7,889	3	38.0	Custer County.....	1,527	1	65.5
Colored.....	32,202	13	40.4	Contra Costa County.....	37,483	13	48.0	Delta County.....	17,182	4	23.3
Petersburg (total).....	25,112	20	79.6	Del Norte County.....	2,421	2	82.6	Dolores County.....	435
White.....	13,647	11	80.6	Eldorado County.....	6,857	10	145.8	Douglas County.....	3,223	8	93.1
Colored.....	11,465	9	78.5	Fresno County.....	61,954	40	64.6	Eagle County.....	2,978	1	33.1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

³ Exclusive of municipalities having a population of 10,000 or over in 1910.

⁴ Includes Alamosa and Costilla Counties; separate estimated populations not available.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.				
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.						
COLORADO—continued.				INDIANA—continued.				INDIANA—continued.						
El Paso County.....	16,597	5	30.1	Clay County.....	31,790	24	75.5	Union County.....	6,064	8	132.1			
Elbert County.....	6,281	1	15.9	Clinton County.....	26,026	32	123.0	Vanderburg County *.....	8,570	10	116.7			
Fremont County.....	19,266	7	36.3	Crawford County.....	11,455	8	26.2	Vermilion County.....	20,404	15	73.5			
Garfield County.....	11,980	4	33.4	Davess County.....	26,825	17	63.4	Vigo County.....	35,435	19	53.6			
Gilpin County.....	3,042	1	32.9	Dearborn County.....	21,057	18	85.5	Wabash County.....	26,370	20	75.8			
Grand County.....	2,339			Decatur County.....	18,486	18	97.4	Warren County.....	10,699	4	37.4			
Gunnison County.....	6,138			Dekalb County.....	24,776	23	92.8	Warrick County.....	21,734	11	50.6			
Hinsdale County.....	(2)	2	(2)	Delaware County.....	27,206	19	69.8	Washington County.....	16,610	8	48.2			
Huerfano County.....	15,418	5	32.4	Dubuois County.....	19,624	6	22.1	Wayne County *.....	21,864	29	132.6			
Jackson County.....	1,246			Elkhart County.....	29,662	42	141.6	Wells County.....	21,980	9	40.9			
Jefferson County.....	16,329	7	42.9	Fayette County.....	14,805	19	128.3	White County.....	16,950	16	94.4			
Kiowa County.....	8,334			Floyd County.....	9,738	9	92.4	Whitley County.....	16,707	11	65.8			
Kit Carson County.....	9,998	2	20.0	Fountain County.....	20,010	16	80.0							
La Plata County.....	12,429	6	48.3	Franklin County.....	14,888	10	67.2	KANSAS.						
Lake County.....	(2)	4	(2)	Fulton County.....	16,635	13	87.3	Total.....	1,439,637	813	56.5			
Larimer County.....	31,053	18	58.0	Gibson County.....	30,151	16	53.1	White.....	1,412,640	801	56.7			
Las Animas County.....	25,874	10	38.6	Grant County *.....	30,379	35	115.2	Colored.....	26,997	12	44.4			
Lincoln County.....	8,043			Greene County.....	40,427	16	39.6	Allen County.....	31,105	19	61.1			
Logan County.....	12,213	1	8.2	Hamilton County.....	26,797	19	73.7	Anderson County.....	13,784	9	65.3			
Mesa County.....	27,706	14	50.5	Hancock County.....	18,963	18	94.9	Atchison County.....	11,262	2	17.8			
Mineral County.....	953	2	209.9	Harrison County.....	19,606	15	76.5	Barber County.....	11,331	5	44.1			
Montezuma County.....	5,867	3	52.8	Hendricks County.....	20,649	10	48.4	Barton County.....	19,619	11	56.0			
Montrose County.....	12,742	5	39.2	Henry County.....	31,747	14	44.1	Bourbon County.....	13,187	10	75.8			
Morgan County.....	12,265	6	48.9	Howard County.....	15,443	10	64.8	Brown County.....	20,887	10	47.9			
Otero County.....	23,899	11	46.0	Huntington County.....	18,537	11	59.3	Butler County.....	22,932	18	78.5			
Ouray County.....	2,996	1	33.4	Jackson County.....	23,915	13	54.4	Chase County.....	7,223	3	41.5			
Park County.....	2,277	1	43.9	Jasper County.....	12,514	15	119.9	Chautauqua County.....	11,271	6	53.2			
Phillips County.....	3,857	2	51.9	Jay County.....	24,170	18	74.5	Cherokee County.....	36,232	18	49.7			
Pitkin County.....	3,522	3	85.2	Jefferson County *.....	19,448	31	159.4	Cheyenne County.....	4,933	2	40.5			
Prowers County.....	11,970	7	58.5	Jennings County.....	13,542	12	88.6	Clark County.....	5,112	2	39.1			
Pueblo County *.....	8,580	13	151.5	Johnson County.....	20,465	14	68.4	Clay County.....	15,006	9	60.0			
Rio Blanco County.....	2,806			Knox County.....	25,165	9	35.8	Cloud County.....	18,524	13	70.2			
Rio Grande County.....	7,619	2	21.7	Kosciusko County.....	27,437	25	91.1	Coffey County.....	14,595	5	34.3			
Routt County.....	9,222	2	21.7	Lagrange County.....	15,092	11	72.9	Comanche County.....	3,989	1	25.1			
Saguache County.....	4,290	1	23.3	Lake County.....	35,067	25	71.3	Cowley County.....	32,485	25	77.0			
San Juan County.....	3,370			Laporte County.....	15,709	13	82.8	Crawford County.....	39,603	20	50.5			
San Miguel County.....	4,412	3	68.0	Lawrence County.....	32,709	15	45.9	Decatur County.....	8,868	3	33.8			
Sedgewick County.....	3,950	2	50.6	Madison County.....	29,250	20	68.4	Dickinson County.....	25,446	12	47.2			
Summit County.....	1,687	1	59.3	Marion County *.....	32,150	26	80.9	Doniphan County.....	14,145	9	63.6			
Teller County.....	8,109	8	98.7	Marshall County.....	23,775	25	106.2	Douglas County.....	11,550	7	60.6			
Washington County.....	7,190	1	13.9	Martin County.....	12,201	4	32.8	Edwards County.....	8,461	5	59.1			
Weld County.....	48,709	19	39.0	Miami County.....	17,576	14	79.7	Elk County.....	9,569	10	104.5			
Yuma County.....	10,180	5	49.1	Monroe County.....	24,511	22	89.8	Ellis County.....	13,681	9	65.8			
CONNECTICUT.				Montgomery County.....	29,258	27	92.3	Ellsworth County.....	10,792	7	64.9			
Total.....	377,398	323	85.6	Morgan County.....	21,488	11	51.2	Finney County.....	8,374	1	11.9			
White.....	372,932	323	86.6	Newton County.....	10,524	12	114.0	Ford County.....	13,906	8	57.5			
Colored.....	4,466			Noble County.....	24,210	18	74.3	Franklin County.....	20,687	14	67.7			
Fairfield County.....	53,443	43	80.5	Ohio County.....	4,161			Geary County.....	13,507	9	66.6			
Hartford County.....	85,763	76	88.6	Orange County.....	17,334	6	34.6	Gove County.....	7,580	1	13.2			
Litchfield County.....	54,359	41	75.4	Owen County.....	13,586	11	81.0	Graham County.....	10,203	3	29.4			
Middlesex County.....	25,150	21	83.5	Parke County.....	21,881	14	64.0	Grant County.....	1,370					
New Haven County.....	50,768	48	94.5	Perry County.....	17,780	8	45.0	Gray County.....	3,913	1	25.6			
New London County *.....	45,284	46	101.6	Pike County.....	19,343	12	62.0	Greeley County.....	1,694					
Tolland County.....	27,285	19	69.6	Porter County.....	21,120	23	108.9	Greenwood County.....	16,004	12	78.0			
Windham County.....	35,346	29	82.0	Posey County.....	21,388	5	23.4	Hamilton County.....	4,184	1	23.9			
INDIANA.				Pulaski County.....	13,005	14	107.7	Harper County.....	16,639	8	48.1			
Total.....	1,878,080	1,434	76.4	Putnam County.....	20,112	24	119.3	Harvey County.....	19,887	18	90.5			
White.....	1,859,826	1,423	76.5	Randolph County.....	29,164	23	78.9	Haskell County.....	1,221					
Colored.....	18,204	11	60.4	Ripley County.....	19,271	21	109.0	Hodgeman County.....	3,314					
Adams County.....	21,675	17	78.4	Rush County.....	19,009	15	78.9	Jackson County.....	16,754	14	83.6			
Allen County.....	27,830	21	75.5	St. Joseph County.....	15,455	18	116.5	Jefferson County.....	15,100	12	79.5			
Bartholomew County.....	24,905	26	100.4	Scott County.....	8,328	12	144.1	Jewell County.....	17,608	13	73.8			
Benton County.....	12,603	5	40.0	Shelby County.....	26,933	18	66.8	Johnson County.....	18,385	17	92.6			
Blackford County.....	15,227	15	98.5	Spencer County.....	19,939	15	75.2	Kearny County.....	4,099	1	24.4			
Boone County.....	23,971	11	45.9	Stark County.....	10,624	12	113.0	Kingman County.....	14,546	7	48.1			
Brown County.....	7,230	3	41.5	Steuben County.....	13,874	14	100.9	Kiowa County.....	7,796	1	12.8			
Carroll County.....	17,126	12	70.1	Sullivan County.....	35,179	19	54.0	Labette County.....	18,642	13	69.7			
Cass County *.....	16,879	9	53.3	Switzerland County.....	9,083	12	132.0							
Clark County.....	19,331	14	72.4	Tiptecan County.....	19,765	21	106.2							
				Tipton County.....	16,754	12	71.6							

* Exclusive of municipalities having a population of 10,000 or over in 1910.

* Population not estimated, decrease since 1900.

* Includes Crowley County; separate estimated populations not available.

* Includes Moffat County; separate estimated populations not available.

* Includes National Military Home.

SUMMARY AND RATE TABLES.

27

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con. KANSAS—continued.				RURAL PART OF REGISTRATION STATES—Con. KENTUCKY—continued.				RURAL PART OF REGISTRATION STATES—Con. KENTUCKY—continued.			
Lane County.....	3,046	1	32.8	Barren County (total).....	26,186	9	34.4	Cumberland County (total).....	10,222	1	9.8
Leavenworth County.....	22,544	16	71.0	White.....	22,442	9	40.1	White.....	9,151	1	10.9
Lincoln County.....	10,251	2	19.5	Colored.....	3,744			Colored.....	1,071		
Linn County.....	13,903	23	165.4	Bath County (total).....	13,673	4	29.3	Daviess County (total).....	24,511	4	16.1
Logan County.....	5,308	2	38.4	White.....	12,358	4	32.4	White.....	22,824	4	17.5
				Colored.....	1,315			Colored.....	1,687		
Lyon County.....	24,865	21	84.5	Ball County (total).....	33,378	6	17.7	Edmonson County (total).....	10,634	2	18.8
McPherson County.....	21,563	18	83.5	White.....	30,376	5	16.5	White.....	10,185	2	19.6
Marion County.....	23,156	10	43.2	Colored.....	3,002	1	28.6	Colored.....	449		
Marshall County.....	23,678	10	42.2	Boone County (total).....	8,676	5	57.6	Elliott County (total).....	9,571	2	20.9
Meade County.....	6,534	2	30.6	White.....	8,233	5	60.7	White.....	9,566	2	20.9
				Colored.....	443			Colored.....	5		
Miami County.....	19,344	12	62.0	Bourbon County (total).....	17,306	15	87.2	Estill County (total).....	12,531	2	16.0
Mitchell County.....	13,553	8	57.7	White.....	11,606	9	77.5	White.....	12,422	2	16.1
Montgomery County.....	28,903	13	45.0	Colored.....	5,600	6	107.1	Colored.....	109		
Morris County.....	12,578	3	23.9	Boyd County (total).....	25,408	10	39.4	Fayette County (total).....	11,300	4	35.4
Morton County.....	1,771	1	56.5	White.....	24,496	10	40.8	White.....	7,822	4	51.1
				Colored.....	912			Colored.....	3,478		
Nemaha County.....	18,516	7	37.8	Boyle County (total).....	15,031	7	46.6	Fleming County (total).....	15,637	11	70.3
Necosho County.....	25,669	18	70.1	White.....	10,744	4	37.2	White.....	14,830	11	75.2
Ness County.....	6,455	1	15.5	Colored.....	4,287	3	70.0	Colored.....	1,007		
Norton County.....	11,738	8	68.2	Bracken County (total).....	9,530	7	73.5	Floyd County (total).....	19,832	2	10.0
Osage County.....	18,306	13	71.0	White.....	9,215	7	76.0	White.....	19,776	2	10.1
				Colored.....	315			Colored.....	156		
Osborne County.....	13,244	12	90.6	Breathitt County (total).....	18,912	1	5.3	Franklin County (total).....	10,372	6	57.8
Ottawa County.....	12,777	7	58.0	White.....	18,629	1	5.4	White.....	9,564	5	52.3
Pawnee County.....	10,467	6	57.3	Colored.....	283			Colored.....	808	1	123.8
Phillips County.....	14,028	2	14.3	Breckinridge County (total).....	21,246	11	51.8	Fulton County (total).....	15,208	6	39.5
Pottawatomie County.....	17,118	9	52.6	White.....	19,636	9	45.8	White.....	11,566	6	51.9
				Colored.....	1,610	2	124.2	Colored.....	3,642		
Pratt County.....	12,890	1	7.8	Bullitt County (total).....	9,442			Gallatin County (total).....	4,499	2	44.5
Rawlins County.....	6,864	3	43.7	White.....	8,761			White.....	4,235	2	47.2
Reno County.....	22,274	11	49.4	Colored.....	681			Colored.....	264		
Republic County.....	17,106	16	93.5	Butler County (total).....	15,768	7	44.4	Garrard County (total).....	11,831	5	42.3
Rice County.....	15,258	5	32.8	White.....	15,204	7	46.0	White.....	9,543	4	41.9
				Colored.....	564			Colored.....	2,288	1	43.7
Riley County.....	16,616	12	72.2	Caldwell County (total).....	13,875	2	14.4	Grant County (total).....	9,449	2	21.2
Rooks County.....	12,696	5	39.4	White.....	11,371	1	8.8	White.....	9,186	2	21.8
Rush County.....	8,546	2	23.4	Colored.....	2,504	1	39.9	Colored.....	263		
Russell County.....	11,785	10	84.9	Calloway County (total).....	20,819	9	43.2	Graves County (total).....	33,682	11	32.7
Saline County.....	21,727	11	50.6	White.....	19,691	9	45.7	White.....	30,748	10	32.5
				Colored.....	1,128			Colored.....	2,934	1	34.1
Scott County.....	3,876	1	25.8	Campbell County (total).....	30,046	24	79.9	Grayson County (total).....	19,992	8	40.0
Sedgewick County.....	20,504	5	24.4	White.....	29,867	24	80.4	White.....	19,656	8	40.7
Seward County.....	5,484			Colored.....	179			Colored.....	336		
Shawnee County.....	18,244	12	65.8	Carlisle County (total).....	8,561	1	11.7	Green County (total).....	11,708	6	51.2
Sheridan County.....	6,430	2	31.1	White.....	8,186	1	12.2	White.....	10,373	5	48.2
				Colored.....	375			Colored.....	1,335	1	74.9
Sherman County.....	5,062	3	59.3	Carroll County (total).....	7,383	7	94.8	Greenup County (total).....	19,771	9	45.5
Smith County.....	14,931	7	46.9	White.....	6,867	6	87.0	White.....	19,483	9	46.2
Stafford County.....	13,651	4	29.3	Colored.....	486	1	205.8	Colored.....	288		
Stanton County.....	1,333			Carter County (total).....	22,708	4	17.6	Hancock County (total).....	8,343	2	24.0
Stevens County.....	3,232			White.....	22,593	4	17.7	White.....	7,784	2	25.7
				Colored.....	115			Colored.....	559		
Sumner County.....	32,793	17	51.8	Casey County (total).....	15,623	4	25.6	Hardin County (total).....	22,595	9	39.8
Thomas County.....	6,027	1	16.6	White.....	15,340	4	26.1	White.....	20,764	6	28.9
Trego County.....	6,538			Colored.....	283			Colored.....	1,831	3	163.8
Wabasha County.....	12,683	9	71.0	Christian County (total).....	39,221	26	66.3	Harlan County (total).....	10,874	2	18.4
Wallace County.....	3,432	3	87.4	White.....	22,983	17	73.9	White.....	10,290	2	19.4
				Colored.....	16,228	9	55.5	Colored.....	584		
Washington County.....	19,492	8	41.0	Clark County (total).....	18,538	16	96.3	Harrison County (total).....	16,151	10	61.9
Wichita County.....	2,351			White.....	13,000	14	100.7	White.....	14,463	9	62.2
Wilson County.....	21,594	16	74.1	Colored.....	4,638	2	43.1	Colored.....	1,688	1	59.2
Woodson County.....	9,206	4	43.4	Clay County (total).....	18,821	8	42.5	Hart County (total).....	18,060	3	16.6
Wyandotte County.....	17,235	16	92.8	White.....	18,294	7	38.3	White.....	16,085	3	18.7
				Colored.....	527	1	189.8	Colored.....	1,995		
KENTUCKY.				Clinton County (total).....	8,272			Henderson County (total).....	15,884	9	58.7
Total.....	1,925,168	753	39.1	White.....	8,176			White.....	12,542	7	55.8
White.....	1,730,546	688	38.6	Colored.....	96			Colored.....	3,342	2	59.8
Colored.....	194,622	85	43.7	Crittenden County (total).....	12,490	2	16.0	Henry County (total).....	13,333	10	75.0
Adair County (total).....	17,190	4	23.3	White.....	11,934	2	16.8	White.....	11,578	7	60.5
White.....	15,643	4	25.6	Colored.....	556			Colored.....	1,755	3	170.9
Colored.....	1,547										
Allen County (total).....	14,978	7	46.7								
White.....	14,055	6	42.7								
Colored.....	923	1	108.3								
Anderson County (total).....	10,185	1	9.8								
White.....	9,443	1	10.6								
Colored.....	742										
Ballard County (total).....	13,512	2	14.8								
White.....	11,812	2	16.9								
Colored.....	1,700										

* Exclusive of municipalities having a population of 10,000 or over in 1910.

* Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
KENTUCKY—continued.				KENTUCKY—continued.				KENTUCKY—continued.			
Hickman County (total)...	11,750	6	51.1	Marion County (total)....	16,347	14	85.6	Rockcastle County (total)...	15,348	5	32.6
White.....	9,971	5	50.1	White.....	14,063	12	85.3	White.....	15,214	5	32.9
Colored.....	1,779	1	56.2	Colored.....	2,284	2	87.6	Colored.....	124		
Hopkins County (total)...	35,694	20	56.0	Marshall County (total)...	16,655	2	12.0	Rowan County (total)....	9,931	2	20.1
White.....	28,802	13	45.1	White.....	16,511	2	12.1	White.....	9,899	2	20.3
Colored.....	6,892	7	101.6	Colored.....	144			Colored.....	62		
Jackson County (total)....	10,806	3	27.8	Martin County (total)....	7,935			Russell County (total)....	11,358	4	35.2
White.....	10,754	3	27.8	White.....	7,931			White.....	11,140	4	35.9
Colored.....	22			Colored.....	4			Colored.....	218		
Jefferson County (total) *	40,747	11	27.0	Mason County (total)....	17,839	9	50.5	Scott County (total)....	16,480	8	48.5
White.....	35,204	11	31.2	White.....	15,060	8	53.1	White.....	12,522	7	55.9
Colored.....	5,543			Colored.....	2,769	1	36.1	Colored.....	3,958	1	25.3
Jessamine County (total) ..	12,905	10	77.5	Meade County (total)....	9,463	6	63.4	Shelby County (total)....	17,915	8	44.7
White.....	9,551	8	81.2	White.....	8,534	6	68.0	White.....	13,922	8	57.5
Colored.....	3,354	2	65.6	Colored.....	639			Colored.....	3,992		
Johnson County (total)....	19,080	5	26.2	Menifee County (total)...	5,871	1	17.0	Simpson County (total)...	11,393	5	43.9
White.....	19,029	5	26.3	White.....	5,833	1	17.1	White.....	9,225	5	54.2
Colored.....	51			Colored.....	38			Colored.....	2,168		
Kenton County (total)....	17,342	10	57.7	Mercer County (total)....	13,910	6	43.1	Spencer County (total)....	7,634	4	52.4
White.....	17,021	10	58.8	White.....	11,747	5	42.6	White.....	6,863	4	58.3
Colored.....	321			Colored.....	2,163	1	46.2	Colored.....	771		
Knott County (total)....	11,679	2	17.1	Metcalf County (total)...	10,651	7	65.7	Taylor County (total)....	12,338	5	40.5
White.....	11,506	2	17.4	White.....	9,836	5	50.8	White.....	10,853	5	46.1
Colored.....	173			Colored.....	815	2	245.4	Colored.....	1,485		
Knox County (total)....	24,136	9	37.3	Monroe County (total)....	13,922	4	28.7	Todd County (total)....	16,113	12	74.5
White.....	22,965	9	39.2	White.....	13,173	4	30.4	White.....	10,854	8	73.7
Colored.....	1,171			Colored.....	744			Colored.....	5,259	4	76.1
Larue County (total)....	10,676	6	56.2	Montgomery County (total)	12,881	9	69.9	Trigg County (total)....	14,737	6	40.7
White.....	9,887	6	60.7	White.....	9,661	6	62.1	White.....	11,346	6	52.9
Colored.....	789			Colored.....	3,220	3	93.2	Colored.....	3,391		
Laurel County (total)....	20,843	5	24.0	Morgan County (total)....	17,736	6	33.8	Trimble County (total)....	6,189		
White.....	20,144	4	19.9	White.....	17,669	6	33.9	White.....	6,063		
Colored.....	699	1	143.1	Colored.....	67			Colored.....	136		
Lawrence County (total)...	20,261	5	24.7	Muhlenberg County (total)	31,944	13	40.7	Union County (total)....	19,274	9	46.7
White.....	20,095	5	24.9	White.....	28,668	11	38.4	White.....	16,917	7	41.4
Colored.....	166			Colored.....	3,276	2	61.1	Colored.....	2,357	2	84.9
Lee County (total)....	10,188	1	9.8	Nelson County (total)....	16,681	16	94.5	Warren County (total)....	30,837	20	64.9
White.....	9,936	1	10.1	White.....	13,957	13	93.1	White.....	24,627	18	73.1
Colored.....	252			Colored.....	2,974	3	100.9	Colored.....	6,210	2	32.2
Leslie County (total)....	9,923	1	10.1	Nicholas County (total)...	10,026	7	69.8	Washington County (total)	13,839	5	36.1
White.....	9,776	1	10.2	White.....	9,173	7	76.3	White.....	12,060	4	33.2
Colored.....	147			Colored.....	853			Colored.....	1,779	1	56.2
Letcher County (total)....	11,241	1	8.9	Ohio County (total)....	27,794	11	39.6	Webster County (total)....	21,347	6	28.1
White.....	11,223	1	8.9	White.....	26,450	11	41.5	White.....	18,638	6	32.2
Colored.....	18			Colored.....	1,304			Colored.....	2,709		
Lewis County (total)....	16,470	8	48.6	Oldham County (total)....	7,830	2	27.3	Wolfe County (total)....	10,331	1	9.7
White.....	16,331	8	49.0	White.....	6,223	2	82.1	White.....	10,272	1	9.7
Colored.....	139			Colored.....	1,097			Colored.....	59		
Lincoln County (total)....	18,263	9	49.3	Owen County (total)....	12,841	6	46.7	Woodford County (total)...	12,331	6	48.7
White.....	15,217	8	52.6	White.....	11,985	6	50.1	White.....	8,652	3	34.7
Colored.....	3,046	1	32.9	Colored.....	856			Colored.....	3,679	3	81.5
Livingston County (total)...	10,319	3	29.1	Owsley County (total)....	8,448	3	35.5	MAINE.			
White.....	9,663	3	31.0	White.....	8,368	3	35.9	Total.....	587,660	600	103.6
Colored.....	656			Colored.....	80			White.....	585,942	607	103.6
Logan County (total)....	24,544	14	57.0	Pendleton County (total)...	10,722	6	56.0	Colored.....	1,718	2	116.4
White.....	19,245	11	57.2	White.....	10,457	6	57.2	Androscoggin County.....	18,931	24	126.8
Colored.....	5,299	3	56.6	Colored.....	235			Aroostook County.....	80,565	46	57.1
Lyon County (total)....	9,465	2	21.1	Perry County (total)....	12,523	1	8.0	Cumberland County.....	64,679	60	109.7
White.....	7,644	1	13.1	White.....	12,283	1	8.1	Franklin County.....	19,406	20	103.1
Colored.....	1,821	1	54.9	Colored.....	240			Hancock County.....	34,717	37	106.6
McCracken County (total)...	13,592	5	36.8	Pike County (total)....	35,510	3	8.4	Kennebec County.....	38,268	55	143.6
White.....	11,454	5	43.7	White.....	35,135	3	8.5	Knox County.....	28,526	32	112.2
Colored.....	2,138			Colored.....	375			Lincoln County.....	17,597	40	227.3
McLean County (total)....	13,578	2	14.7	Powell County (total)....	6,194			Oxford County.....	37,968	29	76.4
White.....	12,803	2	15.6	White.....	5,859			Penobscot County.....	63,075	54	85.6
Colored.....	775			Colored.....	335			Piscataquis County.....	21,137	17	80.4
Madison County (total)....	27,523	13	47.2	Pulaski County ¹ (total)...	91,570	34	37.1	Sagadahoc County.....	17,827	19	106.6
White.....	21,657	12	55.4	White.....	88,280	33	37.4	Somerset County.....	37,345	44	117.8
Colored.....	5,866	1	17.0	Colored.....	3,290	1	30.4	Waldo County.....	23,042	18	78.1
Magoffin County (total)....	14,356	2	13.9	Robertson County (total)...	3,791	1	26.4	Washington County.....	41,915	54	128.8
White.....	14,201	2	14.1	White.....	3,727	1	26.8	York County.....	52,602	60	114.1
Colored.....	155			Colored.....	64						

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

³ Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.

⁴ Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
MARYLAND.				MARYLAND—continued.				MICHIGAN—continued.			
Total.....	700,758	430	62.6	Worcester County (total)...	22,257	22	98.8	Lenawee County.....	36,463	30	107.0
White.....	552,611	380	68.8	White.....	14,979	15	100.1	Livingston County.....	16,915	21	124.2
Colored.....	148,147	50	39.8	Colored.....	7,278	7	96.2	Luce County *.....	4,438	5	112.7
MASSACHUSETTS.				MASSACHUSETTS.				MASSACHUSETTS.			
Total.....	41,071	23	56.0	Total.....	791,284	868	109.7	Manistee County.....	14,610	9	61.6
White.....	40,681	23	56.5	White.....	784,119	864	110.2	Marquette County.....	24,859	8	32.2
Colored.....	390			Colored.....	7,165	4	55.8	Mason County.....	23,088	12	52.0
Anne Arundel County (total).....	39,527	34	86.0	Barnstable County.....	27,423	37	134.9	Meosota County.....	18,944	25	132.0
White.....	25,149	20	115.3	Berkshire County.....	37,895	42	110.8	Menominee County.....	15,532	6	38.6
Colored.....	14,378	5	34.8	Bristol County.....	56,332	56	99.4	Midland County.....	13,821	7	50.6
Baltimore County (total)*.....	135,813	111	81.7	Dukes County.....	4,482	9	200.8	Missaukee County.....	11,157	7	62.7
White.....	121,581	104	85.5	Essex County *.....	92,103	105	114.0	Monroe County.....	32,984	28	84.9
Colored.....	14,232	7	49.2	Franklin County.....	33,127	33	99.6	Montcalm County.....	31,779	35	110.1
Calvert County (total).....	10,368	2	19.3	Hampden County.....	46,101	35	75.9	Montmorency County.....	3,976	2	50.3
White.....	5,218	1	19.2	Hampshire County.....	45,481	33	72.6	Muskegon County.....	16,642	15	90.1
Colored.....	5,150	1	19.4	Middlesex County *.....	125,247	173	138.1	Newaygo County.....	19,877	9	45.3
Caroline County (total).....	20,490	8	39.1	Nantucket County.....	2,946	9	305.5	Oakland County.....	35,063	25	71.3
White.....	15,293	6	39.2	Norfolk County *.....	105,294	99	94.0	Oceana County.....	19,117	11	57.5
Colored.....	5,197	2	38.6	Plymouth County *.....	80,000	99	123.8	Ogemaw County.....	9,392	9	95.8
Carroll County (total).....	33,965	20	58.9	Worcester County *.....	134,853	138	102.3	Ontonagon County.....	9,694	5	51.6
White.....	31,917	19	59.5	MICHIGAN.				Oscoda County.....	17,902	12	67.0
Colored.....	2,048	1	48.8	Total.....	1,806,362	1,398	77.4	Oscoda County.....	2,263	2	88.4
Cecil County (total).....	23,377	18	77.0	White.....	1,792,223	1,391	77.6	Otsego County.....	6,712	3	44.7
White.....	20,044	14	69.8	Colored.....	14,139	7	49.5	Ottawa County.....	36,061	22	61.0
Colored.....	3,333	4	120.0	Alcona County.....	5,708	1	17.5	Presque Isle County.....	12,283	5	40.7
Charles County (total).....	15,848	4	25.2	Alger County.....	8,446	2	23.6	Roscommon County.....	2,480	1	40.3
White.....	7,419	2	27.0	Allegan County.....	40,240	30	74.5	Saginaw County.....	38,740	21	54.2
Colored.....	8,424	2	23.7	Alpena County.....	7,605	9	118.3	St. Clair County.....	32,374	30	92.7
Dorchester County (total)...	28,968	16	55.2	Antrim County.....	16,322	13	84.8	St. Joseph County.....	26,185	26	95.5
White.....	19,292	12	62.2	Arenac County.....	9,565	4	41.8	Sanilac County.....	33,451	29	86.7
Colored.....	9,676	4	41.3	Baraga County.....	6,898	3	43.5	Schoolcraft County.....	9,018	9	99.8
Frederick County (total).....	42,107	24	57.0	Barry County.....	22,685	24	105.8	Shiawassee County.....	32,983	32	97.0
White.....	38,147	20	52.4	Bay County.....	23,688	14	59.1	Tuscola County.....	34,497	29	84.1
Colored.....	3,960	4	101.0	Benzie County.....	11,043	8	72.4	Van Buren County.....	33,147	43	129.7
Garrett County (total).....	21,128	10	47.3	Berrien County.....	55,521	58	104.5	Washtenaw County.....	28,470	24	84.3
White.....	21,015	10	47.6	Branch County.....	24,667	23	93.2	Wayne County.....	71,842	63	87.7
Colored *.....	113			Calhoun County.....	31,636	35	110.6	Wexford County.....	22,440	15	66.8
Harford County (total).....	27,837	13	46.7	Cass County.....	20,520	20	141.2	MINNESOTA.			
White.....	22,661	13	57.4	Charlevoix County.....	21,373	13	60.8	Total.....	1,481,593	1,066	74.0
Colored.....	5,176			Cheboygan County.....	18,875	10	53.0	White.....	1,471,362	1,062	74.2
Howard County (total).....	15,848	8	50.5	Chippewa County.....	12,308	7	56.9	Colored.....	10,231	4	39.1
White.....	12,074	7	58.0	Clare County.....	9,616	3	31.2	Aitkin County.....	11,917	7	58.7
Colored.....	3,774	1	26.5	Clinton County.....	22,276	18	80.8	Anoka County *.....	12,995	8	61.6
Kent County (total).....	16,178	8	49.4	Crawford County.....	4,356	5	114.8	Becker County.....	20,097	10	49.8
White.....	10,203	4	39.2	Delta County.....	18,013	4	22.2	Beltrami County.....	24,010	9	37.5
Colored.....	5,975	4	66.9	Dickinson County.....	21,647	14	64.7	Benton County.....	11,045	6	54.3
Montgomery County (total)...	32,786	11	33.6	Eaton County.....	30,003	25	83.3	Big Stone County.....	9,687	8	83.0
White.....	23,188	10	43.1	Emmet County.....	19,681	15	76.2	Blue Earth County.....	17,824	17	95.4
Colored.....	9,598	1	10.4	Genesee County.....	24,705	24	97.1	Brown County.....	20,282	20	98.6
Prince Georges County (total)...	38,909	18	46.4	Gladwin County.....	9,201	3	32.6	Carlton County.....	20,773	10	48.1
White.....	26,256	16	60.9	Gogebic County.....	11,996	2	16.7	Carver County.....	17,418	10	57.4
Colored.....	12,553	2	15.9	Grand Traverse County.....	11,924	4	33.5	Cass County.....	12,268	13	98.1
Queen Annes County (total)...	16,191	9	55.6	Gratiot County.....	28,366	21	74.0	Chippewa County.....	13,867	15	108.2
White.....	10,508	8	76.1	Hillsdale County.....	29,594	28	94.6	Chisago County.....	13,660	14	102.5
Colored.....	5,683	1	17.6	Houghton County.....	97,488	45	46.2	Clay County.....	20,365	11	54.0
St. Marys County (total)...	16,967	5	29.5	Huron County.....	35,011	28	80.0	Clearwater County.....	8,581	2	23.4
White.....	9,571	5	52.2	Ingham County.....	21,547	31	143.9	Cook County.....	1,560	1	64.1
Colored.....	7,396			Ionia County *.....	33,220	14	42.1	Cottonwood County.....	12,899	8	62.0
Somerset County (total).....	26,681	26	97.4	Iosco County.....	9,544	7	73.3	Crow Wing County.....	17,972	17	94.6
White.....	16,967	19	112.0	Iron County.....	17,794	3	16.9	Dakota County *.....	26,636	14	52.6
Colored.....	9,714	7	72.1	Isabella County.....	23,132	7	30.3	Dodge County.....	11,564	15	129.7
Talbot County (total).....	19,813	17	88.0	Jackson County.....	21,647	25	116.0	Douglas County.....	17,544	23	131.1
White.....	12,531	12	95.8	Kalamazoo County.....	21,453	17	79.2	Faribault County.....	19,053	8	42.0
Colored.....	6,782	5	73.7	Kalkaska County.....	8,508	9	105.8	Fillmore County.....	24,590	26	101.7
Washington County (total)...	26,741	22	82.3	Kent County.....	48,480	50	103.2	Freeborn County.....	22,471	28	124.6
White.....	20,231	22	83.9	Keweenaw County.....	8,834	3	34.0	Goodhue County.....	31,848	31	97.3
Colored *.....	510			Lake County.....	4,933	1	20.3	Grant County.....	9,190	9	97.9
Wisconsin County (total)...	28,603	10	35.1	Lapeer County.....	26,340	18	71.0	Hennepin County.....	34,820	20	57.4
White.....	21,696	9	41.5	Leelanau County.....	10,620	12	112.9	Houston County.....	13,829	13	94.0
Colored.....	6,917	1	14.7					Hubbard County.....	11,216	2	17.8
								Isanti County.....	13,015	12	90.8

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
MINNESOTA—continued.				MISSOURI—continued.				MISSOURI—continued.			
Itasca County.....	23,121	9	38.9	Barton County.....	16,106	5	31.0	Morgan County.....	13,155	2	15.2
Jackson County.....	14,365	10	69.6	Bates County.....	24,050	13	54.1	New Madrid County.....	22,985	4	17.4
Kanabec County.....	7,248	3	41.4	Benton County.....	14,168	8	56.5	Newton County.....	27,192	7	25.7
Kandiyohi County.....	19,205	14	72.9	Bollinger County.....	14,545	3	20.6	Nodaway County.....	27,085	18	66.5
Kittson County.....	10,427	8	76.7	Boone County.....	31,336	15	47.9	Oregon County.....	15,009	8	53.3
Koochiching County.....	8,641	4	46.3	Buchanan County.....	15,180	8	52.8	Osage County.....	14,363	8	55.7
Lac qui Parle County.....	15,923	9	56.5	Butler County.....	22,264	7	31.4	Ozark County.....	11,833	2	16.9
Lake County.....	9,442	4	42.4	Caldwell County.....	12,732	20	145.6	Pemiscot County.....	22,730	2	8.8
Le Sueur County.....	17,919	8	44.6	Callaway County *.....	23,726	10	42.1	Perry County.....	14,798	10	67.6
Lincoln County.....	10,260	5	48.7	Camden County.....	10,929	6	54.9	Pettis County.....	15,615	9	57.6
Lyon County.....	16,202	14	86.4	Cape Girardeau County.....	29,026	10	34.4	Phelps County.....	16,478	6	36.4
McLeod County.....	18,308	14	76.5	Carroll County.....	21,666	17	78.5	Pike County.....	21,199	12	56.6
Mahnomen County.....	8,249	3	32.3	Carter County.....	4,993	2	40.1	Platte County.....	13,679	6	43.9
Marshall County.....	16,610	13	78.3	Cass County.....	22,680	9	39.7	Polk County.....	20,841	11	52.8
Martin County.....	17,766	14	78.8	Cedar County.....	15,721	15	95.4	Pulaski County.....	11,881	6	50.5
Meeker County.....	16,711	18	107.7	Chariton County.....	22,088	11	49.8	Putnam County.....	12,294	3	22.6
Miller County.....	11,829	8	67.6	Christian County.....	15,360	6	39.1	Rails County.....	13,178	3	22.8
Morrison County.....	24,547	19	77.4	Clark County.....	11,716	11	93.9	Randolph County.....	14,761	13	88.1
Mower County.....	22,768	6	26.4	Clay County.....	20,897	16	76.6	Ray County.....	20,024	11	54.9
Murray County.....	11,660	10	85.5	Clinton County.....	14,417	12	83.2	Reynolds County.....	10,202	1	9.8
Nicollet County *.....	13,849	20	144.4	Cole County.....	9,512	9	94.6	Ripley County.....	13,063
Nobles County.....	15,328	6	39.1	Cooper County.....	19,365	20	103.3	St. Charles County.....	24,788	20	80.7
Norman County.....	13,446	10	74.4	Crawford County.....	13,837	7	50.6	St. Clair County.....	15,776	8	50.7
Olmsted County *.....	22,232	99	445.3	Dade County.....	14,544	10	68.8	St. Francois County *.....	40,717	15	36.8
Otter Tail County *.....	46,318	43	92.8	Dallas County.....	12,874	3	23.3	St. Louis County.....	96,212	49	50.9
Pennington County.....	10,314	6	58.2	Davies County.....	16,022	14	87.4	Ste. Genevieve County.....	10,712	3	28.0
Pine County.....	17,722	9	50.8	Dekalb County.....	11,727	10	85.3	Saline County.....	27,635	22	79.6
Pipestone County.....	9,675	6	62.0	Dent County.....	13,354	2	15.0	Schuyler County.....	8,304	8	96.3
Polk County.....	36,245	24	66.2	Douglas County.....	16,806	6	36.1	Scotland County.....	11,288	6	53.2
Pope County.....	12,818	4	31.2	Dunklin County.....	34,002	8	23.5	Scott County.....	26,326	6	22.8
Ramsey County.....	9,546	6	62.9	Franklin County.....	29,510	22	74.6	Shannon County.....	11,525	1	8.7
Red Lake County.....	7,221	1	13.8	Gasconade County.....	13,079	3	22.9	Shelby County.....	14,308	10	69.9
Redwood County.....	18,920	5	26.4	Gentry County.....	15,229	8	52.5	Stoddard County.....	20,143	11	37.7
Renville County.....	22,882	14	62.6	Greene County.....	29,883	14	46.8	Stone County.....	12,268	1	8.2
Rice County.....	25,899	28	108.4	Grundy County.....	16,281	6	36.9	Sullivan County.....	17,882	17	95.1
Rock County.....	10,458	11	105.2	Harrison County.....	18,791	12	63.9	Taney County.....	8,713	4	45.9
Roseau County.....	13,189	4	30.3	Henry County.....	26,867	12	44.6	Texas County.....	21,147	6	28.4
St. Louis County.....	94,510	32	33.9	Hickory County.....	8,211	5	60.9	Vernon County *.....	27,639	25	90.5
Scott County.....	12,779	8	65.3	Holt County.....	13,457	12	89.2	Warren County.....	8,786	3	34.1
Sherburne County.....	7,521	7	93.1	Howard County.....	14,510	15	103.4	Washington County.....	13,003	12	92.3
Sibley County.....	14,977	12	80.1	Howell County.....	20,738	9	43.4	Wayne County.....	15,126	9	59.5
Stearns County.....	39,973	17	42.5	Iron County.....	8,500	7	82.4	Webster County.....	17,689	9	50.9
Steele County.....	15,986	10	62.6	Jackson County.....	29,251	24	81.1	Worth County.....	7,230	4	55.3
Stevens County.....	8,112	5	61.6	Jasper County.....	45,933	15	32.7	Wright County.....	18,652	4	21.4
Swift County.....	12,713	6	47.2	Jefferson County.....	28,800	11	38.2	MONTANA.			
Todd County.....	23,914	8	33.5	Johnson County.....	25,640	27	105.3	Total.....	323,608	141	43.6
Traverse County.....	8,261	1	12.1	Knox County.....	11,944	8	67.0	White.....	308,206	137	44.5
Wabasha County.....	18,398	26	135.9	Laclede County.....	17,721	4	22.6	Colored.....	15,397	4	26.0
Wadena County.....	8,968	8	89.3	Lafayette County.....	29,506	34	115.2	Beaverhead County.....	6,801	2	29.4
Waseca County.....	12,915	11	85.2	Lawrence County.....	24,420	11	45.0	Broadwater County.....	3,854	3	77.8
Washington County.....	15,953	8	50.1	Lewis County.....	15,000	6	38.9	Cascade County.....	16,603	9	54.2
Watsonwan County.....	11,336	6	52.9	Lincoln County.....	16,473	10	60.7	Chouteau County *.....	31,291	17	54.3
Wilkin County.....	9,480	3	31.6	Linn County.....	25,148	12	47.7	Custer County *.....	24,557	23	66.6
Winona County.....	14,322	15	104.7	Livingston County.....	18,241	17	93.2	Deer Lodge County *.....	3,004	1	33.3
Wright County.....	27,625	28	101.4	McDonald County.....	13,526	3	22.2	Fergus County *.....	74,505	17	22.8
Yellow Medicine County.....	15,747	10	63.5	Macon County.....	29,954	22	73.4	Flathead County.....	23,443	14	59.7
MISSOURI.				Madison County.....	11,824	4	33.8	Gallatin County.....	16,007	4	25.0
Total.....	2,140,145	1,155	54.0	Maries County.....	10,288	8	77.8	Granite County.....	2,354	1	42.5
White.....	2,066,497	1,112	53.8	Marion County.....	11,667	12	102.9	Jefferson County.....	5,716
Colored.....	73,648	43	58.4	Mercer County.....	11,325	6	53.0	Lewis and Clark County.....	9,737	3	30.8
Adair County.....	23,112	13	56.2	Miller County.....	17,368	5	28.8	Lincoln County.....	4,541	1	22.0
Andrew County.....	14,410	7	118.0	Mississippi County.....	15,714	3	19.1	Madison County.....	7,032	2	28.4
Atchison County.....	12,370	2	16.2	Moniteau County.....	13,714	8	58.3	Missoula County *.....	12,018	4	33.3
Audrain County.....	21,909	21	95.9	Monroe County.....	17,702	14	79.1	Park County.....	12,176	8	65.7
Barry County.....	23,161	8	34.5	Montgomery County.....	15,193	17	111.9	Powell County.....	6,104	4	65.5

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

³ Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not available.

⁴ Includes Dawson, Fallon, Richland, and Wibaux Counties; separate estimated populations not available.

⁵ Includes Big Horn, Carbon, Meagher, Musselshell, Rosebud, Stillwater, Sweet Grass, and Yellowstone Counties; separate estimated populations not available.

⁶ Includes Mineral County, organized Aug. 7, 1914; separate estimated populations not available.

SUMMARY AND RATE TABLES.

31

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
MONTANA—continued.				NEW YORK—continued.				OHIO—continued.			
Ravalli County.....	13,304	9	67.6	Herkimer County.....	45,540	43	94.4	Fulton County.....	24,386	25	102.5
Sanders County.....	4,486	1	22.3	Jefferson County.....	53,053	42	79.2	Gallia County.....	24,819	14	56.4
Silver Bow County.....	18,488	13	70.3	Lewis County.....	23,752	22	92.6	Geauga County.....	14,640	8	54.6
Valley County.....	17,582	5	28.4	Livingston County.....	38,455	32	83.2	Greene County.....	28,933	22	76.0
NEW HAMPSHIRE.				Madison County.....	38,755	48	123.9	Guernsey County.....	33,403	25	74.8
Total.....	254,475	260	105.7	Monroe County.....	65,967	50	75.8	Hamilton County.....	60,078	54	89.9
White.....	254,134	268	105.5	Montgomery County.....	26,638	27	101.4	Hancock County.....	22,417	16	71.4
Colored.....	341	1	293.3	Nassau County.....	96,068	78	81.2	Hardin County.....	30,075	27	89.8
Belknap County.....	10,974	14	127.6	Niagara County.....	31,421	30	95.5	Harrison County.....	18,478	18	97.4
Carroll County.....	16,072	24	149.3	Oneida County.....	58,506	74	126.5	Henry County.....	24,197	15	62.0
Cheshire County.....	19,927	23	115.4	Onondaga County.....	64,396	62	96.3	Highland County.....	27,744	25	90.1
Coe County.....	18,288	19	103.9	Ontario County.....	40,125	56	139.6	Hocking County.....	23,333	14	60.0
Grafton County.....	41,996	43	102.4	Orange County.....	76,501	55	71.9	Holmes County.....	17,227	9	52.2
Hillsborough County.....	29,260	26	88.9	Orleans County.....	32,784	31	94.6	Huron County.....	35,006	34	97.1
Merrimack County.....	31,429	30	95.5	Oswego County.....	36,694	39	106.3	Jackson County.....	29,318	30	102.3
Rockingham County.....	41,105	61	124.1	Otsego County.....	46,484	49	105.4	Jefferson County.....	48,582	31	63.8
Strafford County.....	25,523	19	74.4	Putnam County.....	15,039	11	73.1	Knox County.....	31,208	25	80.1
Sullivan County.....	19,901	20	100.5	Rensselaer County.....	33,934	25	73.7	Lake County.....	23,457	28	119.4
NEW JERSEY.				Rockland County.....	50,526	51	100.9	Lawrence County.....	25,780	14	54.3
Total.....	987,201	797	80.7	St. Lawrence County.....	72,508	50	68.0	Licking County.....	30,949	19	61.4
White.....	945,441	779	82.1	Saratoga County.....	49,546	39	78.9	Logan County.....	29,941	29	96.9
Colored.....	38,760	18	46.4	Schenectady County.....	14,856	10	67.3	Lorain County.....	33,306	31	93.1
Atlantic County.....	28,806	21	72.9	Schoharie County.....	22,579	34	150.6	Lucas County.....	25,292	15	59.3
Bergen County.....	134,303	101	75.2	Schuyler County.....	13,234	21	158.7	Madison County.....	19,610	16	81.6
Burlington County.....	70,114	60	85.6	Seneca County.....	26,487	33	124.6	Mahoning County.....	35,169	24	68.2
Camden County.....	54,218	33	60.9	Steuben County.....	54,383	69	126.9	Marion County.....	14,195	11	77.5
Cape May County.....	22,532	20	88.8	Suffolk County.....	104,045	92	88.4	Medina County.....	24,297	24	98.8
Cumberland County.....	29,261	34	116.2	Sullivan County.....	34,448	26	75.5	Meigs County.....	24,306	19	78.2
Essex County.....	47,945	36	75.1	Tioga County.....	24,634	28	113.7	Mercer County.....	27,380	14	51.2
Gloucester County.....	39,696	88	95.7	Tompkins County.....	18,061	21	116.3	Miami County.....	31,967	26	81.3
Hudson County.....	48,018	36	75.0	Ulster County.....	66,702	45	67.5	Monroe County.....	23,057	16	69.4
Hunterdon County.....	33,170	37	111.5	Warren County.....	16,832	19	112.9	Montgomery County.....	54,294	45	82.9
Mercer County.....	31,734	17	53.6	Washington County.....	48,695	35	71.9	Morgan County.....	15,327	11	71.8
Middlesex County.....	66,106	38	57.5	Wayne County.....	50,825	59	116.1	Morrow County.....	16,363	20	122.2
Monmouth County.....	72,654	86	118.4	Westchester County.....	97,047	106	109.2	Muskingum County.....	29,371	30	102.1
NORTH CAROLINA.*				Wyoming County.....	32,503	37	113.8	Noble County.....	18,235	11	60.3
Total.....	296,265	149	50.3	Yates County.....	17,930	22	122.7	Ottawa County.....	22,422	16	71.4
White.....	200,032	114	57.0	OHIO.				Paulding County.....	20,696	15	72.5
Colored.....	96,233	35	36.4	Total.....	2,616,661	2,072	79.2	Perry County.....	36,911	19	51.5
OHIO.				White.....	2,573,066	2,039	79.2	Pickaway County.....	25,793	13	50.4
Total.....	2,616,661	2,072	79.2	Colored.....	43,625	33	75.6	Pike County.....	14,679	7	47.7
White.....	2,573,066	2,039	79.2	NEW YORK.				Portage County.....	30,757	36	117.0
Colored.....	43,625	33	75.6	Adams County.....	24,067	6	24.9	Preble County.....	23,885	25	104.7
Albany County.....	33,711	28	83.1	Allen County.....	26,343	13	49.3	Putnam County.....	28,886	16	55.4
Allegany County.....	41,375	42	101.5	Ashland County.....	23,738	26	109.5	Richland County.....	27,006	32	118.5
Broome County.....	30,735	34	110.6	Ashtabula County.....	42,521	39	91.7	Ross County.....	24,539	19	77.4
Cattaraugus County.....	50,020	53	106.0	Athens County.....	51,662	32	61.9	Sandusky County.....	35,537	29	81.6
Cayuga County.....	30,968	38	122.7	Auglaize County.....	31,268	26	83.2	Scioto County.....	24,139	15	62.1
Chautauque County.....	57,805	58	100.3	Belmont County.....	69,770	48	68.8	Seneca County.....	30,678	22	71.7
Chemung County.....	17,100	23	134.5	Brown County.....	23,363	19	81.3	Shelby County.....	24,678	25	101.3
Chenango County.....	35,155	24	68.3	Butler County.....	22,342	18	80.6	Stark County.....	44,964	38	84.5
Clinton County.....	36,263	17	46.9	Carroll County.....	15,316	14	91.4	Summit County.....	43,533	36	82.7
Columbia County.....	31,627	23	72.7	Champaign County.....	26,230	21	80.1	Trumbull County.....	43,322	30	69.2
Cortland County.....	17,396	18	103.5	Clark County.....	19,572	16	81.7	Tuscarawas County.....	58,432	56	95.8
Delaware County.....	45,220	60	132.7	Clermont County.....	28,677	30	104.6	Union County.....	21,673	12	55.4
Dutchess County.....	60,615	63	103.9	Clinton County.....	23,459	29	123.6	Van Wert County.....	28,576	20	70.0
Erle County.....	96,473	71	73.6	Columbiana County.....	58,163	46	79.1	Vinton County.....	12,145	2	16.5
Essex County.....	34,629	39	112.6	Coshocton County.....	30,454	23	75.5	Warren County.....	24,034	18	74.9
Franklin County.....	46,938	49	104.4	Crawford County.....	34,087	31	90.9	Washington County.....	29,478	17	57.7
Fulton County.....	13,055	14	107.2	Cuyahoga County.....	62,283	49	78.7	Wayne County.....	38,138	33	86.5
Genesee County.....	26,302	32	121.7	Darke County.....	43,101	45	104.4	Williams County.....	25,301	29	114.6
Greene County.....	29,676	27	91.0	Defiance County.....	23,694	14	59.1	Wood County.....	44,104	33	74.8
Hamilton County.....	1,130	2	48.4	Delaware County.....	27,514	20	72.7	Wyandot County.....	20,604	14	67.9
PENNSYLVANIA.				Erle County.....	18,486	23	124.4				
Total.....	4,288,288	2,752	64.2	Fairfield County.....	26,465	9	34.0	Adams County.....	34,245	36	105.1
White.....	4,232,798	2,703	63.9	Fayette County.....	21,751	17	78.2	Allegheny County.....	385,396	223	57.9
Colored.....	55,490	49	88.3	Franklin County.....	41,337	36	87.1	Armstrong County.....	74,412	38	51.1
Adams County.....	34,245	36	105.1					Beaver County.....	74,565	45	60.3
Allegheny County.....	385,396	223	57.9					Bedford County.....	38,632	21	54.4
Armstrong County.....	74,412	38	51.1								
Beaver County.....	74,565	45	60.3								
Bedford County.....	38,632	21	54.4								

* Exclusive of municipalities having a population of 10,000 or over in 1910.

* Includes Sheridan County; separate estimated populations not available.

* Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

* Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
PENNSYLVANIA—contd.				UTAH.				VIRGINIA—continued.			
Berks County *	80,920	66	73.4	Total.....	275,254	97	35.2	Appomattox County (total)	8,583	3	35.0
Blair County.....	62,431	44	70.5	White.....	270,036	97	35.9	White.....	5,579	3	53.8
Bradford County.....	52,449	68	129.6	Colored.....	5,218	—	—	Colored.....	3,004	—	—
Bucks County.....	78,806	76	96.4	Beaver County.....	5,187	3	57.8	Augusta County (total).....	33,178	17	51.2
Butler County.....	53,847	33	61.3	Box Elder County.....	15,549	5	32.2	White.....	28,503	16	55.1
Cambria County.....	127,611	46	36.0	Cache County.....	25,159	10	39.7	Colored.....	4,675	1	21.4
Cameron County.....	7,998	4	50.6	Carbon County.....	10,165	6	59.0	Bath County (total).....	6,939	4	57.6
Carbon County.....	56,399	38	67.4	Davis County.....	11,126	4	36.0	White.....	5,680	4	70.4
Center County.....	43,648	31	71.0	Emery County.....	7,642	—	—	Colored.....	1,259	—	—
Chester County.....	77,484	65	83.9	Garfield County.....	3,770	1	26.5	Bedford County (total).....	20,208	11	37.7
Clarion County.....	37,641	24	63.8	Grand County.....	1,785	—	—	White.....	20,779	7	33.7
Clearfield County.....	85,368	50	58.6	Iron County.....	4,098	—	—	Colored.....	8,429	4	47.5
Clinton County.....	32,545	40	122.9	Juab County.....	10,966	—	—	Bland County (total).....	5,011	1	20.0
Columbia County.....	52,121	30	57.6	Kane County.....	1,586	1	63.1	White.....	4,881	1	20.5
Crawford County.....	47,210	48	101.7	Millard County.....	6,304	4	63.5	Colored.....	130	—	—
Cumberland County.....	45,651	33	72.3	Morgan County.....	2,646	—	—	Botetourt County (total).....	17,968	6	33.4
Dauphin County *	60,784	39	64.2	Piute County.....	1,642	—	—	White.....	14,395	5	34.7
Delaware County.....	87,294	74	84.8	Rich County.....	1,859	—	—	Colored.....	3,573	1	28.0
Elk County.....	37,135	21	56.6	Salt Lake County.....	44,576	22	49.4	Bristol (city) (total).....	6,958	5	71.9
Erle County.....	50,381	67	133.0	San Juan County.....	2,955	—	—	White.....	5,694	3	52.8
Fayette County.....	158,002	67	42.4	Seapete County.....	16,869	5	29.6	Colored.....	1,274	2	157.0
Forest County.....	8,754	7	80.0	Sevier County.....	10,340	5	48.4	Brunswick County (total).....	19,683	11	55.9
Franklin County.....	49,659	31	62.4	Summit County.....	7,675	1	13.0	White.....	7,958	4	60.3
Fulton County.....	9,611	7	72.8	Tooele County.....	8,165	—	—	Colored.....	11,725	7	59.7
Greene County.....	20,138	18	61.8	Uinta County.....	7,304	4	54.8	Buchanan County (total).....	13,459	—	—
Huntingdon County.....	39,862	30	75.3	Utah County *	40,279	19	47.2	White.....	13,455	—	—
Indiana County.....	76,290	31	40.6	Wasatch County.....	10,701	1	9.3	Colored.....	—	—	—
Jefferson County.....	64,784	51	78.7	Washington County.....	5,339	2	37.5	Buckingham County (total).....	15,180	5	32.9
Junata County.....	14,572	4	34.3	Wayne County.....	1,682	—	—	White.....	7,557	2	26.5
Lackawanna County.....	94,198	33	35.0	Weber County.....	9,885	4	40.5	Colored.....	7,623	3	39.4
Lancaster County.....	109,605	90	82.1	VERMONT.				Buena Vista (city) (total).....	3,609	—	—
Lawrence County.....	35,997	21	58.3	Total.....	313,835	324	103.2	White.....	3,146	—	—
Lebanon County.....	42,084	15	35.6	White.....	312,302	324	103.7	Colored.....	463	—	—
Lahigh County.....	64,260	45	70.0	Colored.....	1,533	—	—	Campbell County (total).....	25,135	5	19.9
Luzerne County.....	220,666	99	44.9	Addison County.....	19,201	19	99.0	White.....	15,232	5	32.8
Lycoming County.....	49,825	35	70.2	Bennington County.....	21,239	18	84.7	Colored.....	9,903	—	—
McKean County.....	31,551	19	60.2	Caledonia County.....	26,734	25	93.5	Caroline County (total).....	16,551	6	36.3
Mercer County.....	58,427	47	80.4	Chittenden County.....	22,412	22	98.2	White.....	7,750	2	25.8
Mifflin County.....	29,755	15	50.4	Essex County.....	7,088	5	70.4	Colored.....	8,801	4	45.4
Monroe County.....	23,690	20	84.4	Franklin County.....	20,727	32	107.6	Carroll County (total).....	21,887	6	27.4
Montgomery County.....	135,954	95	69.9	Grand Isle County.....	3,423	1	28.9	White.....	21,602	6	27.8
Montour County *	14,590	17	116.5	Lamoille County.....	12,711	17	133.7	Colored.....	285	—	—
Northampton County.....	78,047	54	69.2	Lamotte County.....	18,444	32	173.5	Charles City County (total).....	5,343	—	—
Northumberland County.....	64,474	35	54.3	Orleans County.....	23,897	33	138.1	White.....	1,365	1	73.3
Perry County.....	23,231	17	73.2	Rutland County.....	35,396	26	73.5	Colored.....	3,978	—	—
Pike County.....	7,722	5	64.8	Washington County *	32,168	33	102.6	Charlotte County (total).....	15,973	5	31.3
Potter County.....	20,350	20	68.1	Windham County.....	27,046	25	92.4	White.....	7,467	2	26.8
Schuylkill County.....	156,044	89	57.0	Windsor County.....	34,300	36	105.0	Colored.....	8,506	3	35.3
Snyder County.....	16,585	16	96.5	VIRGINIA.				Charlottesville (city) (total).....	6,900	5	72.5
Somerset County.....	75,495	32	42.4	Total.....	1,726,338	747	43.3	White.....	4,321	5	115.7
Sullivan County.....	10,935	7	64.0	White.....	1,172,152	551	47.0	Colored.....	2,579	—	—
Susquehanna County.....	36,770	23	62.6	Colored.....	554,186	196	35.4	Chesterfield County (total).....	22,361	12	53.7
Tioga County.....	40,165	39	97.1	Accomac County (total).....	38,330	22	57.3	White.....	14,390	12	83.4
Union County.....	15,677	17	108.4	White.....	24,366	13	53.4	Colored.....	7,971	—	—
Venango County.....	40,573	34	83.8	Colored.....	14,023	9	64.2	Clarke County (total).....	7,275	6	82.5
Warren County *	25,793	19	73.7	Albemarle County (total).....	30,466	19	62.4	White.....	5,408	3	55.5
Washington County.....	144,934	75	51.8	White.....	20,515	13	63.4	Colored.....	1,867	3	160.7
Wayne County.....	28,339	23	79.8	Colored.....	9,951	6	60.3	Clifton Forge (city) (total).....	6,670	1	15.0
Westmoreland County.....	228,177	110	48.2	Alexandria County (total).....	11,852	6	50.6	White.....	5,401	1	18.5
Wyoming County.....	14,810	15	101.3	White.....	8,763	6	68.5	Colored.....	1,269	—	—
York County.....	95,493	64	67.0	Colored.....	3,089	—	—	Craig County (total).....	4,899	2	40.9
RHODE ISLAND.				Allegheny County (total).....	14,780	9	60.9	White.....	4,672	2	42.8
Total.....	111,728	113	101.1	White.....	11,681	8	68.5	Colored.....	217	—	—
White.....	110,022	111	100.9	Colored.....	3,099	1	32.3	Culpeper County (total).....	13,196	10	75.8
Colored.....	1,706	2	117.2	Amelia County (total).....	8,586	7	81.5	White.....	7,998	7	87.5
Bristol County.....	19,501	26	133.3	White.....	3,134	4	127.6	Colored.....	5,198	3	57.7
Kent County.....	10,213	12	117.5	Colored.....	5,452	3	55.0	Cumberland County (total).....	9,280	2	21.6
Newport County.....	13,053	8	61.3	Amherst County (total).....	19,388	4	20.6	White.....	3,119	1	32.1
Providence County.....	43,684	30	68.7	White.....	11,670	1	8.6	Colored.....	6,161	1	16.2
Washington County.....	25,278	37	146.4	Colored.....	7,718	3	38.9	Dickinson County (total).....	9,819	1	10.2

* Exclusive of municipalities having a population of 10,000 or over in 1910.

* Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
VIRGINIA—continued.				VIRGINIA—continued.				VIRGINIA—continued.			
Dinwiddie County (total)*.	15,470	4	25.9	King and Queen County (total).....	9,708	5	51.5	Patrick County (total).....	17,957	1	5.6
White.....	6,004	3	50.0	White.....	4,214	3	71.2	White.....	16,253	1	6.2
Colored.....	9,466	1	10.6	Colored.....	5,494	2	36.4	Colored *.....	1,704
Elizabeth City County * (total).....	21,976	24	109.2	King George County (total).....	6,151	3	48.8	Pittsylvania County (total).....	52,721	13	24.7
White.....	13,624	20	146.8	White.....	3,318	1	30.1	White.....	31,571	6	19.0
Colored.....	8,352	4	47.9	Colored.....	2,833	2	70.6	Colored.....	21,150	7	32.1
Essex County (total).....	8,853	1	11.3	King William County (total).....	8,619	3	34.8	Powhatan County (total).....	5,792	1	17.3
White.....	3,641	White.....	3,498	White.....	2,312
Colored.....	5,212	1	19.2	Colored.....	5,121	3	58.6	Colored.....	3,480	1	28.7
Fairfax County (total).....	21,370	9	42.1	Lancaster County (total).....	10,094	2	19.8	Prince Edward County (total).....	13,936	4	28.7
White.....	16,264	7	43.0	White.....	4,729	2	42.3	White.....	5,003	1	17.8
Colored.....	5,106	2	39.2	Colored.....	5,365	Colored.....	8,338	3	36.0
Fauquier County (total).....	22,166	13	58.6	Lee County (total).....	25,536	6	23.5	Prince George County (total).....	7,887	3	38.0
White.....	14,734	8	54.3	White.....	24,439	6	24.6	White.....	3,274	1	30.5
Colored.....	7,432	5	67.3	Colored *.....	1,097	Colored.....	4,613	2	43.4
Floyd County (total).....	13,542	9	66.5	Loudoun County (total).....	20,835	14	67.2	Prince William County (total).....	12,413	12	96.7
White.....	12,731	9	70.7	White.....	15,652	9	57.5	White.....	9,471	10	105.6
Colored *.....	811	Colored.....	5,183	5	96.5	Colored.....	2,942	2	68.0
Fluvanna County (total).....	8,016	7	87.3	Louisa County (total).....	16,603	13	78.3	Princess Anne County * (total).....	11,667	5	42.9
White.....	4,738	6	125.6	White.....	8,640	9	104.2	White.....	5,737
Colored.....	3,278	1	30.5	Colored.....	7,963	4	50.2	Colored.....	5,940	5	84.2
Franklin County (total).....	26,704	12	44.9	Lunenburg County (total).....	13,237	7	52.9	Pulaski County (total).....	18,370	3	16.3
White.....	21,176	10	47.2	White.....	6,121	6	98.0	White.....	15,223	3	19.7
Colored.....	5,528	2	36.2	Colored.....	7,116	1	14.1	Colored.....	3,148
Frederick County (total).....	12,597	6	47.6	Madison County (total).....	9,988	12	120.1	Radford (city) (total).....	4,567	3	65.7
White.....	11,907	6	50.4	White.....	6,718	10	148.9	White.....	3,843	3	78.1
Colored *.....	690	Colored.....	3,270	2	61.2	Colored.....	724
Fredericksburg (city) (total).....	6,215	4	64.4	Mathews County (total).....	9,212	6	65.1	Rappahannock County (total).....	7,704	4	51.9
White.....	4,646	4	86.1	White.....	6,595	6	91.0	White.....	5,629	2	35.5
Colored.....	1,569	Colored.....	2,617	Colored.....	2,075	2	96.4
Giles County (total).....	11,978	8	66.8	Mecklenburg County (total).....	29,979	14	46.7	Richmond County (total).....	7,554	2	26.5
White.....	11,193	7	62.5	White.....	12,860	6	46.7	White.....	4,396	1	22.7
Colored *.....	785	1	127.4	Colored.....	17,119	8	46.7	Colored.....	3,158	1	31.7
Gloucester County (total).....	12,326	3	24.3	Middlesex County (total).....	9,121	5	54.8	Roanoke County (total).....	21,235	10	47.1
White.....	6,440	1	15.5	White.....	4,303	2	46.5	White.....	17,396	7	40.3
Colored.....	5,886	2	34.0	Colored.....	4,818	3	62.3	Colored.....	3,849	3	77.9
Goochland County (total).....	9,120	5	54.8	Montgomery County (total).....	17,870	7	39.2	Rockbridge County (total).....	20,906	13	62.2
White.....	3,912	2	51.1	White.....	15,445	7	45.3	White.....	17,391	13	74.8
Colored.....	5,208	3	57.6	Colored.....	2,425	Colored.....	3,515
Grayson County (total).....	21,136	8	37.9	Nansemond County (total).....	28,507	11	38.6	Rockingham County (total).....	35,488	34	95.8
White.....	20,127	8	39.7	White.....	11,892	7	58.9	White.....	33,093	31	92.7
Colored *.....	1,009	Colored.....	16,615	4	24.1	Colored *.....	2,395	3	125.3
Greene County (total).....	7,245	1	13.8	Nelson County (total).....	17,137	7	40.8	Russell County (total).....	25,793	6	23.3
White.....	5,835	1	17.1	White.....	11,729	5	42.6	White.....	24,656	6	24.3
Colored.....	1,410	Colored.....	5,408	2	37.0	Colored *.....	1,137
Greensville County (total).....	12,799	1	7.8	New Kent County (total).....	4,606	3	65.1	Scott County (total).....	24,290	8	32.9
White.....	4,773	White.....	1,726	1	57.9	White.....	23,773	8	33.7
Colored.....	8,026	1	12.5	Colored.....	2,890	2	69.4	Colored *.....	517
Halifax County (total).....	41,257	23	55.7	Norfolk County (total).....	45,706	10	21.9	Shenandoah County (total).....	21,234	10	47.1
White.....	20,461	10	48.9	White.....	17,885	6	33.5	White.....	20,729	10	48.2
Colored.....	20,796	13	62.5	Colored.....	27,821	4	14.4	Colored *.....	505
Hanover County (total).....	17,024	6	35.2	Northampton County (total).....	17,908	8	44.7	Smyth County (total) *.....	21,060	9	41.5
White.....	9,996	1	10.0	White.....	7,815	7	80.6	White.....	20,634	8	38.8
Colored.....	7,028	5	71.1	Colored.....	10,093	1	9.9	Colored *.....	1,056	1	94.7
Henrico County (total).....	27,331	11	40.2	Northumberland County (total).....	11,173	9	80.6	Southampton County (total).....	27,773	5	18.0
White.....	19,290	9	46.7	White.....	6,711	9	134.1	White.....	10,635	1	8.4
Colored.....	8,041	2	24.9	Colored.....	4,462	Colored.....	17,138	4	23.3
Henry County (total).....	18,119	9	49.7	Nottoway County (total).....	13,929	8	57.4	Spotsylvania County (total).....	10,230
White.....	10,731	7	65.2	White.....	6,262	5	79.8	White.....	6,498
Colored.....	7,388	2	27.1	Colored.....	7,667	3	39.1	Colored.....	3,732
Highland County (total).....	5,179	2	38.6	Orange County (total).....	13,873	7	50.5	Stafford County (total).....	8,059	5	62.0
White.....	4,924	2	40.6	White.....	8,138	2	24.6	White.....	6,326	4	63.2
Colored *.....	255	Colored.....	5,735	5	87.2	Colored.....	1,733	1	57.7
Isle of Wight County (total).....	15,709	2	12.7	Page County (total).....	14,296	7	49.0	Surry County (total).....	10,245	3	29.3
White.....	7,735	2	25.9	White.....	13,108	7	53.4	White.....	3,858	3	77.8
Colored.....	7,974	Colored *.....	1,188	Colored.....	6,387
James City County (total)*.....	6,596	4	60.6								
White.....	3,408	4	117.4								
Colored.....	3,188								

* Exclusive of municipalities having a population of 10,000 or over in 1910.
 * Includes National Military Home.

* Colored population less than 10 per cent of the total in 1910.
 * Includes Norfolk City Almshouse.

MORTALITY FROM CANCER.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.		AREA AND COLOR.	Estimated population, July 1, 1914.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS.	
		Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.			Number.	Rate per 100,000 population.
RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.				RURAL PART OF REGISTRATION STATES—Con.			
VIRGINIA—continued.				WASHINGTON—continued.				WISCONSIN—continued.			
Sussex County (total).....	14,387	2	13.9	Jefferson County.....	9,455	2	21.2	Green County.....	21,183	28	132.2
White.....	4,853	2	41.2	King County.....	46,009	27	58.7	Green Lake County.....	15,362	24	156.2
Colored.....	9,484			Kitsap County.....	22,283	17	76.3	Iowa County.....	22,237	16	72.0
Tazewell County (total)...	25,611	6	23.4	Kittitas County.....	22,336	10	44.8	Iron County.....	9,027	4	44.3
White.....	22,661	5	22.0	Klickitat County.....	13,078	7	53.5	Jackson County.....	16,912	13	76.9
Colored.....	2,920	1	34.2	Lewis County.....	39,358	17	43.2	Jefferson County.....	34,101	46	134.9
Warren County (total).....	8,484	4	47.1	Lincoln County.....	19,914	8	40.2	Juneau County.....	19,120	24	125.5
White.....	7,856	4	54.4	Mason County.....	5,729	2	34.9	Kenosha County.....	8,649	7	80.9
Colored.....	1,128			Okanogan County.....	16,381	2	12.2	Kewaunee County.....	16,604	21	126.5
Warwick County (total)...	6,531	2	30.6	Pacific County.....	15,323	10	65.3	La Crosse County.....	13,055	14	107.2
White.....	1,805	1	55.4	Pierce County *.....	45,221	30	66.3	Lafayette County.....	19,701	10	50.8
Colored.....	4,726	1	21.2	San Juan County.....	3,890	2	51.4	Langlade County.....	18,982	13	68.5
Washington County (total)	34,463	14	40.6	Skagit County.....	35,620	32	89.8	Lincoln County.....	20,256	15	74.1
White.....	32,006	12	37.5	Skamania County.....	3,397	1	29.4	Manitowoc County.....	32,582	17	52.2
Colored *.....	2,457	2	81.4	Snohomish County.....	42,186	20	47.4	Marathon County.....	41,728	30	71.9
Westmoreland County (total)	9,342	3	32.1	Spokane County *.....	38,633	20	75.1	Marquette County.....	21,148	8	37.8
White.....	4,619	2	43.8	Stevens County *.....	31,585	10	31.7	Marquette County.....	10,838	6	55.4
Colored.....	4,723	1	21.2	Thurston County.....	20,843	12	57.6	Milwaukee County *.....	57,563	59	102.5
Winchester (city) (total)...	6,163	5	81.1	Wahkiakum County.....	3,484			Monroe County.....	29,211	21	71.9
White.....	5,072	5	98.6	Walla Walla County.....	14,303	6	41.9	Oconto County.....	27,694	22	79.4
Colored.....	1,091			Whatcom County.....	30,395	19	62.5	Oneida County.....	12,523	5	39.9
Wise County (total).....	40,344	13	32.2	Whitman County.....	36,656	14	38.2	Outagamie County.....	32,826	20	60.9
White.....	36,936	11	29.8	Yakima County.....	34,844	12	34.4	Ozaukee County.....	17,446	14	80.2
Colored *.....	3,408	2	58.7	WISCONSIN.				Pepin County.....	7,438	6	80.7
Wythe County (total).....	20,347	10	49.1	Total.....	1,612,742	1,273	78.9	Pierce County.....	21,286	13	61.1
White.....	18,142	7	38.6	White.....	1,601,451	1,266	79.1	Polk County.....	22,886	16	69.9
Colored.....	2,205	3	136.1	Colored.....	11,291	7	62.0	Portage County.....	31,568	21	66.5
York County (total).....	7,873	3	38.1	Adams County.....	8,378	10	119.4	Price County.....	15,792	11	69.7
White.....	4,090	2	49.8	Ashland County.....	11,764	2	17.0	Racine County.....	17,916	19	106.1
Colored.....	3,853	1	26.0	Barron County.....	31,430	22	70.0	Richland County.....	18,523	15	81.0
WASHINGTON.				Bayfield County.....	16,666	6	36.0	Rock County.....	26,068	18	69.1
Total.....	733,544	372	50.7	Brown County.....	29,369	11	37.5	Rusk County.....	12,294	6	48.8
White.....	711,435	368	51.7	Buffalo County.....	15,684	12	76.5	St. Croix County.....	25,519	16	62.7
Colored.....	22,109	4	18.1	Burnett County.....	9,685	5	51.6	Sauk County.....	32,811	28	85.3
Adams County.....	13,511	3	22.2	Calumet County.....	16,542	11	66.5	Sawyer County.....	7,349	4	54.4
Asotin County.....	6,881	5	72.7	Chippewa County.....	35,336	25	70.7	Shawano County.....	33,761	20	59.2
Benton County.....	10,198	4	39.2	Clark County.....	31,875	24	75.3	Sheboygan County.....	28,961	21	72.5
Chehalis County.....	26,092	13	49.8	Columbia County.....	31,132	33	106.0	Taylor County.....	14,655	11	75.1
Chelan County.....	19,866	7	35.2	Crawford County.....	15,864	13	81.9	Trempealeau County.....	22,850	15	65.6
Clallam County.....	7,245	3	41.4	Dane County *.....	51,376	42	81.8	Vernon County.....	28,017	10	35.7
Clarke County.....	31,526	17	53.9	Dodge County.....	47,778	45	94.2	Vilas County.....	6,482	1	15.4
Columbia County.....	7,007	6	85.6	Door County.....	19,192	9	46.9	Walworth County.....	29,766	35	117.6
Cowlitz County.....	14,557	6	41.2	Douglas County.....	7,802	5	64.1	Washburn County.....	9,334	8	85.7
Douglas County.....	12,079	2	16.6	Dunn County.....	25,354	18	71.0	Washington County.....	23,866	17	71.2
Ferry County.....	4,902	3	61.2	Eau Claire County.....	14,513	10	68.9	Waukesha County.....	37,895	34	89.7
Franklin County.....	7,140	1	14.0	Florence County.....	3,458	2	57.8	Waupaca County.....	33,279	36	108.2
Garfield County.....	4,318	3	69.5	Fond du Lac County.....	32,957	44	133.5	Waushara County.....	20,127	10	49.7
Grant County.....	11,386	5	43.9	Forest County.....	9,077	4	44.1	Winnebago County *.....	28,677	30	104.6
Island County.....	5,913	5	84.6	Grant County.....	39,060	32	81.9	Wood County.....	32,592	30	92.0

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

2 Colored population less than 10 per cent of the total in 1910.

3 Includes Pend Oreille County; separate estimated populations not available.

4 Includes National Military Home.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—														Other organs or of organs not specified.
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.		
SUMMARY.																	
The registration area (total).....	65,989,295	79.4	0.9	1.3	0.9	19.3	9.8	6.1	3.3	11.3	8.2	3.0	1.0	1.2	1.5	11.5	
White.....	62,631,566	80.7	1.0	1.3	0.9	19.7	10.0	6.3	3.4	11.0	8.3	3.1	1.0	1.2	1.6	11.7	
Colored.....	3,357,729	56.7	0.4	0.9	0.5	11.9	5.4	2.7	1.8	17.4	6.0	1.0	0.8	0.6	0.6	6.9	
Registration states ¹ (total).....	61,114,200	79.0	0.9	1.3	0.9	19.3	9.8	6.2	3.3	11.0	8.3	3.0	1.0	1.2	1.5	11.3	
White.....	58,408,039	80.0	0.9	1.3	0.9	19.6	10.0	6.3	3.3	10.7	8.4	3.1	1.0	1.2	1.5	11.5	
Colored.....	2,706,161	56.2	0.4	0.8	0.6	12.2	5.6	2.8	1.7	16.5	6.0	0.8	0.7	0.6	0.7	6.9	
Cities in registration states ¹ (total).....	30,287,640	88.5	1.2	1.3	1.3	20.4	10.3	7.6	3.9	13.3	9.3	2.2	1.3	1.4	2.0	13.0	
White.....	29,029,647	89.2	1.2	1.3	1.3	20.6	10.5	7.8	3.9	12.9	9.4	2.3	1.3	1.4	2.0	13.2	
Colored.....	1,257,993	71.7	0.7	0.9	1.1	15.7	6.6	3.5	2.3	21.5	7.2	1.0	1.1	0.9	0.8	8.4	
Rural part of registration states (total).....	30,826,560	69.6	0.6	1.3	0.5	18.2	9.3	4.8	2.7	8.7	7.3	3.8	0.7	1.0	1.0	9.7	
White.....	29,378,392	71.0	0.6	1.3	0.5	18.6	9.5	4.9	2.8	8.5	7.4	4.0	0.7	1.0	1.1	9.9	
Colored.....	1,448,168	42.7	0.1	0.8	0.1	9.2	4.7	2.1	1.1	12.2	4.9	0.8	0.3	0.3	0.6	5.6	
Registration states, ¹ exclusive of North Carolina (total).....	60,641,906	79.1	0.9	1.3	0.9	19.3	9.8	6.2	3.3	10.9	8.3	3.0	1.0	1.2	1.5	11.4	
White.....	58,098,403	80.1	0.9	1.3	0.9	19.7	10.0	6.4	3.4	10.7	8.4	3.1	1.0	1.2	1.5	11.6	
Colored.....	2,543,502	56.5	0.4	0.9	0.6	12.4	5.7	2.9	1.7	16.1	6.1	0.9	0.7	0.6	0.7	6.8	
Registration cities in other states (total).....	4,875,095	85.4	1.4	1.3	1.4	20.2	9.3	5.6	3.5	15.6	7.1	2.2	1.4	1.4	1.9	12.9	
White.....	4,223,537	89.4	1.5	1.4	1.6	21.7	10.1	6.1	3.6	14.8	7.3	2.3	1.4	1.5	2.2	13.9	
Colored.....	651,558	59.1	0.3	0.9	0.2	10.9	4.5	2.5	2.5	20.9	5.8	1.4	1.2	0.8	0.3	7.1	
All registration cities ¹ (total).....	35,162,735	88.0	1.2	1.3	1.3	20.4	10.2	7.3	3.8	13.6	9.0	2.2	1.3	1.4	2.0	13.0	
White.....	33,253,174	89.2	1.3	1.3	1.4	20.7	10.5	7.6	3.9	13.2	9.2	2.3	1.4	1.4	2.0	13.3	
Colored.....	1,909,561	67.4	0.6	0.9	0.8	14.0	5.9	3.1	2.4	21.3	6.8	1.1	1.2	0.8	0.6	8.0	
REGISTRATION STATES.																	
California (total).....	2,757,895	97.9	1.5	2.0	1.3	25.3	11.1	7.1	4.6	12.1	10.8	3.6	1.5	1.6	1.6	13.7	
White.....	2,621,161	101.1	1.6	2.1	1.3	26.0	11.3	7.4	4.8	12.5	11.3	3.8	1.5	1.7	1.7	14.1	
Colored.....	136,734	38.0	0.7	1.5	1.5	11.7	8.0	1.5	4.4	2.9	0.7	6.6	
Colorado.....	909,537	58.3	0.5	1.3	0.4	18.0	8.2	3.2	2.7	8.1	5.8	1.5	0.5	0.7	0.3	6.7	
Connecticut.....	1,202,688	86.5	1.4	1.5	0.7	17.8	9.1	9.3	3.2	12.1	10.1	2.7	1.3	1.9	2.7	12.7	
Indiana.....	2,779,467	79.1	0.6	1.4	0.4	18.5	12.2	5.0	2.6	11.9	8.2	5.0	1.4	0.7	1.5	9.8	
Kansas.....	1,784,897	61.3	0.4	1.1	0.3	15.4	9.1	4.6	1.4	7.2	6.2	2.6	0.8	1.1	0.8	10.5	
Kentucky (total).....	2,350,731	46.0	0.5	0.5	(*)	8.9	6.6	2.7	1.4	8.3	4.9	2.5	0.5	0.3	0.6	8.2	
White.....	2,081,819	46.1	0.5	0.5	(*)	9.0	6.7	2.8	1.5	7.5	5.1	2.6	0.5	0.3	0.6	8.3	
Colored.....	268,912	45.4	0.4	0.4	7.8	6.3	2.2	0.7	14.9	3.7	1.5	0.4	7.1	
Maine.....	762,787	107.6	0.9	1.4	0.7	23.6	14.9	11.3	4.9	18.1	12.2	3.7	1.0	0.8	1.7	12.5	
Maryland (total).....	1,341,075	81.4	1.1	1.0	0.7	16.8	11.4	5.7	3.2	12.8	9.8	2.6	1.3	0.9	1.9	12.1	
White.....	1,100,153	86.1	1.2	1.1	0.6	18.2	12.3	6.3	3.8	11.3	10.3	3.0	1.3	1.1	2.3	13.5	
Colored.....	240,922	60.2	0.8	0.8	1.2	10.4	7.5	3.3	0.4	19.5	7.9	0.8	1.2	0.4	5.8	
Massachusetts.....	3,605,522	101.2	1.4	1.3	1.4	20.0	10.4	12.8	4.8	14.4	12.1	2.6	1.0	1.9	1.9	15.3	
Michigan.....	2,976,030	80.5	0.7	1.7	0.6	21.4	10.6	5.5	2.7	11.5	7.2	3.8	1.1	1.3	1.2	11.0	
Minnesota.....	2,213,919	76.8	0.6	1.4	0.9	27.6	7.8	5.7	3.3	7.9	5.4	2.6	0.8	1.1	1.3	10.4	
Missouri (total).....	3,372,886	69.0	0.9	1.1	0.8	16.6	8.6	3.8	2.5	10.3	6.6	4.6	0.7	0.9	1.3	10.1	
White.....	3,210,657	69.5	1.0	1.1	0.8	16.9	8.8	3.8	2.5	10.0	6.6	4.8	0.8	1.0	1.3	10.2	
Colored.....	162,229	57.3	1.2	0.6	11.7	4.3	3.7	1.2	17.3	6.2	1.2	0.6	1.2	8.0	
Montana.....	432,614	51.5	0.7	1.6	0.7	15.0	5.8	3.7	2.1	6.0	4.2	1.6	1.4	0.9	0.2	7.6	
New Hampshire.....	438,662	100.8	0.9	1.6	0.2	15.3	14.6	14.4	4.8	18.0	12.3	3.9	1.1	1.4	2.1	10.3	
New Jersey (total).....	2,815,663	79.0	1.1	0.8	0.7	19.5	9.8	7.1	3.8	10.3	8.2	2.3	0.8	1.2	1.5	11.7	
White.....	2,714,371	79.7	1.1	0.8	0.7	19.8	10.1	7.2	3.8	9.9	8.4	2.4	0.8	1.3	1.5	11.9	
Colored.....	101,292	59.2	11.8	3.9	4.9	4.9	18.8	4.9	2.0	7.9	
New York (total).....	9,899,761	90.0	1.3	1.1	1.6	20.7	10.3	7.7	4.3	11.3	10.5	2.5	1.1	1.3	2.3	14.1	
White.....	9,740,332	90.3	1.3	1.1	1.6	20.2	10.4	7.8	4.3	11.2	10.5	2.5	1.1	1.3	2.3	14.2	
Colored.....	159,429	72.8	0.6	1.3	1.3	15.7	6.3	6.3	2.5	18.2	10.0	0.6	1.3	1.3	7.5	
North Carolina* (total).....	472,295	57.8	0.2	0.4	0.4	10.2	7.4	3.0	1.9	17.2	4.9	2.5	0.2	0.8	8.7	
White.....	309,636	61.4	0.3	0.6	0.6	11.0	9.0	4.5	2.3	13.9	5.2	3.6	0.3	1.0	9.0	
Colored.....	162,659	51.0	8.6	4.3	1.2	23.4	4.3	0.6	0.6	8.0	
Ohio (total).....	5,026,898	83.1	0.8	1.5	0.9	19.9	11.7	5.3	3.6	11.6	8.6	4.0	1.1	1.3	1.4	11.5	
White.....	4,908,559	83.1	0.8	1.5	0.9	19.8	11.8	5.4	3.6	11.3	8.6	4.1	1.1	1.3	1.4	11.5	
Colored.....	118,339	81.1	0.8	0.8	20.3	7.6	1.7	2.5	24.5	8.5	0.8	0.8	12.7	
Pennsylvania (total).....	8,245,967	72.7	0.7	1.5	0.7	17.8	9.8	5.0	2.8	10.7	7.9	2.7	1.0	1.0	1.3	9.7	
White.....	8,033,610	72.3	0.7	1.5	0.7	17.7	9.9	5.0	2.8	10.4	7.8	2.7	1.0	1.0	1.3	9.8	
Colored.....	212,357	89.5	0.9	1.9	1.4	22.6	8.0	5.2	4.2	21.7	10.4	0.9	0.5	1.4	2.4	8.0	
Rhode Island.....	591,215	91.2	0.8	1.9	0.7	17.9	8.6	9.5	4.4	14.7	12.2	2.5	1.5	1.4	2.0	13.0	
Utah.....	414,518	45.8	0.2	0.5	0.5	19.5	4.3	1.7	1.4	6.0	3.1	1.2	0.7	0.7	0.2	5.5	
Vermont.....	361,205	109.9	0.8	0.6	0.3	24.4	11.6	8.0	7.2	17.4	8.3	4.4	2.5	2.8	1.4	20.2	
Virginia (total).....	2,150,009	48.9	0.4	0.8	0.2	10.0	5.0	2.3	1.3	11.1	4.9	3.0	0.7	0.7	0.9	7.5	
White.....	1,449,401	52.9	0.6	1.0	0.3	10.8	6.3	2.5	1.7	9.0	5.2	3.9	0.8	0.9	1.0	9.0	
Colored.....	700,608	40.5	0.6	8.3	2.4	1.9	0.4	15.4	4.1	1.1	0.7	0.3	0.7	4.6	
Washington.....	1,407,865	61.9	0.6	0.6	0.4	20.8	6.3	4.3	2.3	7.1	5.2	1.9	0.9	1.3	1.3	8.9	
Wisconsin.....	2,446,716	81.1	0.7	1.4	1.3	27.7	10.7	6.0	3.1	7.6	6.6	2.9	0.7	1.4	1.1	9.7	

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000 population.

³ Includes only municipalities having a population of 1,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	Other organs or of organs not specified.
REGISTRATION CITIES.																
ALABAMA. ¹																
Registration cities	263,504	60.3	0.8	0.4	9.1	4.2	4.6	1.5	18.6	3.4	3.8	1.9	0.8	0.8	10.6
Birmingham	166,154	46.3	0.6	0.6	7.2	3.6	3.0	1.8	16.2	1.8	1.2	0.6	0.6	0.6	8.4
Mobile	55,573	93.6	1.8	16.2	3.6	10.8	1.8	25.2	3.6	3.6	1.8	1.8	1.8	21.6
Montgomery ²	41,777	71.8	7.2	7.2	2.4	19.1	9.6	14.4	7.2	4.8
CALIFORNIA.																
Registration cities	1,546,725	113.4	2.0	1.7	1.7	27.3	13.6	8.2	5.5	14.7	12.9	3.3	1.9	1.9	2.0	16.7
Los Angeles	438,914	100.9	1.4	2.5	1.1	21.4	12.5	8.2	4.1	14.1	12.1	1.8	1.8	1.4	0.9	17.5
Oakland	183,002	92.9	0.5	1.6	0.5	23.0	11.5	7.1	4.9	11.5	13.1	6.0	0.5	1.1	0.5	10.9
Pasadena	40,880	129.6	2.4	2.4	41.6	4.9	9.8	7.3	12.2	17.1	7.3	7.3	2.4	14.7
Sacramento	62,717	103.6	1.6	1.6	1.6	31.9	11.2	3.2	4.8	19.1	8.0	1.6	1.6	1.6	15.9
San Diego	48,900	173.8	6.1	2.0	40.9	18.4	10.2	10.2	10.2	30.7	6.1	2.0	4.1	2.0	30.7
San Francisco	448,502	128.4	3.6	1.3	2.9	30.5	13.2	8.2	6.9	16.1	13.6	2.9	3.3	1.6	2.7	21.6
Other cities	323,810	111.8	1.2	1.5	1.2	28.4	17.6	9.3	4.9	15.4	10.8	3.7	1.2	2.5	3.4	10.5
COLORADO.																
Registration cities	341,267	85.9	1.2	2.9	1.2	24.0	8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.8
Denver	245,523	90.4	1.6	3.7	0.8	27.3	7.7	4.9	3.7	13.8	11.4	2.4	0.8	0.4	1.2	10.6
Other cities	95,734	74.2	1.0	2.1	15.7	11.5	4.2	5.2	13.6	6.3	2.1	1.0	11.5
CONNECTICUT.																
Registration cities	825,290	86.9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13.2	8.8	2.5	1.6	1.9	2.9	12.8
Bridgeport	115,289	84.1	1.7	1.7	2.6	15.6	8.7	13.9	1.7	6.9	6.9	2.6	1.7	0.9	3.5	15.6
Hartford	107,038	123.3	2.8	2.8	0.9	28.0	7.5	13.1	4.7	20.6	7.5	3.7	1.9	2.8	1.9	25.2
New Haven	144,505	113.5	2.1	0.7	0.7	24.2	12.5	6.2	3.5	18.0	13.1	4.2	2.1	5.5	4.8	15.9
Waterbury	82,517	69.1	1.2	13.3	9.7	12.1	2.4	15.8	2.4	1.2	2.4	1.2	7.3
Other cities	376,941	71.0	0.8	0.5	0.3	15.7	7.7	6.9	3.7	10.6	9.6	2.1	1.3	0.5	2.7	8.5
DELAWARE. ¹																
Wilmington	92,067	88.0	1.1	2.2	1.1	20.6	9.8	9.8	5.4	17.4	7.6	3.3	3.3	6.5
DISTRICT OF COLUMBIA.																
Washington (total)	353,378	100.5	1.7	2.0	0.8	17.8	13.0	8.5	3.7	14.7	10.2	2.5	2.3	3.4	3.7	16.1
White	252,039	107.5	2.4	1.2	1.2	17.1	13.1	10.7	3.2	12.7	11.5	3.6	2.8	3.6	5.2	19.4
Colored	101,339	82.9	3.9	19.7	12.8	3.0	4.9	19.7	6.9	1.0	3.0	7.9
FLORIDA. ²																
Registration cities	116,535	61.8	1.7	0.9	9.4	3.4	1.7	1.7	17.2	10.3	1.7	1.7	2.6	9.4
GEORGIA. ¹																
Registration cities	296,660	62.7	1.0	1.0	0.3	8.4	6.4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.1
Atlanta	179,292	59.1	1.1	8.9	5.6	5.0	1.1	17.3	6.1	2.8	0.6	1.1	0.6	8.9
Other cities ³	117,368	68.2	0.9	2.6	0.9	7.7	7.7	2.6	3.4	15.3	3.4	2.6	1.7	0.9	1.7	17.0
ILLINOIS. ¹																
Registration cities (total)	2,627,143	89.0	1.6	1.3	2.2	25.0	10.1	5.7	3.6	12.7	7.3	1.7	1.1	1.5	2.4	12.7
White	2,567,385	88.7	1.6	1.4	2.3	24.9	10.2	5.8	3.6	12.4	7.3	1.8	1.1	1.5	2.4	12.7
Colored	59,758	100.4	1.7	30.1	6.7	5.0	5.0	26.8	8.4	1.7	15.1
Chicago	2,397,600	87.9	1.8	1.2	2.4	25.0	9.9	5.4	3.6	12.2	7.2	1.5	1.0	1.5	2.4	12.7
Springfield	57,972	106.9	3.4	29.3	12.1	8.6	5.2	19.0	6.9	5.2	1.7	1.7	13.8
Other cities ²	171,571	98.5	0.6	2.3	0.6	22.7	11.7	9.3	3.5	18.1	9.3	2.9	1.7	0.6	2.3	12.8
INDIANA.																
Registration cities	901,437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	3.0	15.6	9.3	2.9	2.4	1.0	1.7	10.5
Fort Wayne	72,423	95.3	1.4	22.1	11.0	8.3	8.3	11.0	4.1	2.8	1.4	4.1	20.7
Indianapolis	259,820	102.0	0.4	1.9	0.8	18.1	11.5	9.6	1.2	20.4	12.3	3.8	3.5	0.4	2.7	15.4
Terre Haute	63,529	81.9	1.6	26.8	4.7	4.7	1.6	17.3	14.2	1.6	1.6	7.9
Other cities	505,665	75.0	1.2	0.8	0.8	16.2	11.9	4.9	3.4	13.6	7.9	2.8	2.2	0.8	1.6	6.9
KANSAS.																
Registration cities	345,260	81.7	0.6	0.9	0.3	17.7	12.2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11.9
Kansas City	94,271	64.7	1.1	19.1	8.5	4.2	4.2	7.4	3.2	1.1	4.2	2.1	9.5
Topeka	47,102	110.4	2.1	23.4	8.5	10.6	2.1	23.4	8.5	4.2	2.1	2.1	23.4
Wichita	64,972	77.0	13.9	10.8	6.2	1.5	13.9	6.2	4.6	1.5	4.6	3.1	10.8
Other cities	138,915	85.7	2.2	0.7	16.6	16.6	9.4	2.2	11.5	10.1	2.9	2.2	0.7	0.7	10.1
KENTUCKY.																
Registration cities	425,563	77.1	1.4	0.7	0.2	13.4	14.3	4.9	2.1	15.7	8.0	2.8	0.9	0.5	1.4	10.6
Louisville	235,114	79.5	1.3	1.3	16.2	14.9	7.2	1.3	15.7	6.0	1.7	1.3	0.9	1.3	10.6
Other cities	190,449	74.0	1.6	0.5	10.0	13.7	2.1	3.2	15.8	10.5	4.2	0.5	1.6	10.5

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only other registration unit; less than 50 deaths from cancer were reported.³ Nonregistration state; the registration cities are Jacksonville, Key West, and Pensacola.⁴ Includes Augusta and Savannah.⁵ Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

SUMMARY AND RATE TABLES.

37

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—														Other organs or of organs not specified.
			Tongue	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.		
REGISTRATION CITIES—Continued.																	
LOUISIANA. ¹																	
New Orleans (total).....	361,221	99.1	2.5	1.9	1.1	18.0	11.4	5.8	3.3	21.0	8.0	3.3	2.5	2.5	1.7	16.1	
White.....	265,692	96.7	3.0	2.3	1.1	17.7	10.5	6.8	3.4	15.8	7.9	4.1	2.3	2.3	1.9	17.7	
Colored.....	95,529	105.7	1.0	1.0	1.0	18.8	13.6	3.1	3.1	35.6	8.4	1.0	3.1	3.1	1.0	11.5	
MAINE.																	
Registration cities.....	175,127	121.1	0.6	1.7	1.1	26.3	15.4	11.4	6.3	26.8	14.3	2.3	1.1	0.6	1.7	11.4	
Portland.....	62,161	104.6	1.6	1.6	14.5	12.9	8.0	8.0	22.5	22.5	1.6	1.6	1.6	8.0	
Other cities.....	112,966	130.1	2.7	0.9	32.8	16.8	13.3	5.3	29.2	9.7	2.7	0.9	0.9	1.8	13.3	
MARYLAND.																	
Registration cities (total).....	640,317	102.0	1.7	0.6	1.4	20.8	14.8	6.9	4.2	16.4	11.2	1.7	2.3	1.4	3.3	15.1	
White.....	547,542	103.6	1.8	0.5	1.1	21.4	15.9	6.9	4.7	14.2	11.1	1.6	2.2	1.6	3.7	16.6	
Colored.....	92,775	92.7	1.1	1.1	3.2	17.2	8.6	6.5	1.1	29.1	11.9	2.2	3.2	1.1	6.5	
Baltimore (total).....	579,590	101.6	1.6	0.3	1.6	20.9	14.1	7.4	4.5	15.9	11.2	1.7	2.6	1.6	3.5	14.8	
White.....	491,276	103.8	1.8	0.4	1.2	21.4	15.1	7.5	5.3	13.4	11.2	1.6	2.4	1.8	3.9	16.7	
Colored.....	88,314	89.5	3.4	18.1	9.1	6.8	29.4	11.3	2.3	3.4	1.1	4.5	
Other cities.....	60,727	105.4	3.3	3.3	19.8	21.4	1.6	1.6	21.4	11.5	1.6	1.6	18.1	
MASSACHUSETTS.																	
Registration cities.....	2,814,238	98.8	1.3	1.5	1.4	19.0	10.1	12.9	4.6	14.2	11.7	2.1	1.2	2.0	1.8	15.0	
Boston.....	733,802	118.7	1.4	1.6	2.0	20.3	12.3	16.4	5.7	17.3	14.7	1.9	1.6	2.6	2.0	18.8	
Brockton.....	64,043	85.9	1.6	20.3	7.8	9.4	9.4	4.7	12.5	1.6	3.1	3.1	12.5	
Cambridge.....	110,357	100.6	0.9	2.7	1.8	22.7	6.3	9.2	4.5	9.1	17.2	3.6	0.9	1.8	0.9	19.0	
Fall River.....	125,443	55.8	8.0	4.8	8.0	3.2	8.0	5.6	0.8	1.6	3.2	12.8	
Lawrence.....	95,834	62.6	2.1	2.1	2.1	17.7	8.3	7.3	4.2	9.4	4.2	5.2	
Lowell.....	111,004	88.3	0.9	1.8	20.7	16.2	5.4	4.5	9.9	11.7	3.6	0.9	0.9	11.7	
Lynn.....	98,207	92.7	2.0	2.0	20.4	7.1	9.2	1.0	18.3	9.2	2.0	1.0	1.0	2.0	17.3	
New Bedford.....	111,230	83.6	1.8	1.8	17.1	9.0	13.5	1.8	12.6	9.9	2.7	0.9	0.9	11.7	
Somerville.....	83,881	84.6	1.2	21.5	3.6	13.1	4.8	9.5	10.7	1.2	2.4	16.7	
Springfield.....	100,490	91.6	2.0	1.0	1.0	18.9	12.9	16.9	2.0	7.0	6.0	1.0	2.0	2.0	18.9	
Worcester.....	157,732	111.6	1.9	1.9	0.6	26.0	8.9	13.9	5.1	14.6	12.7	2.5	1.9	4.4	2.5	14.6	
Other cities.....	1,022,215	97.1	1.5	1.5	1.3	17.8	10.0	12.8	4.5	15.8	11.2	2.6	1.3	2.3	1.6	13.2	
MICHIGAN.																	
Registration cities.....	1,169,668	85.2	0.9	1.4	1.0	21.6	11.5	7.1	2.7	13.7	7.2	2.6	1.5	1.6	1.0	11.3	
Detroit.....	537,650	78.9	1.5	0.9	1.1	21.6	10.6	6.1	3.0	13.9	5.6	1.1	0.7	1.5	0.9	10.2	
Grand Rapids.....	123,227	97.4	0.8	0.8	0.8	28.4	14.6	8.1	4.1	12.2	11.4	4.1	0.8	0.8	10.5	
Saginaw.....	53,988	92.6	5.6	1.9	20.4	16.7	9.3	14.8	3.7	3.7	1.9	3.7	1.9	9.3	
Other cities.....	454,803	88.6	0.4	1.5	0.9	20.0	11.2	7.7	2.4	13.6	8.4	3.7	2.6	1.8	1.3	13.0	
MINNESOTA.																	
Registration cities.....	732,326	82.6	1.2	2.0	1.1	24.4	8.6	6.1	3.6	11.2	7.2	2.0	1.4	1.2	1.6	10.8	
Duluth.....	89,331	76.1	2.2	30.2	12.3	4.5	3.4	6.7	4.5	3.4	2.2	6.7	
Minneapolis.....	343,466	91.1	1.2	2.0	0.9	25.6	7.3	8.7	3.5	13.1	9.0	1.7	1.5	1.5	2.6	12.5	
St. Paul.....	236,766	70.1	2.1	1.3	2.1	21.5	8.0	3.0	4.3	10.1	4.2	2.1	1.7	1.3	0.4	8.0	
Other cities.....	62,763	92.4	4.8	20.7	12.7	6.4	1.6	11.2	12.7	1.6	1.6	1.6	17.5	
MISSOURI.																	
Registration cities (total).....	1,232,741	95.0	2.0	1.5	1.7	21.4	9.2	5.4	4.4	17.8	8.8	3.7	1.4	1.2	2.5	14.0	
White.....	1,144,160	98.0	2.2	1.5	1.7	21.9	9.9	5.5	4.7	17.5	9.3	3.9	1.5	1.2	2.7	14.4	
Colored.....	88,581	56.4	1.1	1.1	14.7	1.1	4.5	21.4	3.4	1.1	7.9	
Kansas City.....	281,911	90.1	3.2	1.1	0.7	18.1	6.7	5.7	5.0	17.0	10.3	6.0	0.7	2.1	13.5	
St. Joseph *.....	* 82,712	117.3	1.2	1.2	27.8	10.9	8.5	6.0	23.0	19.3	2.4	1.2	1.2	2.4	12.1	
St. Louis.....	734,667	95.4	1.9	1.6	2.5	22.9	9.9	5.4	4.5	16.3	7.4	3.1	1.9	1.6	2.7	13.6	
Other cities.....	133,451	89.2	0.7	1.5	0.7	16.5	9.7	3.0	1.5	24.0	7.5	2.2	1.5	2.2	18.0	
MONTANA.																	
Registration cities.....	109,011	75.2	2.8	1.8	0.9	22.9	5.5	4.6	2.8	11.0	4.6	0.9	2.8	0.9	0.9	12.8	
NEBRASKA. ¹																	
Registration cities.....	178,917	104.5	0.6	0.6	24.6	12.3	8.9	2.2	19.0	10.1	2.8	1.1	0.6	2.8	19.0	
Omaha.....	133,274	105.0	24.0	10.5	5.3	3.0	21.8	9.8	3.8	1.5	0.8	3.0	21.8	
Lincoln *.....	45,643	103.0	2.2	2.2	26.3	17.5	19.7	11.0	11.0	2.2	11.0	
NEW HAMPSHIRE.																	
Registration cities.....	184,187	93.9	1.1	0.5	15.7	9.8	14.7	6.0	17.4	14.1	2.7	0.5	1.6	1.1	8.7	
Winchester.....	75,635	74.0	2.6	13.2	2.6	13.2	4.0	17.2	10.6	4.0	6.6	
Other cities.....	108,552	107.8	0.9	17.5	14.7	15.7	7.4	17.5	16.6	1.8	0.9	2.8	1.8	10.1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.³ The only other registration unit; less than 50 deaths from cancer were reported.

MORTALITY FROM CANCER.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—														Other organs or of organs not specified.
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.		
REGISTRATION CITIES—Continued.																	
NEW JERSEY.																	
Registration cities.....	1,828,462	78.0	1.1	0.8	0.8	19.3	9.6	7.0	3.8	10.8	7.4	1.7	1.0	0.9	1.5	12.3	
Camden.....	102,465	72.2	2.4	1.2	1.0	19.5	4.9	2.9	7.8	11.7	4.9	4.9	1.0	2.0	3.9	7.8	
Elizabeth.....	82,411	92.2	0.7	0.7	1.2	25.5	13.3	4.9	2.4	8.5	6.1	1.2	1.2	0.7	2.4	21.8	
Jersey City.....	293,921	73.8	0.7	0.7	0.3	21.4	11.2	6.5	2.0	8.5	6.1	1.7	0.7	0.7	1.8	12.6	
Newark.....	389,106	87.4	1.5	1.0	2.1	21.8	10.3	7.5	5.1	11.8	8.0	2.3	1.0	0.7	1.8	13.1	
Paterson.....	134,305	92.3	0.7	0.7	0.7	28.3	8.2	11.9	1.5	14.9	8.9	0.7	1.5	1.5	2.2	11.9	
Trenton.....	106,831	91.7	2.8	2.8	0.9	18.7	13.1	7.5	4.7	8.4	10.3	1.9	1.9	1.9	1.3	16.8	
Other cities.....	719,423	69.1	1.1	0.4	0.1	14.7	8.6	6.8	3.8	10.8	7.5	1.3	0.8	1.3	1.3	10.6	
NEW YORK.																	
Registration cities (total).....	7,520,670	88.0	1.3	1.1	1.8	20.4	9.7	8.2	4.2	11.3	9.6	1.6	1.1	1.2	2.4	14.0	
White.....	7,388,358	88.4	1.3	1.1	1.9	20.5	9.7	8.2	4.2	11.2	9.6	1.6	1.2	1.2	2.5	14.1	
Colored.....	132,312	70.3	0.8	0.8	1.5	11.3	7.6	4.5	3.0	20.4	10.6	0.8	1.5	1.5	0.8	7.6	
Albany.....	102,961	146.7	1.9	0.9	1.0	31.1	10.7	11.7	3.9	26.2	19.4	1.9	0.7	6.8	5.8	26.2	
Buffalo.....	454,112	95.8	1.1	1.8	2.0	23.3	10.3	7.0	4.0	12.3	10.1	1.8	1.1	3.5	2.6	14.8	
New York (total).....	5,333,539	83.5	1.3	1.0	2.2	20.6	9.5	7.8	4.1	9.7	8.4	1.3	1.0	0.8	2.3	13.4	
White.....	5,224,202	83.6	1.3	1.0	2.2	20.8	9.5	7.8	4.2	9.4	8.3	1.3	1.0	0.7	2.4	13.6	
Colored.....	109,337	75.9	0.9	0.9	0.9	10.1	9.1	4.6	3.7	23.8	11.9	0.9	0.9	1.8	0.9	7.3	
Bronx Borough.....	529,198	97.5	1.7	0.4	1.9	23.4	9.8	11.9	6.0	10.8	10.4	1.5	0.8	1.5	2.6	14.7	
Brooklyn Borough.....	1,833,696	78.5	1.3	1.0	1.6	19.9	9.4	7.4	3.7	9.7	8.4	1.6	0.8	0.4	2.0	11.2	
Manhattan Borough.....	2,536,716	83.7	1.3	0.9	2.6	20.5	9.2	7.5	4.0	9.5	8.0	1.0	1.3	0.9	2.3	14.6	
Queens Borough.....	339,886	81.5	0.9	1.2	2.6	20.3	9.4	5.6	5.3	8.5	9.4	1.2	0.6	0.3	3.5	12.7	
Richmond Borough.....	94,043	102.1	0.9	3.2	2.1	25.5	16.0	6.4	2.1	13.8	5.3	0.6	2.1	1.1	3.2	21.3	
Rochester.....	245,077	106.5	2.0	0.8	1.2	18.0	13.1	11.4	6.1	14.7	12.2	2.4	1.2	2.4	2.9	18.0	
Syracuse.....	149,353	84.4	1.3	0.7	1.1	11.4	9.4	4.0	3.3	15.4	13.4	2.7	2.7	2.7	2.7	14.7	
Troy.....	77,560	175.3	3.9	3.9	1.3	34.8	15.5	11.6	7.7	27.1	28.4	3.9	2.6	2.6	7.7	24.5	
Utica.....	82,060	99.9	2.1	0.9	0.9	24.4	12.2	9.7	11.0	15.8	13.4	1.2	1.2	1.2	1.1	11.0	
Yonkers.....	93,383	69.6	1.0	1.4	0.7	18.2	8.6	8.6	2.1	6.4	12.9	1.1	1.1	1.1	1.1	8.6	
Other cities.....	982,625	92.9	1.0	1.4	0.7	17.2	9.2	9.8	3.9	15.5	11.7	3.1	1.5	1.7	2.2	14.0	
NORTH CAROLINA.																	
Registration cities.....	176,010	70.5	0.6	0.6	0.6	10.8	9.7	2.3	1.7	21.0	5.7	4.0	0.6	0.6	0.6	13.1	
OHIO.																	
Registration cities (total).....	2,410,207	87.3	0.8	1.5	1.4	19.8	11.9	5.9	4.0	14.4	8.5	2.7	1.1	1.2	1.5	12.5	
White.....	2,335,493	87.4	0.9	1.5	1.4	19.9	12.0	6.0	4.1	14.0	8.6	2.8	1.1	1.2	1.6	12.5	
Colored.....	74,714	84.3	0.8	1.3	1.3	18.7	9.4	1.3	2.7	26.8	8.0	1.3	1.3	1.3	1.3	13.4	
Akron.....	80,291	77.2	1.2	1.5	1.7	18.7	11.2	6.2	2.5	12.5	12.5	1.2	1.2	1.2	2.5	8.7	
Cincinnati.....	402,175	104.2	0.6	1.3	1.9	22.6	16.7	3.5	5.0	17.9	9.0	3.7	1.0	2.2	2.5	15.7	
Cleveland.....	639,431	75.5	1.0	2.0	1.0	21.7	8.8	5.8	3.8	9.4	6.6	1.6	0.5	0.8	0.6	12.4	
Columbus.....	204,567	107.5	1.0	2.0	1.0	18.6	15.6	6.4	2.4	26.4	11.7	3.9	1.5	1.5	1.0	14.7	
Dayton.....	123,794	107.4	1.6	0.8	2.4	18.6	13.7	6.5	7.3	24.2	11.3	5.7	3.2	2.4	2.4	7.3	
Toledo.....	184,126	99.9	0.5	2.7	2.7	28.2	10.3	5.4	4.9	13.6	8.1	4.3	1.6	2.2	2.2	13.0	
Youngstown.....	100,593	65.6	1.0	1.0	1.0	11.9	9.9	5.0	4.0	8.9	4.0	3.0	1.0	1.0	1.0	14.9	
Other cities.....	675,230	79.5	0.9	1.5	0.6	16.0	11.4	7.3	3.6	12.9	9.0	2.1	1.2	0.6	1.6	11.0	
OREGON. ¹																	
Portland.....	260,601	87.9	1.2	1.9	0.8	21.5	10.0	7.7	6.5	11.9	6.5	1.5	1.9	1.2	2.3	13.0	
PENNSYLVANIA.																	
Registration cities (total).....	3,957,679	82.0	1.0	1.6	1.1	19.4	9.9	5.8	3.2	13.3	9.3	2.0	1.4	1.2	1.8	10.9	
White.....	3,800,812	81.7	0.9	1.7	1.1	19.2	10.0	5.8	3.1	13.0	9.4	2.1	1.5	1.2	1.8	11.0	
Colored.....	156,867	89.9	1.3	1.3	1.9	24.2	7.0	5.7	3.8	21.0	8.3	1.3	0.6	1.3	2.5	9.6	
Allentown.....	60,297	97.8	1.4	1.4	1.7	18.2	3.3	11.6	1.7	21.6	18.2	5.0	3.3	3.3	3.3	13.3	
Erie.....	72,401	76.0	2.9	2.9	2.9	19.3	8.3	5.5	2.8	8.3	9.7	2.8	1.4	2.8	1.4	12.4	
Harrisburg.....	69,493	82.0	4.0	4.0	4.0	7.2	10.1	11.5	2.9	18.7	11.5	5.8	1.4	1.4	1.4	8.6	
Lancaster.....	49,685	110.7	4.0	4.0	2.0	24.2	14.1	4.0	10.1	10.1	16.1	2.0	6.0	2.0	4.0	12.1	
Philadelphia (total).....	1,657,810	93.0	1.5	1.8	1.5	21.1	10.3	6.3	3.0	14.9	11.2	2.0	2.2	1.2	2.4	13.6	
White.....	1,566,158	92.9	1.5	1.9	1.4	20.8	10.5	6.4	2.9	14.5	11.4	2.1	2.3	1.3	2.4	13.7	
Colored.....	91,652	93.8	1.1	1.1	3.3	26.2	6.5	5.5	4.4	21.8	8.7	1.1	1.1	1.1	3.3	10.9	
Pittsburgh.....	564,878	85.2	1.1	1.6	1.1	22.8	11.0	4.4	3.5	14.5	7.3	1.6	1.4	1.1	1.8	12.0	
Reading.....	103,361	83.2	1.9	1.0	2.9	15.5	10.6	6.8	3.9	12.6	9.7	1.0	1.0	1.0	1.0	15.5	
Scranton.....	141,351	60.1	1.4	1.4	1.4	16.3	3.5	9.9	0.7	8.5	9.2	0.7	1.4	1.4	1.4	7.1	
Williamsport.....	33,181	150.7	54.2	18.1	9.0	18.1	15.1	18.1	15.1	12.1	12.1	3.0	3.0	3.0	3.0	15.1	
Other cities.....	1,206,222	64.4	0.3	1.5	0.6	15.8	9.5	4.6	2.9	10.9	6.7	2.1	0.7	1.0	1.2	6.6	
RHODE ISLAND.																	
Registration cities.....	479,487	88.8	1.0	1.7	0.6	16.7	8.8	9.2	3.8	15.2	11.3	2.5	1.0	1.7	2.1	13.3	
Providence.....	245,090	92.6	0.4	0.8	1.2	16.3	9.8	11.4	3.7	14.3	10.6	2.0	0.8	2.9	3.3	15.1	
Other cities.....	234,397	84.9	1.7	2.6	0.6	17.1	7.7	6.8	3.8	16.2	11.9	3.0	1.3	0.4	0.9	11.5	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

SUMMARY AND RATE TABLES.

39

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													Other organs or of organs not specified.
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	
REGISTRATION CITIES—Continued.																
SOUTH CAROLINA. ¹																
Charleston.....	60,121	58.2	5.0	5.0	3.3	20.0	13.3	1.7	3.3	6.7
TENNESSEE. ²																
Registration cities (total).....	370,682	78.0	0.3	1.3	12.9	7.6	4.0	3.5	25.4	5.7	2.7	2.7	0.5	11.3
White.....	237,961	87.8	0.4	1.3	14.7	10.1	5.5	2.9	24.8	5.0	3.4	2.8	0.8	15.1
Colored.....	132,701	60.3	1.5	9.8	3.0	1.5	4.5	26.4	6.8	1.5	0.8	4.5
Memphis.....	143,231	79.6	2.8	16.1	9.1	4.2	3.5	25.1	5.6	1.4	2.1	9.8
Nashville.....	114,899	85.3	0.9	10.4	7.8	6.1	3.5	22.6	7.0	5.2	2.6	0.9	18.3
Other cities *.....	112,532	68.4	0.9	11.6	5.3	1.8	3.6	28.4	4.4	1.8	3.6	0.9	6.2
TEXAS. ²																
Registration cities.....	204,857	88.4	0.5	2.0	0.5	14.2	10.7	4.4	4.4	18.1	6.3	2.9	2.0	2.0	2.0	18.5
Galveston.....	40,299	129.1	2.5	2.5	12.4	22.3	7.4	14.9	12.4	7.4	2.5	5.0	2.5	37.2
San Antonio.....	115,063	70.4	2.6	13.9	6.1	3.5	3.5	14.8	4.3	1.7	2.6	0.9	1.7	14.8
El Paso.....	49,505	97.0	2.0	16.2	12.1	10.1	4.0	28.3	6.1	2.0	2.0	2.0	12.1
UTAH.																
Registration cities.....	139,264	66.8	1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7	0.7	8.6
Salt Lake City.....	109,736	64.7	1.8	23.7	4.6	3.6	2.7	10.9	3.6	3.6	0.9	9.1
Ogden *.....	29,528	74.5	3.4	44.0	3.4	6.8	3.4	3.4	3.4	6.8
VERMONT.																
Registration cities.....	47,370	154.1	48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
VIRGINIA.																
Registration cities (total).....	423,671	71.8	0.5	0.5	0.5	11.1	6.8	5.0	1.9	20.3	6.6	2.1	1.9	1.7	1.4	11.6
White.....	277,249	77.9	0.7	0.7	0.7	12.6	8.7	6.1	2.5	15.9	7.2	2.2	1.8	2.2	1.4	15.1
Colored.....	146,422	60.1	8.2	3.4	2.7	0.7	28.7	5.5	2.0	2.0	0.7	1.4	4.8
Richmond.....	134,917	94.1	0.7	0.7	16.3	9.6	6.7	3.0	18.5	10.4	3.7	2.2	3.7	1.5	17.0
Other cities (total).....	288,754	61.3	0.3	0.3	0.7	8.7	5.5	4.2	1.4	21.1	4.8	1.4	1.7	0.7	1.4	9.0
White.....	191,751	66.2	0.5	0.5	1.0	9.9	7.3	5.7	1.6	17.7	4.2	1.6	2.1	1.0	1.6	11.5
Colored.....	97,003	51.5	6.2	2.1	1.0	1.0	27.8	6.2	1.0	1.0	1.0	4.1
WASHINGTON.																
Registration cities.....	674,321	74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.4
Seattle.....	313,029	70.6	1.3	1.3	0.6	21.4	6.7	4.8	3.2	8.3	6.7	1.3	1.3	0.6	2.6	10.5
Spokane.....	135,657	75.2	0.7	1.5	24.3	6.6	5.2	1.5	11.8	6.6	1.5	0.7	3.7	2.9	8.1
Tacoma.....	103,418	81.2	30.0	5.8	9.7	3.9	2.9	7.7	1.0	1.0	1.9	17.4
Other cities.....	122,217	75.3	0.8	25.4	7.4	5.7	3.3	11.5	3.3	3.3	0.8	1.6	12.3
WEST VIRGINIA. ¹																
Wheeling.....	42,817	107.4	2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4.7	14.0
WISCONSIN.																
Registration cities.....	833,974	85.4	1.1	1.3	1.4	24.7	12.4	7.3	3.4	10.0	7.2	1.8	0.7	1.3	1.9	10.9
Milwaukee.....	419,589	69.4	1.2	0.7	1.2	19.1	12.2	5.0	3.3	6.9	7.1	1.0	0.5	0.7	1.9	8.6
Other cities.....	414,385	101.6	1.0	1.9	1.7	30.4	12.5	9.7	3.4	13.0	7.2	2.7	1.0	1.9	1.9	13.3
RURAL PART OF REGISTRATION STATES. ⁶																
CALIFORNIA.																
Total.....	1,211,170	78.2	0.9	2.4	0.7	22.8	8.0	5.6	3.5	8.8	8.2	4.0	0.9	1.3	1.1	9.9
Los Angeles County.....	129,965	123.9	1.5	5.4	2.3	31.5	18.5	9.2	4.6	14.6	13.8	3.1	3.8	2.3	13.1
Santa Clara County *.....	56,391	138.3	3.5	5.3	5.3	30.1	16.0	12.4	3.5	16.0	12.4	1.8	3.5	3.5	1.8	23.1
Sonoma County.....	52,618	119.7	1.9	39.9	13.3	9.5	1.9	17.1	22.3	1.9	11.4
Other rural districts.....	972,196	66.3	0.7	1.9	0.3	20.3	5.9	4.6	3.4	7.1	6.4	4.4	0.9	0.9	0.9	8.6
COLORADO.																
Total.....	568,280	41.7	0.2	0.4	14.4	7.9	2.3	1.9	4.8	3.3	1.1	0.5	0.7	4.2
CONNECTICUT.																
Total.....	377,398	85.6	1.6	2.4	0.5	16.2	9.5	9.8	2.9	9.5	12.7	3.2	0.8	1.9	2.1	12.5
Hartford County.....	85,763	88.6	1.2	4.7	1.2	16.3	12.8	10.5	2.3	5.8	15.2	4.7	1.2	1.2	1.2	10.5
Other rural districts.....	291,635	84.7	1.7	1.7	0.3	16.1	8.6	9.6	3.1	10.6	12.0	2.7	0.7	2.1	2.4	13.0
INDIANA.																
Total.....	1,878,030	76.1	0.4	1.7	0.2	18.7	12.6	4.2	2.4	10.1	7.7	6.0	0.9	0.6	1.4	9.5

¹ Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported.

² Nonregistration state; cities shown below only those with effective local ordinances.

³ Includes, Chattanooga, Jackson, and Knoxville.

⁴ The only other registration unit; less than 50 deaths from cancer were reported.

⁵ The only other city of 10,000 inhabitants or over in 1910; less than 50 deaths from cancer were reported.

⁶ Exclusive of municipalities having a population of 10,000 or over in 1910.

MORTALITY FROM CANCER.

TABLE II.—DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													Other organs or of organs not specified.
			Tongue	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	
RURAL PART OF REGISTRATION STATES—Continued.																
KANSAS.																
Total.....	1,439,637	56.5	0.3	1.1	0.3	14.9	8.3	3.9	1.1	6.0	5.9	2.5	0.3	0.8	0.8	10.1
KENTUCKY.																
Total.....	1,925,168	39.1	0.3	0.5	7.9	4.9	2.2	1.3	6.7	4.3	2.4	0.4	0.3	0.4	7.6
White.....	1,730,546	38.6	0.3	0.5	8.0	4.7	2.1	1.3	5.9	4.4	2.5	0.4	0.3	0.4	7.6
Colored.....	194,622	43.7	6.7	6.7	3.1	1.0	13.9	3.1	1.0	0.5	7.7
MAINE.																
Total.....	587,660	103.6	1.0	1.4	0.5	22.8	14.8	11.2	4.4	15.5	11.6	4.1	1.0	0.9	1.7	12.8
Cumberland County.....	54,679	109.7	5.5	1.8	25.6	12.8	7.3	3.7	14.6	14.6	5.5	1.8	1.8	5.5	9.1
Kennebec County *.....	38,298	143.6	2.6	2.6	13.1	18.3	18.3	7.8	15.7	7.8	15.7	5.2	36.6
Penobscot County.....	63,075	85.6	17.4	19.0	7.9	4.8	12.7	12.7	1.6	1.6	7.9
Washington County.....	41,915	128.8	4.8	33.4	21.5	7.2	4.8	31.0	7.2	4.8	2.4	11.9
York County.....	52,602	114.1	1.9	26.6	11.4	13.3	7.6	7.6	28.5	1.9	3.8	11.4
Other rural districts.....	337,091	96.7	0.9	1.2	0.3	22.5	13.6	11.9	3.6	15.4	9.2	3.3	0.9	0.6	1.5	11.9
MARYLAND.																
Total.....	700,758	62.6	0.6	1.4	0.1	13.1	8.3	4.7	2.3	9.4	8.6	3.4	0.3	0.4	0.7	9.3
White.....	552,611	63.8	0.5	1.6	0.2	15.0	8.7	5.6	2.9	8.3	9.4	4.3	0.4	0.5	0.9	10.3
Colored.....	148,147	39.8	0.7	0.7	6.1	6.8	1.4	13.5	5.4	5.4
Baltimore County *.....	135,813	81.7	0.7	2.2	0.7	13.3	11.8	7.4	2.9	11.0	15.5	2.9	1.5	0.7	11.0
Other rural districts (total).....	564,945	58.1	0.5	1.2	13.1	7.4	4.1	2.1	9.0	6.9	3.5	0.5	0.7	8.9
White.....	431,030	64.0	0.5	1.4	15.3	7.4	5.1	2.8	7.9	7.7	4.6	0.7	0.9	9.9
Colored.....	133,915	38.8	0.7	0.7	6.0	7.5	0.7	12.7	4.5	6.0
MASSACHUSETTS.																
Total.....	791,284	109.7	2.0	0.9	1.4	23.5	11.6	12.1	5.4	14.8	13.6	4.3	0.1	1.4	2.3	16.2
Bristol County.....	56,332	99.4	23.1	12.4	8.9	8.9	14.2	10.7	1.8	19.5
Essex County *.....	92,103	114.0	1.1	2.2	29.3	11.9	15.2	7.6	13.0	8.7	2.2	1.1	2.2	5.4	14.1
Middlesex County *.....	125,247	138.1	6.4	2.4	3.2	32.7	12.8	9.6	4.0	23.2	15.2	4.8	3.2	20.8
Norfolk County *.....	105,294	94.0	1.9	0.9	1.9	20.9	10.4	18.0	3.8	10.4	9.5	1.9	1.9	1.9	10.4
Plymouth County *.....	80,000	123.8	1.3	1.3	2.5	25.0	15.0	8.8	6.3	10.0	21.3	6.3	1.3	2.5	22.5
Worcester County *.....	134,853	102.3	0.7	0.7	0.7	19.3	9.6	14.1	3.0	12.6	15.6	4.4	0.7	3.0	17.8
Other rural districts.....	197,455	100.3	1.5	0.5	13.7	11.1	10.1	6.6	16.2	13.7	6.1	0.5	2.5	12.7
MICHIGAN.																
Total.....	1,806,362	77.4	0.6	1.9	0.4	21.3	10.0	4.5	2.7	10.0	7.2	4.7	0.9	1.1	1.3	10.8
Berrien County.....	55,521	104.5	1.8	28.8	12.8	5.4	5.4	18.0	9.0	9.0	1.8	3.6	1.8
Kent County.....	48,459	103.2	4.1	20.6	12.4	6.2	2.1	20.6	6.2	14.4	2.1	14.4
Wayne County.....	71,842	87.7	2.8	1.4	22.3	11.1	7.0	2.8	12.5	8.4	8.4	1.4	2.8	7.0
Other rural districts.....	1,630,540	75.3	0.6	1.9	0.4	21.0	9.6	4.4	2.6	9.3	7.1	4.0	0.9	1.1	1.2	11.2
MINNESOTA.																
Total.....	1,481,593	74.0	0.3	1.1	0.8	20.2	7.4	5.5	3.2	6.2	4.5	2.8	0.5	1.1	1.1	10.2
Olmsted County *.....	22,232	445.3	4.5	152.9	22.5	72.0	36.0	18.0	4.5	18.0	18.0	9.0	27.0	63.0
Other rural districts.....	1,459,361	68.3	0.3	1.1	0.8	27.3	7.2	4.5	2.7	6.0	4.5	2.6	0.3	1.0	0.8	9.4
MISSOURI.																
Total.....	2,140,145	54.0	0.3	0.9	0.3	13.9	8.3	2.9	1.4	6.0	5.2	5.2	0.4	0.8	0.6	7.9
MONTANA.																
Total.....	323,603	43.6	1.5	0.6	12.4	5.9	3.4	1.9	4.3	4.0	1.9	0.9	0.9	5.9
NEW HAMPSHIRE.																
Total.....	254,475	105.7	1.6	2.0	12.9	18.1	14.1	3.9	18.5	11.0	4.7	1.6	1.2	2.8	11.4
Rockingham County.....	41,105	124.1	2.4	2.4	29.2	14.6	14.6	4.9	26.8	12.2	2.4	4.9	2.4	2.4	4.9
Other rural districts.....	213,370	102.2	1.4	1.9	12.2	18.7	14.1	3.7	16.9	10.8	5.2	0.9	0.9	2.8	12.7
NEW JERSEY.																
Total.....	987,201	80.7	1.0	0.9	0.5	19.9	10.2	7.4	3.8	9.3	9.7	3.5	0.4	1.7	1.5	10.7
Bergen County.....	134,303	75.2	2.2	17.9	11.2	6.0	5.2	8.2	10.4	1.5	1.5	1.5	9.7
Burlington County.....	70,114	85.6	1.4	20.0	5.7	5.7	4.3	11.4	12.8	4.3	1.4	4.3	4.3	10.0
Monmouth County.....	72,654	118.4	34.4	12.4	9.6	5.5	15.1	13.8	6.9	1.4	1.4	2.8	15.1
Morris County *.....	65,739	76.1	3.0	1.5	1.5	19.8	12.2	6.1	1.5	6.1	3.0	7.6	1.5	1.5	1.5	9.1
Other rural districts.....	644,391	77.6	1.2	0.6	0.6	18.6	10.1	7.8	3.6	9.0	9.5	3.1	0.2	1.6	1.1	10.7
NEW YORK.																
Total.....	2,379,091	96.1	1.1	1.4	0.8	21.8	12.2	6.3	4.4	11.3	13.0	5.2	0.8	1.3	1.6	14.5
Cattaraugus County.....	50,020	106.0	2.0	14.0	14.0	6.0	6.0	20.0	8.0	10.0	2.0	4.0	20.0
Chautauqua County.....	57,805	100.3	3.5	5.2	15.6	15.6	12.1	3.5	10.4	15.6	1.7	1.7	15.6
Delaware County.....	45,220	132.7	2.2	2.2	31.0	24.3	11.1	4.4	17.7	22.1	2.2	4.4	11.1
Dutchess County *.....	60,615	103.9	3.3	1.6	14.8	18.1	8.2	1.6	11.5	14.8	6.6	23.1
Erie County *.....	96,473	73.6	1.0	1.0	16.6	14.5	6.2	4.1	3.1	9.3	4.1	1.0	2.1	3.1	7.3

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.² Includes National Military Home.

SUMMARY AND RATE TABLES.

41

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

AREA AND COLOR.	Estimated population, July 1, 1914.	Death rate per 100,000 population from cancer and other malignant tumors.	DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS OF THE—													Other organs or of organs not specified.
			Tongue.	Jaw.	Esophagus.	Stomach.	Liver and gall bladder.	Intestines.	Rectum.	Uterus.	Breast.	Skin.	Pancreas.	Prostate.	Bladder.	
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued.																
Monroe County.....	65,987	75.8	1.5	7.6	12.1	1.5	4.5	9.1	10.6	3.0	3.0	3.0	1.5	18.2
Nassau County.....	96,068	81.2	2.1	21.9	13.5	9.4	5.2	5.2	8.3	3.1	3.1	1.0	1.0	7.3
Oneida County.....	58,506	126.5	3.4	1.7	1.7	23.9	18.8	6.8	6.8	22.2	17.1	6.8	1.7	1.7	1.7	12.0
Onondaga County.....	64,396	96.3	1.6	3.1	20.5	7.8	1.6	1.6	6.2	20.2	4.7	1.6	1.6	17.1
Ontario County.....	40,125	139.6	44.9	10.0	10.0	10.0	7.5	24.9	10.0	5.0	5.0	12.5
Orange County.....	76,501	71.9	18.3	9.2	5.2	2.6	7.8	5.2	2.6	1.3	3.9	15.7
Rockland County.....	50,526	100.9	2.0	25.7	9.9	4.0	5.9	11.9	7.9	4.0	2.0	7.9	19.8
St. Lawrence County.....	72,508	69.0	2.8	16.5	8.3	2.8	6.9	6.9	2.8	1.4	13.8
Steuben County.....	54,383	126.9	1.8	1.8	1.8	27.6	20.2	7.4	3.7	20.2	1.8	16.5	1.8	22.1
Suffolk County*.....	104,045	88.4	1.0	1.0	1.0	25.0	7.7	11.5	3.8	11.5	12.5	1.0	1.0	1.0	10.6
Wayne County.....	50,825	116.1	2.0	2.0	27.5	15.7	7.9	5.9	19.7	11.8	2.0	2.0	19.7
Westchester County.....	97,047	109.2	4.1	5.2	18.5	10.3	4.1	7.2	11.3	10.3	11.3	1.0	3.1	22.7
Other rural districts.....	1,238,041	95.2	0.8	1.2	1.0	22.2	11.6	6.0	4.0	11.6	14.4	5.3	0.7	1.5	1.2	13.9
NORTH CAROLINA. ²																
Total.....	296,285	50.3	0.7	0.3	9.8	6.1	3.4	2.0	14.9	4.4	1.7	1.0	6.1
OHIO.																
Total.....	2,616,691	79.2	0.7	1.5	0.5	19.9	11.5	4.9	3.2	9.1	8.6	5.1	1.1	1.3	1.3	10.7
Hamilton County.....	60,078	89.9	1.7	26.6	10.0	6.7	5.0	10.0	10.0	5.0	3.3	3.3	8.3
Tuscarawas County.....	58,432	95.8	29.1	15.4	8.6	6.8	10.3	5.1	6.8	3.4	10.3
Other rural districts.....	2,498,181	78.5	0.7	1.6	0.5	19.5	11.4	4.7	3.0	9.0	8.6	5.0	1.2	1.3	1.2	10.7
PENNSYLVANIA.																
Total.....	4,288,288	64.2	0.4	1.4	0.4	16.4	9.8	4.2	2.5	8.3	6.5	3.3	0.6	0.8	0.9	8.6
Allegheny County.....	385,396	57.9	1.0	0.8	16.3	9.9	3.6	1.6	9.6	6.2	2.9	1.0	4.0
Berks County*.....	89,920	73.4	1.1	3.3	1.1	17.8	8.9	4.4	1.1	7.8	10.0	4.4	1.1	3.3	3.3	5.6
Bradford County.....	52,449	129.6	3.8	15.3	15.3	13.3	5.7	26.7	13.3	11.4	1.9	1.9	5.7	15.3
Bucks County.....	78,805	96.4	1.3	1.3	1.3	16.5	19.0	8.9	1.3	14.0	12.7	5.1	1.3	2.5	11.4
Chester County.....	77,484	83.9	3.9	1.3	20.6	9.0	1.3	1.3	9.0	7.7	2.6	1.3	3.9	14.2
Clearfield County.....	85,368	58.6	1.2	1.2	17.6	10.5	7.0	1.2	8.2	1.2	3.5	1.2	5.9
Delaware County.....	87,294	84.8	1.1	21.8	14.9	1.1	4.6	10.3	18.3	2.8	1.1	9.2
Erie County.....	50,381	133.0	4.0	21.8	11.9	2.0	7.9	15.9	23.8	6.0	4.0	2.0	2.0	31.8
Fayette County.....	158,002	42.4	0.6	0.6	12.7	6.3	3.2	1.3	5.1	2.5	1.9	0.6	0.6	7.0
Jefferson County.....	64,784	78.7	4.6	23.2	12.3	3.1	1.5	6.2	3.1	3.1	3.1	3.1	1.5	13.9
Lancaster County.....	109,605	82.1	2.7	21.0	12.8	7.3	2.7	8.2	10.9	4.6	2.7	9.1
Luzerne County.....	220,666	44.9	0.5	0.9	16.3	5.9	3.6	1.8	2.3	4.1	3.2	0.5	5.9
Montgomery County.....	135,954	69.9	0.7	0.7	0.7	16.2	11.0	3.7	5.9	5.1	8.1	5.1	0.7	2.9	0.7	8.1
Northampton County.....	78,047	69.2	2.6	20.5	14.1	9.0	5.1	1.3	1.3	3.8	2.6	9.0
Schuylkill County.....	156,044	57.0	1.9	0.6	14.1	9.0	2.6	3.8	6.4	5.1	3.2	0.6	9.6
Washington County.....	144,924	51.8	0.7	20.0	8.3	1.4	5.5	4.1	2.1	1.4	0.7	7.6
Westmoreland County.....	228,177	48.2	1.3	1.3	0.4	9.2	10.1	3.1	2.2	7.9	3.9	0.9	0.4	7.5
York County.....	95,493	67.0	3.1	9.4	11.5	4.2	3.1	10.5	10.5	2.1	1.0	11.5
Other rural districts.....	1,969,495	63.8	0.6	1.2	0.3	16.5	9.3	4.4	2.8	8.4	6.0	3.5	0.8	0.7	0.6	8.7
RHODE ISLAND.																
Total.....	111,726	101.1	2.7	0.9	23.3	8.1	10.7	7.2	12.5	16.1	2.7	3.6	1.8	11.6
UTAH.																
Total.....	275,254	35.2	0.4	0.4	15.3	4.7	1.1	0.7	4.0	2.9	0.7	1.1	4.0
VERMONT.																
Total.....	313,835	103.2	1.0	0.6	0.3	20.7	11.8	7.3	6.4	17.5	7.3	4.8	2.2	2.9	1.3	19.1
VIRGINIA.																
Total.....	1,726,338	43.3	0.4	0.9	0.1	9.7	4.6	1.6	1.1	8.9	4.5	3.2	0.5	0.5	0.8	6.5
White.....	1,172,152	47.0	0.6	1.0	0.2	10.3	5.7	1.6	1.5	7.4	4.8	4.4	0.5	0.6	0.9	7.5
Colored.....	554,186	35.4	0.7	8.3	2.2	1.6	0.4	11.9	3.8	0.9	0.4	0.2	0.5	4.5
WASHINGTON.																
Total.....	733,544	50.7	0.5	0.5	17.9	5.9	3.0	1.8	5.6	4.2	2.2	1.0	1.1	0.5	6.5
WISCONSIN.																
Total.....	1,612,742	78.9	0.6	1.5	1.3	29.3	9.8	5.3	3.0	6.3	6.3	3.5	0.7	1.5	0.7	9.1
Milwaukee County ²	57,563	102.5	3.5	3.5	33.0	15.6	3.5	5.2	6.9	3.5	3.5	24.3
Other rural districts.....	1,555,179	78.1	0.6	1.4	1.2	29.1	9.6	5.4	2.9	6.3	6.6	3.5	0.8	1.4	0.7	8.6

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

* Includes National Military Home.

GENERAL TABLES

(43)

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and counties in registration states are shown in Table I, p. 21.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—																Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.	155 to 164 years.	165 to 174 years.	
SUMMARY.																		
The registration area.....	52,420	919	1,651	2,119	3,325	4,632	6,131	6,663	6,909	6,780	5,893	4,033	2,218	828	267	57		
Males.....	21,282	475	545	566	967	1,502	2,323	2,741	3,071	3,134	2,754	1,757	966	352	107	22		
Females.....	31,138	444	1,106	1,553	2,358	3,130	3,808	3,922	3,838	3,646	3,139	2,276	1,247	476	160	35		
Diagnosis reasonably certain.....	10,749	312	372	351	567	891	1,282	1,426	1,476	1,416	1,157	734	471	207	74	13		
M.....	19,806	306	880	1,241	1,876	2,373	2,735	2,618	2,249	1,913	1,524	1,050	634	282	107	18		
F.....	6,966	90	65	116	217	353	647	849	1,015	1,177	1,136	702	368	117	19	5		
Diagnosis uncertain.....	7,438	67	114	155	265	411	645	811	1,082	1,174	1,181	884	448	150	38	13		
M.....	3,567	73	108	99	183	258	394	466	550	541	541	261	127	28	14	4		
F.....	3,864	71	112	157	217	346	428	493	507	633	640	342	165	44	15	4		
Diagnosis unknown.....																		
White.....	50,515	868	1,517	1,935	3,129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	259	52		
Males.....	20,717	458	515	528	919	1,441	2,272	2,660	2,905	3,077	2,714	1,736	960	351	105	20		
Females.....	29,798	410	1,002	1,407	2,210	2,392	3,566	3,788	3,713	3,552	3,074	2,228	1,225	465	154	32		
Diagnosis reasonably certain.....	10,511	302	355	335	545	858	1,248	1,394	1,449	1,396	1,140	729	467	207	74	12		
M.....	18,831	285	797	1,123	1,749	2,226	2,579	2,520	2,174	1,853	1,484	1,024	622	274	104	17		
F.....	6,774	84	62	104	203	333	619	824	1,015	1,157	1,120	748	367	116	18	4		
Diagnosis uncertain.....	7,235	63	105	148	255	388	617	787	1,047	1,153	1,164	870	441	149	37	11		
M.....	3,432	72	98	89	171	250	365	448	531	524	454	259	126	28	13	4		
F.....	3,732	62	100	136	206	318	410	481	492	629	710	416	215	121	14	4		
Diagnosis unknown.....																		
Colored.....	1,905	51	134	184	196	259	293	209	201	151	105	69	28	12	8	5		
Males.....	565	17	30	38	48	61	91	75	76	57	40	21	6	1	2	2		
Females.....	1,340	34	104	146	148	198	202	134	125	94	65	48	22	11	6	3		
Diagnosis reasonably certain.....	238	10	17	16	22	33	34	32	27	20	17	5	4	1	1	1		
M.....	975	21	83	118	127	147	156	98	75	60	40	26	12	8	3	1		
F.....	192	6	3	12	14	20	28	25	30	20	16	14	1	1	1	1		
Diagnosis uncertain.....	203	4	9	7	10	23	28	24	35	21	17	14	7	1	1	2		
M.....	135	1	10	10	12	8	29	18	19	17	7	2	1	1	1	1		
F.....	162	9	12	21	11	28	18	12	15	13	8	8	3	2	2	2		
Diagnosis unknown.....																		
Registration states ¹	48,259	829	1,449	1,885	2,996	4,159	5,540	6,094	6,376	6,343	5,554	3,807	2,128	790	258	51		
Males.....	19,546	427	476	506	864	1,343	2,074	2,483	2,824	2,911	2,585	1,663	933	336	102	19		
Females.....	28,713	402	973	1,379	2,132	2,816	3,466	3,611	3,552	3,432	2,969	2,144	1,195	454	156	32		
Diagnosis reasonably certain.....	9,845	281	329	321	512	795	1,134	1,294	1,358	1,308	1,084	693	457	197	72	10		
M.....	18,155	281	773	1,099	1,691	2,134	2,476	2,405	2,079	1,797	1,445	978	607	269	105	16		
F.....	6,538	83	59	101	190	321	592	790	976	1,122	1,083	728	357	113	18	5		
Diagnosis uncertain.....	7,038	59	102	146	244	380	607	757	1,022	1,123	1,129	843	432	143	38	13		
M.....	3,163	63	88	84	162	227	348	399	490	481	418	242	119	26	12	4		
F.....	3,520	62	98	134	197	302	383	449	451	642	711	395	323	156	42	3		
Diagnosis unknown.....																		
White.....	46,739	791	1,352	1,743	2,849	3,960	5,317	5,928	6,202	6,208	5,465	3,743	2,108	779	252	47		
Males.....	19,100	413	460	476	830	1,298	2,007	2,426	2,757	2,860	2,549	1,644	928	335	100	17		
Females.....	27,639	378	892	1,267	2,019	2,662	3,310	3,502	3,445	3,348	2,916	2,059	1,175	444	152	30		
Diagnosis reasonably certain.....	9,677	272	320	309	498	775	1,114	1,271	1,336	1,292	1,069	689	454	197	72	9		
M.....	17,396	267	707	1,010	1,594	2,023	2,358	2,327	2,018	1,745	1,414	955	597	262	103	16		
F.....	6,373	78	56	91	180	303	571	770	950	1,103	1,067	715	356	112	17	4		
Diagnosis uncertain.....	6,861	56	96	140	238	360	584	737	989	1,104	1,113	829	425	142	37	11		
M.....	3,050	63	84	76	152	220	322	385	471	465	413	240	118	26	11	4		
F.....	3,382	55	89	117	187	279	368	438	438	639	700	315	153	40	12	3		
Diagnosis unknown.....																		
Colored.....	1,520	38	97	142	147	199	223	166	174	135	89	64	25	11	6	4		
Males.....	446	14	16	30	34	45	67	57	67	51	30	19	5	1	2	2		
Females.....	1,074	24	81	112	113	154	156	109	107	84	53	45	20	10	4	2		
Diagnosis reasonably certain.....	168	9	9	12	14	20	20	23	22	16	15	4	3	1	1	1		
M.....	759	14	66	89	97	111	118	78	61	52	31	23	10	7	2	1		
F.....	165	5	3	10	10	18	21	20	26	19	16	13	1	1	1	1		
Diagnosis uncertain.....	177	3	6	6	6	20	23	20	33	19	16	14	7	1	1	2		
M.....	113	4	8	10	7	26	14	19	16	5	2	1	1	1	1	1		
F.....	138	7	9	17	10	23	15	11	13	13	6	8	3	2	1	1		
Diagnosis unknown.....																		
Cities in registration states ¹	26,795	488	971	1,251	1,931	2,741	3,463	3,632	3,541	3,293	2,582	1,071	829	308	86	8		
Males.....	10,505	262	318	345	572	894	1,311	1,494	1,575	1,465	1,125	602	326	118	35	3		
Females.....	16,290	226	653	906	1,359	1,847	2,152	2,138	1,966	1,828	1,457	1,009	503	190	51	5		
Diagnosis reasonably certain.....	5,566	182	218	234	351	528	743	815	804	690	484	290	143	58	24	2		
M.....	10,652	168	528	730	1,077	1,407	1,546	1,425	1,155	1,000	772	450	237	120	33	4		
F.....	3,158	41	40	53	112	207	333	432	497	532	443	275	133	52	7	1		
Diagnosis uncertain.....	3,616	28	58	94	154	240	357	435	543	549	504	396	187	56	15		
M.....	1,781	39	60	58	109	159	235	247	274	243	198	97	50	8	4		
F.....	2,022	30	67	82	128	200	249	278	268	279	181	163	79	14	3	1		
Diagnosis unknown.....																		
White.....	25,893	467	909	1,148	1,832	2,594	3,323	3,533	3,452	3,227	2,552	1,046	816	302	85	7		
Males.....	10,247	254	311	322	547	861	1,272	1,456	1,538	1,443	1,110	655	324	117	35	2		
Females.....	15,646	213	598	826	1,285	1,733	2,051	2,077	1,914	1,784	1,442	991	492	185	50	5		
Diagnosis reasonably certain.....	5,461	176	215	223	341	513	733	799	790	683	476	288	141	58	24	1		
M.....	10,196	159	485	666	1,017	1,325	1,470	1,379	1,129	975	763	441	234	117	32	4		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
SUMMARY—Continued.																								
Cities in registration states—Continued.																								
White—Continued.																								
Diagnosis uncertain.....	(M.. 3,074	39	38	47	106	193	320	420	486	523	439	271	133	51	7	1								
	(F.. 3,513	27	53	91	148	224	341	426	526	537	499	389	182	55	15								
Diagnosis unknown.....	(M.. 1,712	39	53	52	100	155	219	237	262	237	185	96	50	8	4								
	(F.. 1,937	27	60	69	120	184	240	272	259	272	180	161	76	13	3	1								
Colored.....	902	21	62	103	99	147	140	99	89	66	30	25	13	6	1	1								
Males.....	258	8	7	23	25	33	39	38	37	22	15	7	2	1	1								
Females.....	644	13	55	80	74	114	101	61	52	44	15	18	11	5	1								
Diagnosis reasonably certain.....	(M.. 106	6	3	11	10	15	10	16	14	7	8	2	2	1								
	(F.. 456	9	43	64	60	82	76	46	26	25	9	9	3	3	1								
Diagnosis uncertain.....	(M.. 84	2	2	6	6	14	13	12	11	9	4	4								
	(F.. 103	1	5	3	6	16	16	9	17	12	5	7								
Diagnosis unknown.....	(M.. 99	2	6	9	4	16	10	12	6	3	1								
	(F.. 85	3	7	13	8	16	9	6	9	7	1	2	3	1								
Rural part of registration states.....	21,464	341	478	634	1,065	1,418	2,077	2,462	2,835	3,060	2,972	2,136	1,299	482	172	43								
Males.....	9,041	165	158	161	292	449	763	989	1,249	1,446	1,460	1,001	607	218	67	16								
Females.....	12,423	176	320	473	773	969	1,314	1,473	1,586	1,604	1,512	1,135	692	264	105	27								
Diagnosis reasonably certain.....	(M.. 4,279	99	111	87	161	267	391	479	554	618	600	403	314	139	48	8								
	(F.. 7,503	113	245	369	614	777	930	980	924	797	673	528	370	149	72	12								
Diagnosis uncertain.....	(M.. 3,380	42	19	48	78	114	259	358	479	590	640	453	224	61	11	4								
	(F.. 3,422	31	44	52	90	140	250	322	479	574	625	447	245	87	23	13								
Diagnosis unknown.....	(M.. 1,382	24	26	26	53	68	113	152	216	238	220	145	69	18	8	2								
	(F.. 1,498	32	31	52	69	102	134	171	183	233	214	160	77	28	10	4								
White.....	20,846	324	443	595	1,017	1,366	1,994	2,395	2,750	2,981	2,913	2,097	1,287	477	167	40								
Males.....	8,853	159	149	154	283	437	735	970	1,219	1,417	1,439	989	604	218	65	15								
Females.....	11,993	165	294	441	734	929	1,259	1,425	1,531	1,564	1,474	1,108	683	259	102	25								
Diagnosis reasonably certain.....	(M.. 4,216	96	106	86	157	262	381	472	546	609	593	401	313	139	48	8								
	(F.. 7,200	106	222	344	577	698	888	948	889	770	651	514	363	145	71	12								
Diagnosis uncertain.....	(M.. 3,299	39	18	44	74	110	251	350	464	580	628	444	223	61	10	3								
	(F.. 3,348	29	43	49	90	138	243	311	463	567	614	440	243	87	22	11								
Diagnosis unknown.....	(M.. 1,338	24	26	24	52	65	103	148	203	228	218	144	68	18	7	2								
	(F.. 1,445	28	29	48	67	95	128	166	179	227	209	154	77	27	9	4								
Colored.....	618	17	35	39	48	52	83	67	85	69	59	39	12	5	5	3								
Males.....	188	6	9	7	9	12	28	19	30	29	21	12	3	1								
Females.....	430	11	26	32	39	40	55	48	55	40	38	27	9	2								
Diagnosis reasonably certain.....	(M.. 63	3	6	1	4	5	10	7	8	9	7	2	1								
	(F.. 303	5	23	25	37	29	42	32	35	27	22	14	7								
Diagnosis uncertain.....	(M.. 81	3	1	4	4	4	8	8	15	10	12	9	1								
	(F.. 74	2	1	3	4	4	7	11	16	7	11	7	2								
Diagnosis unknown.....	(M.. 44	2	2	1	3	10	4	7	10	2	1	1								
	(F.. 53	4	2	4	2	7	6	5	4	6	5	6								
Registration states, ¹ exclusive of North Carolina.....	47,986	821	1,435	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	786	257	51								
Males.....	19,474	424	472	503	860	1,340	2,066	2,473	2,809	2,898	2,583	1,659	931	335	102	19								
Females.....	28,512	397	963	1,369	2,109	2,788	3,434	3,591	3,521	3,412	2,962	2,138	1,190	451	155	32								
Diagnosis reasonably certain.....	(M.. 9,810	279	326	319	510	795	1,131	1,287	1,351	1,305	1,084	690	455	196	72	10								
	(F.. 18,010	278	764	1,089	1,671	2,116	2,449	2,387	2,064	1,785	1,440	975	605	267	104	16								
Diagnosis uncertain.....	(M.. 6,517	82	59	100	190	320	589	788	972	1,115	1,061	728	357	113	18	5								
	(F.. 7,006	59	101	146	241	375	604	755	1,014	1,120	1,129	840	429	142	38	13								
Diagnosis unknown.....	(M.. 3,147	63	87	84	180	225	346	398	496	478	418	241	119	26	12	4								
	(F.. 3,496	60	98	134	197	297	381	449	443	507	393	323	156	42	13	3								
White.....	46,549	785	1,343	1,738	2,832	3,945	5,295	5,906	6,162	6,180	5,459	3,735	2,097	775	251	47								
Males.....	19,047	410	457	475	827	1,296	2,004	2,418	2,746	2,848	2,548	1,641	926	334	100	17								
Females.....	27,502	375	886	1,263	2,005	2,649	3,291	3,487	3,416	3,332	2,911	2,094	1,171	441	151	30								
Diagnosis reasonably certain.....	(M.. 9,652	270	318	308	497	775	1,113	1,265	1,332	1,289	1,069	687	452	196	72	9								
	(F.. 17,306	266	701	1,006	1,583	2,017	2,343	2,314	2,004	1,735	1,411	953	595	260	102	16								
Diagnosis uncertain.....	(M.. 6,357	77	56	91	179	303	570	768	947	1,097	1,065	715	356	112	17	4								
	(F.. 6,834	56	96	140	235	357	581	735	982	1,101	1,113	826	423	141	37	11								
Diagnosis unknown.....	(M.. 3,038	63	83	76	151	218	321	385	467	462	414	239	118	26	11	4								
	(F.. 3,362	53	89	117	187	275	367	438	430	496	387	315	153	40	12	3								
Colored.....	1,437	36	92	134	137	183	205	159	168	130	86	62	24	11	6	4								
Males.....	427	14	15	28	33	44	62	55	63	50	35	18	5	1	2	2								
Females.....	1,010	22	77	106	104	139	143	104	105	80	51	44	19	10	4	2								
Diagnosis reasonably certain.....	(M.. 158	9	8	11	13	20	18	22	19	16	15	3	3	1								
	(F.. 704	12	63	83	88	99	106	73	60	50	29	22	10	7	2								
Diagnosis uncertain.....	(M.. 160	5	3	9	11	17	19	20	25	18	16	13	1	1	1								
	(F.. 172	3	6	6	6	18	23	20	32	19	16	14	6	1	1								
Diagnosis unknown.....	(M.. 109	4	8	9	7	25	13	19	16	4	2	1								
	(F.. 134	7	9	17	10	22	14	11	13	11	6	8	3	2	1								

¹ Includes District of Columbia.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

(See note at head of this table, p. 44.)

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.						
SUMMARY—Continued.																
Registration cities in other states.....	4,161	90	202	234	329	473	501	569	533	437	339	226	85	38	9	6
Males.....	1,736	48	69	60	103	159	249	258	247	223	169	94	33	16	5	3
Females.....	2,425	42	133	174	226	314	342	311	286	214	170	132	52	22	4	3
Diagnosis reasonably certain.....	904	31	43	30	55	96	148	132	118	108	73	41	14	10	2	3
Diagnosis uncertain.....	1,651	25	107	142	185	239	259	213	170	116	79	72	27	13	2	2
Diagnosis unknown.....	428	7	6	15	27	32	55	59	69	55	53	34	11	4	1
Diagnosis reasonably certain.....	400	8	12	9	21	31	38	54	60	51	52	41	16	7
Diagnosis uncertain.....	404	10	20	15	21	31	46	67	60	60	43	19	8	2	2
Diagnosis unknown.....	374	9	14	3	20	44	45	44	56	47	39	19	9	2	2	1
White.....	3,776	77	165	192	280	413	521	526	506	421	323	221	82	37	7	5
Males.....	1,617	45	55	52	80	143	225	240	238	217	165	92	32	16	5	3
Females.....	2,159	32	110	140	191	270	296	286	268	204	158	129	50	21	2	2
Diagnosis reasonably certain.....	834	30	35	26	47	83	134	123	113	104	71	40	13	10	2	3
Diagnosis uncertain.....	1,435	19	90	113	155	203	221	193	156	108	70	69	25	12	1	1
Diagnosis unknown.....	401	6	6	13	23	30	48	54	65	54	53	33	11	4	1
Diagnosis reasonably certain.....	374	7	9	8	17	28	33	50	58	49	51	41	16	7
Diagnosis uncertain.....	382	9	14	13	19	30	43	63	60	59	41	19	8	2	2
Diagnosis unknown.....	350	7	11	19	19	39	42	43	54	47	37	19	9	2	1	1
Colored.....	385	13	37	42	49	60	70	43	27	16	16	5	3	1	2	1
Males.....	119	3	14	8	14	16	24	18	9	6	4	2	1
Females.....	266	10	23	34	35	44	46	25	18	10	12	3	2	1	2	1
Diagnosis reasonably certain.....	70	1	8	4	8	13	14	9	5	4	2	1	1
Diagnosis uncertain.....	216	7	17	29	30	36	38	20	14	8	9	3	2	1	1	1
Diagnosis unknown.....	27	1	2	4	2	7	5	4	1	1
Diagnosis reasonably certain.....	26	1	3	1	4	3	5	4	2	2	1
Diagnosis uncertain.....	22	1	6	2	2	1	3	4	1	2
Diagnosis unknown.....	24	2	3	4	1	5	3	1	2	2	1
All registration cities ¹	30,956	578	1,173	1,485	2,260	3,214	4,054	4,201	4,074	3,730	2,921	1,897	914	346	95	14
Males.....	12,241	310	387	405	675	1,063	1,560	1,752	1,822	1,688	1,294	756	359	134	40	6
Females.....	18,715	268	786	1,080	1,685	2,161	2,494	2,449	2,252	2,042	1,627	1,141	555	212	55	8
Diagnosis reasonably certain.....	6,470	213	261	264	406	624	891	947	922	798	557	331	157	68	26	5
Diagnosis uncertain.....	12,303	193	635	872	1,262	1,646	1,805	1,638	1,325	1,116	851	522	264	133	35	6
Diagnosis unknown.....	3,586	48	46	68	139	239	388	491	566	587	496	309	144	56	8	1
Diagnosis reasonably certain.....	4,016	36	70	103	175	271	395	499	603	600	556	437	203	63	15
Diagnosis uncertain.....	2,185	49	80	73	130	190	281	314	334	303	241	116	58	10	6
Diagnosis unknown.....	2,396	39	81	105	148	244	294	322	324	326	220	182	88	16	5	2
White.....	29,669	544	1,074	1,340	2,112	3,007	3,844	4,059	3,958	3,648	2,875	1,867	898	339	92	12
Males.....	11,864	299	366	374	636	1,004	1,497	1,696	1,776	1,660	1,275	747	356	133	40	5
Females.....	17,805	245	708	966	1,476	2,003	2,347	2,363	2,182	1,988	1,600	1,120	542	206	52	7
Diagnosis reasonably certain.....	6,295	206	250	249	388	596	867	922	903	787	547	328	154	68	26	4
Diagnosis uncertain.....	11,631	177	575	779	1,172	1,528	1,691	1,572	1,285	1,083	833	510	259	129	33	5
Diagnosis unknown.....	3,475	45	44	60	129	223	368	474	551	577	492	304	144	55	8	1
Diagnosis reasonably certain.....	3,887	34	62	99	165	252	374	476	584	586	550	430	198	62	15
Diagnosis uncertain.....	2,094	48	72	65	119	185	262	300	322	296	236	115	58	10	6
Diagnosis unknown.....	2,287	34	71	88	139	223	282	315	313	319	217	180	85	15	4	2
Colored.....	1,287	34	99	145	148	207	210	142	116	82	46	30	16	7	3	2
Males.....	377	11	21	31	39	49	63	56	46	28	19	9	3	1	1
Females.....	910	23	78	114	109	158	147	86	70	54	27	21	13	6	3	1
Diagnosis reasonably certain.....	175	7	11	15	18	28	24	25	19	11	10	3	3	1
Diagnosis uncertain.....	672	16	60	93	90	118	114	66	40	33	18	12	5	4	2	1
Diagnosis unknown.....	111	3	2	8	10	16	20	17	15	10	4	5	1
Diagnosis reasonably certain.....	129	2	8	4	10	19	21	13	19	14	6	7	5	1
Diagnosis uncertain.....	91	1	8	8	11	5	19	14	12	7	5	1
Diagnosis unknown.....	109	5	10	17	9	21	12	7	11	7	3	2	3	1	1
REGISTRATION STATES.																
CALIFORNIA.....	2,701	30	92	117	180	238	319	331	361	345	326	208	103	37	13	1
Males.....	1,278	14	46	35	63	85	140	153	196	174	172	110	64	20	6
Females.....	1,423	16	46	82	117	153	179	178	165	171	154	98	39	17	7	1
Diagnosis reasonably certain.....	731	7	38	24	41	58	84	87	119	94	79	52	34	11	3
Diagnosis uncertain.....	1,004	13	40	67	96	123	136	143	114	103	83	52	18	13	3
White.....	2,649	29	88	113	175	236	306	328	350	340	323	208	103	37	12	1
Males.....	1,244	13	45	34	60	84	131	150	187	171	170	110	64	20	5
Females.....	1,405	16	43	79	115	152	175	178	163	169	153	98	39	17	7	1
Diagnosis reasonably certain.....	715	7	37	23	39	57	82	86	114	93	77	52	34	11	3
Diagnosis uncertain.....	991	13	38	65	94	122	133	143	113	101	83	52	18	13	3
Colored.....	52	1	4	4	5	2	13	3	11	5	3	1
Males.....	34	1	1	1	3	1	9	3	9	3	2	1
Females.....	18	3	3	2	1	4	2	2	1
Diagnosis reasonably certain.....	16	1	1	2	1	2	1	5	1	1
Diagnosis uncertain.....	13	2	2	2	1	3	1	2

¹ Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.						
REGISTRATION STATES—Contd.																
COLORADO.....	530	6	20	23	51	51	73	70	63	60	53	33	20	5	2
Males.....	232	2	3	8	20	16	25	32	40	30	28	12	13	2	1
Females.....	298	4	17	15	31	35	48	38	23	30	25	21	7	3	1
Diagnosis reasonably certain. (M. F.)	133 199	2 2	3 9	8 13	12 25	12 27	12 34	23 27	13 14	17 18	16 17	7 9	5 2	2 2	1 1
White.....	517	6	20	22	49	49	72	69	60	58	53	32	20	5	2
Males.....	230	2	3	8	20	16	24	32	39	30	28	12	13	2	1
Females.....	287	4	17	14	29	33	48	37	21	28	25	20	7	3	1
Diagnosis reasonably certain. (M. F.)	133 194	2 2	3 9	8 12	12 24	12 26	12 34	23 26	13 14	17 17	16 17	7 9	5 2	2 2	1 1
Colored.....	13	1	2	2	1	1	3	2	1
Males.....	2	1	1
Females.....	11	1	2	2	1	2	1
Diagnosis reasonably certain. (M. F.)	5	1	1	1	1	1
CONNECTICUT.....	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	3
Males.....	394	6	12	12	14	39	31	55	56	53	56	30	19	10	1
Females.....	646	7	17	15	42	56	80	95	85	71	71	68	21	9	6	3
Diagnosis reasonably certain. (M. F.)	199 412	3 6	8 12	8 15	9 32	23 43	20 58	27 62	25 50	29 37	21 32	18 43	3 10	4 7	1 4	1
White.....	1,022	12	28	26	53	93	106	149	138	124	127	96	40	18	7	3
Males.....	390	6	12	11	13	39	31	55	54	53	56	30	19	10	1
Females.....	632	6	16	15	40	54	77	94	84	71	71	66	21	8	6	3
Diagnosis reasonably certain. (M. F.)	198 400	3 5	8 11	8 15	9 30	23 41	20 55	27 61	24 49	29 37	21 32	18 42	3 10	4 7	1 4	1
Colored.....	18	1	1	1	3	2	3	1	3	2	1
Males.....	4	1	1	2
Females.....	14	1	1	2	2	3	1	1	2	1
Diagnosis reasonably certain. (M. F.)	1 12	1 1	1 1	2 2	2 3	3 1	1 1	1 1
INDIANA.....	2,199	29	64	79	118	180	219	282	268	313	275	202	116	44	8	2
Males.....	821	9	19	16	35	46	75	97	106	131	131	75	57	20	3	1
Females.....	1,378	20	45	63	83	134	144	185	162	182	144	127	59	24	5	1
Diagnosis reasonably certain. (M. F.)	433 847	5 18	12 38	12 51	20 71	30 106	40 98	54 131	52 89	64 78	54 60	41 60	33 28	12 14	3 4	1
White.....	2,162	29	62	75	118	175	212	277	265	309	271	201	115	44	7	2
Males.....	812	9	18	16	35	45	73	95	105	131	130	75	56	20	3	1
Females.....	1,350	20	44	59	83	130	139	182	160	178	141	126	59	24	4	1
Diagnosis reasonably certain. (M. F.)	429 830	5 18	11 38	12 48	20 71	30 103	40 95	53 130	52 87	64 76	53 59	41 59	32 28	12 14	3 3	1
Colored.....	37	2	4	5	7	5	3	4	4	1	1	1
Males.....	9	1	1	2	2	1	1	1	1
Females.....	28	1	4	4	5	3	2	4	3	1	1
Diagnosis reasonably certain. (M. F.)	4 17	1 1	3 3	3 3	3 1	1 2	2 2	1 1	1 1	1 1
KANSAS.....	1,095	22	27	30	52	73	101	132	161	170	146	93	65	17	6
Males.....	504	10	9	11	15	26	28	58	68	94	92	53	27	9	4
Females.....	591	12	18	19	37	47	73	74	93	76	54	40	38	8	2
Diagnosis reasonably certain. (M. F.)	257 364	8 8	5 11	7 17	13 31	19 32	19 55	32 49	27 54	45 35	40 21	26 24	18 20	6 5	4 2
White.....	1,064	22	22	28	50	71	101	127	157	168	142	90	63	17	6
Males.....	496	10	8	10	14	25	28	57	68	93	90	53	27	9	4
Females.....	568	12	14	18	36	46	73	70	89	75	52	37	36	8	2
Diagnosis reasonably certain. (M. F.)	254 349	8 8	5 8	7 16	13 30	19 32	19 55	31 47	27 51	45 34	39 21	26 21	18 19	6 5	4 2
Colored.....	31	5	2	2	2	5	4	2	4	3	2
Males.....	8	1	1	1	1	1	1
Females.....	23	4	1	1	1	4	4	1	2	3	2
Diagnosis reasonably certain. (M. F.)	3 15	3 3	1 1	1 2	1 3	1 3
KENTUCKY.....	1,081	26	43	59	79	85	105	118	146	146	107	79	54	14	3	17
Males.....	388	10	7	11	18	21	38	40	55	66	51	30	23	10	1	7
Females.....	693	16	36	48	61	64	67	78	91	80	56	49	31	4	2	10
Diagnosis reasonably certain. (M. F.)	162 446	6 7	5 24	4 33	8 45	10 51	17 43	20 60	14 50	24 46	23 28	9 26	12 22	6 3	1 2	3 6
White.....	959	22	35	44	67	72	91	104	129	138	101	71	52	14	3	16
Males.....	356	8	7	8	17	19	32	36	50	62	49	28	22	10	1	7
Females.....	603	14	28	36	50	53	59	68	79	76	52	43	30	4	2	9
Diagnosis reasonably certain. (M. F.)	155 382	5 7	5 16	4 22	8 36	8 43	15 37	19 53	14 43	24 42	22 27	9 24	12 21	6 3	1 2	3 6

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA; REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION STATES—Contd.																						
KENTUCKY—Continued.																						
Colored.....	122	4	8	15	12	13	14	14	17	8	6	8	2	1						
Males.....	32	2	3	1	2	6	4	5	4	2	2	1	1						
Females.....	90	2	8	12	11	11	8	10	12	4	4	6	1	1						
Diagnosis reasonably certain. (M).....	7	1	2	2	1	1						
Diagnosis reasonably certain. (F).....	64	8	11	9	8	6	7	7	4	1	2	1						
MAINE.....	821	9	12	31	39	63	73	87	103	125	105	90	50	25	7	2						
Males.....	293	4	1	5	6	16	19	26	43	46	45	44	24	12	1	1						
Females.....	528	5	11	26	33	47	54	61	60	79	60	46	26	13	6	1						
Diagnosis reasonably certain. (M).....	122	2	1	1	3	8	9	9	21	19	13	14	10	10	1	1						
Diagnosis reasonably certain. (F).....	308	3	9	19	27	32	41	38	38	38	25	14	15	6	3						
White.....	819	9	12	31	39	63	73	87	103	124	104	90	50	25	7	2						
Males.....	292	4	1	5	6	16	19	26	43	45	45	44	24	12	1	1						
Females.....	527	5	11	26	33	47	54	61	60	79	60	46	26	13	6	1						
Diagnosis reasonably certain. (M).....	122	2	1	1	3	8	9	9	21	19	13	14	10	10	1	1						
Diagnosis reasonably certain. (F).....	308	3	9	19	27	32	41	38	38	38	25	14	15	6	3						
Colored.....	2	1	1						
Males.....	1	1						
Females.....	1	1						
Diagnosis reasonably certain. (M).....						
Diagnosis reasonably certain. (F).....						
MARYLAND.....	1,092	17	30	51	69	105	137	138	167	139	103	74	40	14	7	1						
Males.....	401	6	13	12	22	30	38	54	80	51	46	28	9	8	4						
Females.....	691	11	17	39	47	75	99	84	87	88	57	46	31	6	3	1						
Diagnosis reasonably certain. (M).....	215	5	10	10	13	20	18	33	42	18	22	13	2	5	4						
Diagnosis reasonably certain. (F).....	457	7	16	29	40	58	68	64	49	49	34	23	14	4	2						
White.....	947	15	23	39	52	88	108	126	149	126	94	70	37	13	6	1						
Males.....	365	6	12	12	18	28	32	48	73	46	42	27	9	8	4						
Females.....	582	9	11	27	34	60	76	78	76	80	53	43	28	5	2	1						
Diagnosis reasonably certain. (M).....	199	5	9	10	12	19	16	29	39	16	20	13	2	5	4						
Diagnosis reasonably certain. (F).....	378	6	10	19	29	46	62	58	44	44	31	21	13	3	2						
Colored.....	145	2	7	12	17	17	29	12	18	13	9	4	3	1	1						
Males.....	36	1	4	2	6	6	7	5	4	1						
Females.....	109	2	6	12	13	15	23	6	11	8	5	3	3	1	1						
Diagnosis reasonably certain. (M).....	16	1	1	1	2	4	3	2	2						
Diagnosis reasonably certain. (F).....	79	1	6	10	11	12	16	6	5	5	3	2	1	1						
MASSACHUSETTS.....	3,649	52	90	121	222	317	420	457	483	491	424	295	175	71	31						
Males.....	1,324	29	30	27	63	86	140	169	196	190	183	111	67	20	13						
Females.....	2,325	23	60	94	156	231	280	288	287	301	241	184	108	51	18						
Diagnosis reasonably certain. (M).....	683	23	22	19	36	57	76	94	102	88	88	33	30	9	6						
Diagnosis reasonably certain. (F).....	1,475	17	51	68	125	182	204	187	175	165	129	81	47	29	15						
White.....	3,613	52	88	117	220	312	417	450	479	487	422	295	174	69	31						
Males.....	1,310	29	29	26	61	83	139	168	195	187	183	111	67	19	13						
Females.....	2,303	23	59	91	159	229	278	282	284	300	239	184	107	50	18						
Diagnosis reasonably certain. (M).....	678	23	21	19	36	55	76	93	102	87	88	33	30	9	6						
Diagnosis reasonably certain. (F).....	1,457	17	50	65	125	181	203	181	172	164	128	81	47	28	15						
Colored.....	36	2	4	2	5	3	7	4	4	2	1	2						
Males.....	14	1	1	2	3	1	1	1	3	1						
Females.....	22	1	3	2	2	6	3	1	2	1	1						
Diagnosis reasonably certain. (M).....	5	1	2	1	1						
Diagnosis reasonably certain. (F).....	18	1	3	1	1	6	3	1	1	1						
MICHIGAN.....	2,385	34	77	72	137	196	271	301	330	334	308	190	99	28	15	3						
Males.....	1,015	21	27	20	44	58	108	116	146	165	151	84	49	18	7	1						
Females.....	1,380	13	50	52	93	138	163	185	184	169	157	106	50	10	8	2						
Diagnosis reasonably certain. (M).....	498	11	20	13	26	37	53	62	69	64	67	28	30	13	5						
Diagnosis reasonably certain. (F).....	854	10	38	40	75	95	112	125	112	77	74	51	31	8	6						
White.....	2,379	32	76	70	135	193	270	300	329	331	308	190	99	28	15	3						
Males.....	1,010	19	27	20	44	57	108	116	146	163	151	84	49	18	7	1						
Females.....	1,369	13	49	50	91	136	162	184	183	168	157	106	50	10	8	2						
Diagnosis reasonably certain. (M).....	495	10	20	13	26	36	53	62	69	63	67	28	30	13	5						
Diagnosis reasonably certain. (F).....	850	10	37	40	74	94	112	124	112	77	74	51	31	8	6						
Colored.....	16	2	1	2	2	3	1	1	1	3						
Males.....	5	2	1	2						
Females.....	11	1	2	2	2	1	1	1						
Diagnosis reasonably certain. (M).....	3	1	1	1	1						
Diagnosis reasonably certain. (F).....	4	1	1	1	1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.						
REGISTRATION STATES—Contd.																
MINNESOTA.....	1,701	35	52	59	96	133	202	187	226	222	199	162	90	28	10
Males.....	829	19	17	17	32	69	88	95	109	119	100	100	44	13	7
Females.....	872	16	35	42	64	64	114	92	117	103	99	62	46	15	3
Diagnosis reasonably certain. (M).....	406	9	14	14	19	40	50	44	60	52	42	32	19	6	8
Diagnosis reasonably certain. (F).....	519	11	29	31	52	49	79	64	65	53	37	22	17	8	2
White.....	1,696	34	52	58	96	133	202	187	224	222	199	161	90	28	10
Males.....	828	19	17	17	32	69	88	95	108	119	100	100	44	13	7
Females.....	868	15	35	41	64	64	114	92	116	103	99	61	46	15	3
Diagnosis reasonably certain. (M).....	406	9	14	14	19	40	50	44	60	52	42	32	19	6	8
Diagnosis reasonably certain. (F).....	519	11	29	31	52	49	79	64	65	53	37	22	17	8	2
Colored.....	5	1	1	2	1
Males.....	1	1
Females.....	4	1	1	1
Diagnosis reasonably certain. (M).....
Diagnosis reasonably certain. (F).....
MISSOURI.....	2,326	50	85	82	153	180	282	290	296	302	270	182	114	24	13	8
Males.....	978	20	29	22	37	65	118	126	125	159	122	88	50	11	5	1
Females.....	1,348	30	56	60	116	115	164	164	171	143	148	94	64	13	8	2
Diagnosis reasonably certain. (M).....	534	12	24	14	23	50	68	80	64	70	48	46	27	4	4
Diagnosis reasonably certain. (F).....	870	19	40	49	94	95	131	103	111	83	62	38	32	6	5	2
White.....	2,233	46	74	75	149	168	271	279	284	297	262	177	111	24	13	8
Males.....	945	17	25	21	37	61	114	123	119	157	118	86	50	11	5	1
Females.....	1,288	29	49	54	112	107	157	156	165	140	144	91	61	13	8	2
Diagnosis reasonably certain. (M).....	518	9	22	13	23	50	68	78	60	69	46	45	27	4	4
Diagnosis reasonably certain. (F).....	827	19	34	44	90	88	126	99	108	81	60	36	29	6	5	2
Colored.....	93	4	11	7	4	12	11	11	12	5	8	5	3
Males.....	33	3	4	1	4	4	3	6	2	4	2
Females.....	60	1	7	6	4	8	7	8	6	3	4	3	3
Diagnosis reasonably certain. (M).....	16	3	2	1	2	2	4	1	2
Diagnosis reasonably certain. (F).....	43	6	5	4	7	5	4	3	2	2	3
MONTANA.....	223	6	9	13	16	25	26	27	37	16	20	15	9	3	1
Males.....	107	3	4	5	5	10	11	16	19	11	10	8	4	1
Females.....	116	3	5	8	11	15	15	11	18	5	10	7	5	2	1
Diagnosis reasonably certain. (M).....	67	3	4	3	2	5	6	10	10	6	6	7	4	1
Diagnosis reasonably certain. (F).....	74	1	5	8	7	14	13	5	8	1	5	2	2	1
White.....	218	6	9	13	16	25	25	26	36	15	20	14	9	3	1
Males.....	106	3	4	5	5	10	11	16	18	11	10	8	4	1
Females.....	112	3	5	8	11	15	14	10	18	4	10	6	5	2	1
Diagnosis reasonably certain. (M).....	66	3	4	3	2	5	6	10	9	6	6	7	4	1
Diagnosis reasonably certain. (F).....	72	1	5	8	7	14	12	4	8	1	5	2	2	1
Colored.....	5	1	1	1	1	1
Males.....	1
Females.....	4	1	1	1
Diagnosis reasonably certain. (M).....	1
Diagnosis reasonably certain. (F).....	2	1	1
NEW HAMPSHIRE.....	442	3	7	16	18	38	54	47	55	47	59	52	28	12	4	2
Males.....	142	1	5	6	9	11	19	20	13	22	21	10	3	1	1
Females.....	300	2	7	11	12	29	43	28	35	34	37	31	18	9	3	1
Diagnosis reasonably certain. (M).....	64	1	1	2	6	6	9	9	6	6	8	4	2	1	1
Diagnosis reasonably certain. (F).....	187	2	5	10	9	22	33	19	22	18	19	11	8	6	2	1
White.....	440	3	7	16	18	38	54	47	55	47	59	52	27	12	4	1
Males.....	141	1	5	6	9	11	19	20	13	22	21	10	3	1
Females.....	299	2	7	11	12	29	43	28	35	34	37	31	17	9	3	1
Diagnosis reasonably certain. (M).....	63	1	1	2	6	5	9	9	6	6	8	4	2	1
Diagnosis reasonably certain. (F).....	187	2	5	10	9	22	33	19	22	18	19	11	8	6	2	1
Colored.....	2
Males.....	1
Females.....	1
Diagnosis reasonably certain. (M).....
Diagnosis reasonably certain. (F).....	1
NEW JERSEY.....	2,223	37	52	83	139	210	275	287	323	294	251	139	93	30	10
Males.....	859	23	14	20	41	57	94	116	140	135	105	59	39	11	5
Females.....	1,364	14	38	63	98	153	181	171	183	159	146	80	54	19	5
Diagnosis reasonably certain. (M).....	370	12	7	11	21	29	47	52	63	44	44	19	14	6	1
Diagnosis reasonably certain. (F).....	808	7	31	49	68	117	121	102	87	82	71	42	19	10	2
White.....	2,163	37	49	77	137	199	267	280	315	287	245	138	92	30	10
Males.....	845	23	14	19	40	56	91	113	139	132	104	59	39	11	5
Females.....	1,318	14	35	58	97	143	176	167	176	155	141	79	53	19	5
Diagnosis reasonably certain. (M).....	366	12	7	11	21	28	47	51	63	43	43	19	14	6	1
Diagnosis reasonably certain. (F).....	774	7	28	44	67	109	117	99	83	80	69	41	18	10	2

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION STATES—Contd.																								
NEW JERSEY—Continued.																								
Colored.....	60	3	6	2	11	8	7	8	7	6	1	1								
Males.....	14	1	1	3	3	1	3	1								
Females.....	46	3	5	1	10	5	4	7	4	5	1	1								
Diagnosis reasonably certain.....	4	1	1	1	1	1	1	1	1	1								
(M.....)	34	3	5	1	8	4	3	4	2	2	1	1								
(F.....)								
NEW YORK.....	8,907	168	299	385	580	873	1,090	1,187	1,170	1,108	946	622	323	113	38	5								
Males.....	3,568	90	115	100	172	289	429	509	501	492	419	264	125	49	13	1								
Females.....	5,339	78	184	285	408	584	661	678	669	616	527	358	198	64	25	4								
Diagnosis reasonably certain.....	1,863	65	73	64	116	168	260	255	246	231	173	119	52	28	13								
(M.....)	3,359	52	156	234	318	437	458	423	370	323	266	153	108	39	19	3								
(F.....)								
White.....	8,791	166	287	370	572	864	1,073	1,173	1,162	1,065	941	612	321	113	38	4								
Males.....	3,536	90	112	99	171	285	425	501	499	489	418	260	125	49	13								
Females.....	5,255	76	175	271	401	579	648	672	663	606	523	352	196	64	25	4								
Diagnosis reasonably certain.....	1,853	65	72	63	116	167	260	251	246	228	173	119	52	28	13								
(M.....)	3,298	51	148	222	311	433	448	419	387	318	262	151	107	39	19	3								
(F.....)								
Colored.....	116	2	12	15	8	9	17	14	8	13	5	10	2	1								
Males.....	32	3	1	1	4	4	8	2	3	1	4	1								
Females.....	84	2	9	14	7	5	13	6	6	10	4	6	2								
Diagnosis reasonably certain.....	10	1	1	1	4	3								
(M.....)	61	1	8	12	7	4	10	4	3	5	4	2	1								
(F.....)								
NORTH CAROLINA¹.....	273	8	14	13	27	31	40	30	46	33	9	10	7	4	1								
Males.....	72	3	4	3	4	3	8	10	15	13	2	4	2	1								
Females.....	201	5	10	10	23	28	32	20	31	20	7	6	5	3	1								
Diagnosis reasonably certain.....	35	2	3	2	2	3	7	7	3	3	3	2	1								
(M.....)	145	3	9	10	20	18	27	18	15	12	5	3	2	2	1								
(F.....)								
White.....	190	6	9	5	16	15	22	23	40	28	7	8	6	4	1								
Males.....	53	3	3	1	2	2	3	8	11	12	2	3	2	1								
Females.....	137	3	6	4	14	13	19	15	29	16	5	5	4	3	1								
Diagnosis reasonably certain.....	25	2	2	1	1	1	6	4	3	2	2	1								
(M.....)	90	1	6	4	11	6	15	13	14	10	3	2	2	2	1								
(F.....)								
Colored.....	83	2	5	8	11	16	18	7	6	5	2	2	1								
Males.....	19	1	2	2	1	5	2	4	1	1								
Females.....	64	2	4	6	9	15	13	5	2	4	2	1	1								
Diagnosis reasonably certain.....	10	1	1	1	2	1	3	1								
(M.....)	55	2	3	6	9	12	12	5	1	2	2	1								
(F.....)								
OHIO.....	4,176	63	110	155	256	302	441	510	523	553	517	330	203	94	24								
Males.....	1,660	37	40	74	101	164	194	236	261	242	136	84	42	9								
Females.....	2,516	23	76	127	193	290	322	300	303	281	199	120	53	16								
Diagnosis reasonably certain.....	813	25	19	24	39	83	94	102	112	119	95	60	42	26	3								
(M.....)	1,603	15	40	99	153	172	210	224	179	160	141	90	67	25	9								
(F.....)								
White.....	4,080	62	110	155	256	302	441	510	523	553	517	330	203	94	24								
Males.....	1,632	40	37	36	71	99	162	194	233	254	239	133	83	42	9								
Females.....	2,448	22	73	119	185	203	279	316	290	299	278	197	120	52	15								
Diagnosis reasonably certain.....	806	25	19	23	39	51	94	102	112	117	95	58	42	26	3								
(M.....)	1,555	15	56	93	146	165	199	218	175	158	139	90	67	25	9								
(F.....)								
Colored.....	96	1	3	12	11	12	13	6	13	11	6	5	1	1	1								
Males.....	28	4	3	2	2	3	7	3	3	1								
Females.....	68	1	3	8	8	10	11	6	10	4	3	2	1	1								
Diagnosis reasonably certain.....	7	1	2	2								
(M.....)	48	3	6	7	7	11	6	4	2	2								
(F.....)								
PENNSYLVANIA.....	5,997	111	194	266	399	546	683	760	786	781	656	463	218	98	31	5								
Males.....	2,304	58	50	70	102	189	263	291	335	352	284	184	82	29	13	2								
Females.....	3,693	53	144	196	297	357	420	469	451	429	372	279	136	69	18	3								
Diagnosis reasonably certain.....	1,131	41	34	40	60	106	125	156	157	150	116	66	51	18	10	1								
(M.....)	2,325	39	114	154	232	252	299	308	269	225	182	126	68	45	10	2								
(F.....)								
White.....	5,807	103	189	251	380	505	657	740	771	766	645	456	214	96	29	5								
Males.....	2,241	56	49	66	95	176	256	282	329	348	278	182	81	29	12	2								
Females.....	3,566	47	140	185	285	329	401	458	442	418	367	274	133	67	17	3								
Diagnosis reasonably certain.....	1,108	40	34	37	57	101	123	152	156	149	114	66	50	18	10	1								
(M.....)	2,233	34	111	147	222	233	285	299	262	217	178	123	68	43	9	2								
(F.....)								
Colored.....	190	8	5	15	19	41	26	20	15	15	11	7	4	2	2								
Males.....	63	2	1	4	7	13	7	9	6	4	6	2	1	1								
Females.....	127	6	4	11	12	28	19	11	9	11	5	5	3	2	1								
Diagnosis reasonably certain.....	23	1	3	3	5	2	4	1	1	2	1								
(M.....)	92	5	3	7	10	19	14	9	7	8	4	3	2	1								
(F.....)								

¹ Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.	
REGISTRATION STATES—Contd.																
RHODE ISLAND.....	539	10	11	19	33	50	72	73	74	71	54	45	19	7	1
Males.....	196	2	4	3	11	20	28	28	27	31	23	12	4	2	1
Females.....	343	8	7	16	22	30	44	45	47	40	31	33	15	5
Diagnosis reasonably certain. (M. F.).....	102 220	1 7	2 5	3 15	8 20	11 22	12 29	17 32	9 25	19 19	11 18	5 13	2 11	2 4
White.....	530	9	10	19	32	48	71	72	73	70	54	45	19	7	1
Males.....	194	1	4	3	10	20	28	28	27	31	23	12	4	2	1
Females.....	336	8	6	16	22	28	43	44	46	39	31	33	15	5
Diagnosis reasonably certain. (M. F.).....	101 218	1 7	2 5	3 15	8 20	11 21	12 28	17 32	9 25	19 19	11 18	5 13	2 11	2 4
Colored.....	9	1	1	1	2	1	1	1	1
Males.....	2	1	1
Females.....	7	1	2	1	1	1
Diagnosis reasonably certain. (M. F.).....	1 2 1 1 1
UTAH.....	190	7	4	9	11	20	27	29	26	21	18	11	7
Males.....	94	5	1	3	3	8	13	12	18	9	13	5	4
Females.....	96	2	3	6	8	12	14	17	8	12	5	6	3
Diagnosis reasonably certain. (M. F.).....	41 61	3 2	1 3	3 5	2 6	4 7	8 9	5 12	4 5	4 4	3 3	2 3	3 3
White.....	185	7	4	9	11	16	27	28	26	21	18	11	7
Males.....	91	5	1	3	3	5	13	12	18	9	13	5	4
Females.....	94	2	3	6	8	11	14	16	8	12	5	6	3
Diagnosis reasonably certain. (M. F.).....	40 61	3 2	1 3	3 5	2 6	3 7	8 9	5 12	4 5	4 4	3 3	2 3	3 3
Colored.....	5	4	1
Males.....	3	3
Females.....	2	1	1
Diagnosis reasonably certain. (M. F.).....	1 1 1 1
VERMONT.....	397	9	8	10	11	12	28	53	41	51	67	45	38	18	4	2
Males.....	159	4	1	3	3	3	6	24	15	24	31	18	17	7	2	1
Females.....	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1
Diagnosis reasonably certain. (M. F.).....	88 145	3 5	1 4	1 6	2 7	2 7	2 17	10 19	6 16	6 16	7 16	7 15	3 11	3 4	2 2
White.....	396	9	8	10	11	12	28	53	41	51	66	45	38	18	4	2
Males.....	158	4	1	3	3	3	6	24	15	24	30	18	17	7	2	1
Females.....	238	5	7	7	8	9	22	29	26	27	36	27	21	11	2	1
Diagnosis reasonably certain. (M. F.).....	87 145	3 5	1 4	1 6	2 7	2 7	2 17	10 19	6 16	6 16	7 16	7 15	3 11	3 4	2 2
Colored.....	1	1
Males.....	1
Females.....
Diagnosis reasonably certain. (M. F.)..... 1	1
VIRGINIA.....	1,051	24	36	50	77	81	108	121	137	126	128	84	43	27	8	1
Males.....	390	12	6	16	17	16	37	46	58	46	66	37	18	12	3
Females.....	661	12	30	34	60	65	71	75	79	80	62	47	25	15	5	1
Diagnosis reasonably certain. (M. F.).....	189 440	7 7	5 23	7 28	14 49	7 43	24 53	13 49	28 53	19 50	22 30	20 22	10 18	11 10	2 5
White.....	767	15	16	26	42	49	70	87	101	102	110	76	41	24	8
Males.....	324	9	5	10	12	12	28	37	47	38	59	35	17	12	3
Females.....	443	6	11	16	30	37	42	50	54	64	51	41	24	12	5
Diagnosis reasonably certain. (M. F.).....	165 286	5 3	4 9	5 14	10 23	5 23	19 32	12 33	25 37	17 41	21 22	20 19	9 17	11 8	2 5
Colored.....	284	9	20	24	35	32	38	34	36	24	18	8	2	3	1
Males.....	66	3	1	6	5	4	9	9	11	8	7	2	1
Females.....	218	6	19	18	30	28	29	25	25	16	11	6	1	3	1
Diagnosis reasonably certain. (M. F.).....	24 154	2 4	1 14	2 14	4 26	2 20	5 21	1 16	3 16	2 9 3 1	1 1	2 2
WASHINGTON.....	871	18	25	36	51	82	119	120	120	104	84	59	42	7	1	3
Males.....	446	12	10	17	18	26	57	59	72	66	42	32	27	6	2
Females.....	425	6	15	19	33	56	62	61	48	38	42	27	15	1	1	1
Diagnosis reasonably certain. (M. F.).....	242 300	8 6	9 13	9 17	9 30	14 46	34 47	35 43	39 33	31 21	17 24	15 12	14 7	2 1	2
White.....	865	18	25	36	50	82	117	119	120	104	84	58	41	7	1	3
Males.....	442	12	10	17	17	26	56	59	72	66	42	31	26	6	2
Females.....	423	6	15	19	33	56	61	60	48	38	42	27	15	1	1	1
Diagnosis reasonably certain. (M. F.).....	240 298	8 6	9 13	9 17	9 30	14 46	33 46	35 42	39 33	31 21	17 24	15 12	13 7	2 1	2

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un- known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION STATES—Contd.																
WASHINGTON—Continued.																
Colored.....	6				1		2	1				1	1			
Males.....	4				1		1					1	1			
Females.....	2						1	1								
Diagnosis reasonably certain. (M-F).....	2						1	1					1			
WISCONSIN.....	1,985	35	37	52	86	130	200	263	247	301	259	187	117	49	12	1
Males.....	948	20	12	19	30	47	91	124	132	150	130	105	66	19	2	1
Females.....	1,037	15	25	33	56	83	118	139	115	151	129	82	51	30	10	
Diagnosis reasonably certain. (M-F).....	394	14	6	11	13	28	41	51	52	59	48	38	22	9	2	
.....	596	12	20	24	43	70	83	83	66	67	52	32	22	16	6	
White.....	1,976	35	37	51	86	130	209	262	245	299	259	186	116	48	12	1
Males.....	947	20	12	19	30	47	91	124	131	150	130	105	66	19	2	1
Females.....	1,029	15	25	32	56	83	118	138	114	149	129	81	50	29	10	
Diagnosis reasonably certain. (M-F).....	394	14	6	11	13	28	41	51	52	59	48	38	22	9	2	
.....	590	12	20	24	43	70	83	83	65	65	52	31	21	15	6	
Colored.....	9			1				1	2	2		1	1	1		
Males.....	1								1							
Females.....	8			1				1	1	2		1	1	1		
Diagnosis reasonably certain. (M-F).....	6								1	2		1	1	1		
REGISTRATION CITIES.																
ALABAMA. ¹																
Registration cities.....	159	6	16	11	14	20	20	15	15	16	6	13	4	2		1
Males.....	53	1	5	2	2	8	10	4	7	6	3	3		1		1
Females.....	106	5	11	9	12	12	10	11	8	10	3	10	4	1		
Diagnosis reasonably certain. (M-F).....	41		4	2		7	6	4	6	6	2	2		1		1
.....	81	3	9	7	11	9	9	6	7	9	3	6	1	1		
White.....	115	3	11	6	10	10	15	12	12	14	4	12	3	2		1
Males.....	44	1	3	1	1	5	9	4	6	6	3	3		1		1
Females.....	71	2	8	5	9	5	6	8	6	8	1	9	3	1		
Diagnosis reasonably certain. (M-F).....	34		2	1		4	6	4	5	6	2	2		1		1
.....	55	2	8	4	8	5	5	4	5	7	1	5		1		
Colored.....	44	3	5	5	4	10	5	3	3	2	2	1	1			
Males.....	9		2	1	1	3	1		1							
Females.....	35	3	3	4	3	7	4	3	2	2	2	1	1			
Diagnosis reasonably certain. (M-F).....	7		2	1		3		1								
.....	26	1	1	3	3	4	4	2	2	2	2	1	1			
Birmingham.....	77	2	9	5	9	9	12	8	9	5	2	3	2	1		1
Males.....	26	1	1		1	5	6	1	4	3	2	1				1
Females.....	51	1	8	5	8	4	6	7	5	2		2	2	1		
Diagnosis reasonably certain. (M-F).....	19		1			5	3	1	3	3	1	1				1
.....	40	1	7	3	8	3	5	4	5	2		1		1		
White.....	56	2	6	2	6	4	10	7	7	4	2	2	2	1		1
Males.....	20	1				2	6	1	3	3	2	1				1
Females.....	36	1	6	2	6	2	4	6	4	1		1	2	1		
Diagnosis reasonably certain. (M-F).....	14					2	3	1	2	3	1	1				1
.....	28	1	6	1	6	2	3	3	4	1				1		
Colored.....	21		3	3	3	5	2	1	2	1		1				
Males.....	6		1		1	3			1							
Females.....	15		2	3	2	2	2	1	1	1		1				
Diagnosis reasonably certain. (M-F).....	5		1			3			1							
.....	12		1	2	2	1	2	1	1	1		1				
Mobile.....	52	3	5	5	2	6	5	2	4	9	3	7	1			
Males.....	21		2	2	1	3	3	1	3	3	1	2				
Females.....	31	3	3	3	1	3	2	1	1	6	2	5	1			
Diagnosis reasonably certain. (M-F).....	18		2	2		2	3	1	3	3	1	1				
.....	23	1	2	3	1	2	2		1	5	2	4				
White.....	41	1	4	3	2	5	4	2	3	8	1	7	1			
Males.....	20		2	1	1	3	3	1	3	3	1	2				
Females.....	21	1	2	2	1	2	1	1		5		5	1			
Diagnosis reasonably certain. (M-F).....	17		2	1		2	3	1	3	3	1	1				
.....	17	1	2	2	1	2	1			4		4				
Colored.....	11	2	1	2		1	1		1	1	2					
Males.....	1			1												
Females.....	10	2	1	1		1	1		1	1	2					
Diagnosis reasonably certain. (M-F).....	1			1												
.....	6					1	1		1	1	2					

¹ Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.							
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
ALABAMA ¹ —continued.																						
Montgomery ²	30	1	2	1	3	5	3	5	2	2	1	3	1	1							
Males.....	6	2	1	2	1							
Females.....	24	1	1	3	5	2	3	2	2	1	3	1							
Diagnosis reasonably certain. {M.....	4	1	2	1							
Diagnosis reasonably certain. {F.....	18	1	1	2	4	2	2	1	2	1	1	1							
White.....	18	1	1	2	1	1	3	2	2	1	3	1							
Males.....	4	1	2	1							
Females.....	14	1	2	1	1	1	2	2	1	3							
Diagnosis reasonably certain. {M.....	3	2	1							
Diagnosis reasonably certain. {F.....	10	1	1	1	1	1	1	2	1	1							
Colored.....	12	1	1	1	4	2	2	1							
Males.....	2	1	1							
Females.....	10	1	1	4	1	2	1							
Diagnosis reasonably certain. {M.....	1	1							
Diagnosis reasonably certain. {F.....	8	1	1	3	1	1	1							
CALIFORNIA.																						
Registration cities.....	1,754	18	69	81	119	179	232	220	227	222	193	121	52	15	6							
Males.....	782	8	31	24	46	65	97	95	125	108	87	58	29	7	2							
Females.....	972	10	38	57	73	114	135	125	102	114	106	63	23	8	4							
Diagnosis reasonably certain. {M.....	464	3	25	19	30	41	61	58	75	62	41	30	15	3	1							
Diagnosis reasonably certain. {F.....	684	9	33	43	59	94	104	96	68	69	56	35	10	6	2							
White.....	1,720	17	66	77	115	178	222	219	219	220	193	121	52	15	6							
Males.....	761	7	31	23	43	65	91	94	118	106	87	58	29	7	2							
Females.....	959	10	35	54	72	113	131	125	101	114	106	63	23	8	4							
Diagnosis reasonably certain. {M.....	456	3	25	18	28	41	61	58	70	62	41	30	15	3	1							
Diagnosis reasonably certain. {F.....	674	9	31	41	58	93	101	96	67	69	56	35	10	6	2							
Colored.....	34	1	3	4	4	1	10	1	8	2							
Males.....	21	1	1	3	6	1	7	2							
Females.....	13	3	3	1	1	4	1							
Diagnosis reasonably certain. {M.....	8	1	2	5							
Diagnosis reasonably certain. {F.....	10	2	2	1	1	3	1							
Los Angeles.....	443	4	21	20	33	38	69	61	48	65	51	21	7	4	1							
Males.....	172	3	10	4	10	11	25	26	22	26	18	9	5	2	1							
Females.....	271	1	11	16	23	27	44	35	26	39	33	12	2	2							
Diagnosis reasonably certain. {M.....	109	8	3	7	8	19	16	10	18	11	6	3							
Diagnosis reasonably certain. {F.....	180	1	8	10	19	23	33	25	13	23	19	4	1	1							
White.....	436	3	20	20	32	38	67	61	46	65	51	21	7	4	1							
Males.....	167	2	10	4	9	11	24	26	20	26	18	9	5	2	1							
Females.....	269	1	10	16	23	27	43	35	26	39	33	12	2	2							
Diagnosis reasonably certain. {M.....	106	8	3	6	8	19	16	8	18	11	6	3							
Diagnosis reasonably certain. {F.....	178	1	7	10	19	23	32	25	13	23	19	4	1	1							
Colored.....	7	1	1	1	2	2							
Males.....	5	1	1	1	2							
Females.....	2	1							
Diagnosis reasonably certain. {M.....	3	1	2							
Diagnosis reasonably certain. {F.....	2	1	1							
Oakland.....	170	2	4	8	11	15	19	21	21	17	23	18	9	1	1							
Males.....	61	1	2	2	2	3	3	10	7	10	9	8	4							
Females.....	109	1	2	6	9	12	16	11	14	7	14	10	5	1	1							
Diagnosis reasonably certain. {M.....	39	1	1	2	1	1	2	8	3	8	5	6	1							
Diagnosis reasonably certain. {F.....	75	2	6	6	9	10	8	11	6	7	6	3	1							
Pasadena.....	53	1	1	3	2	4	7	5	9	8	5	4	2	2							
Males.....	17	1	1	3	5	3	1	2	1							
Females.....	36	1	1	3	1	4	7	4	6	3	2	3	1							
Diagnosis reasonably certain. {M.....	10	1	1	2	3	2	1							
Diagnosis reasonably certain. {F.....	24	1	1	2	1	2	6	3	4	3	1	1							
Sacramento.....	65	5	3	7	6	8	13	6	6	7	4							
Males.....	32	2	2	1	4	4	6	5	2	4	2							
Females.....	33	3	1	6	2	4	7	1	4	3	2							
Diagnosis reasonably certain. {M.....	20	1	1	1	2	4	4	3	3	1							
Diagnosis reasonably certain. {F.....	23	3	1	5	1	4	4	1	2	2							
San Diego.....	85	3	1	5	6	11	8	13	15	9	6	8							
Males.....	39	3	1	3	3	10	6	7	2	4							
Females.....	46	3	1	2	5	8	5	3	9	2	4	4							
Diagnosis reasonably certain. {M.....	17	3	6	2	2	1	2							
Diagnosis reasonably certain. {F.....	35	3	1	2	5	7	4	3	7	1	2							

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
CALIFORNIA—continued.																								
San Francisco.....	576	8	24	38	53	78	79	59	77	56	54	35	9	4	2								
Males.....	292	4	11	16	24	37	38	29	51	33	26	17	5	1								
Females.....	284	4	13	22	29	41	41	30	26	23	28	18	4	3	2								
Diagnosis reasonably certain. (M).....	186	2	11	14	16	22	26	19	37	16	13	7	3								
Diagnosis reasonably certain. (F).....	208	4	11	17	23	31	34	25	16	13	15	13	2	3	1								
White.....	563	8	23	34	52	77	76	59	74	56	54	35	9	4	2								
Males.....	286	4	11	15	24	37	36	29	48	33	26	17	5	1								
Females.....	277	4	12	19	28	40	40	30	26	23	28	18	4	3	2								
Diagnosis reasonably certain. (M).....	183	2	11	13	16	22	26	19	35	16	13	7	3								
Diagnosis reasonably certain. (F).....	203	4	11	15	22	30	33	25	16	13	15	13	2	3	1								
Colored.....	13	1	4	1	1	3	3								
Males.....	6	1	2	3								
Females.....	7	1	3	1	1	1								
Diagnosis reasonably certain. (M).....	3	1	2								
Diagnosis reasonably certain. (F).....	5	2	1	1	1								
Other cities.....	362	3	12	13	11	33	44	56	50	54	42	29	11	4								
Males.....	169	6	2	5	11	24	23	28	25	20	15	8	2								
Females.....	193	3	6	11	6	22	20	33	22	29	22	14	3	2								
Diagnosis reasonably certain. (M).....	83	4	2	7	12	11	14	13	7	7	5	1								
Diagnosis reasonably certain. (F).....	139	3	6	8	6	20	17	24	18	15	10	9	1	2								
COLORADO.																								
Registration cities.....	293	5	15	13	28	25	43	38	38	36	25	11	11	3	2								
Males.....	123	2	1	6	10	9	15	16	22	18	10	5	7	1	1								
Females.....	170	3	14	7	18	16	28	22	16	18	15	6	4	2	1								
Diagnosis reasonably certain. (M).....	76	2	1	6	9	6	12	8	8	10	6	5	3	1	1								
Diagnosis reasonably certain. (F).....	121	1	8	7	15	12	20	17	10	11	13	5	1	1								
White.....	281	5	15	12	26	23	42	37	35	35	25	10	11	3	2								
Males.....	121	2	1	6	10	9	14	16	21	18	10	5	7	1	1								
Females.....	160	3	14	6	16	14	28	21	14	17	15	5	4	2	1								
Diagnosis reasonably certain. (M).....	76	2	1	6	9	6	12	8	8	10	6	5	3	1	1								
Diagnosis reasonably certain. (F).....	117	1	8	6	14	11	20	16	10	11	13	5	1	1								
Colored.....	12	1	2	2	1	1	3	1	1								
Males.....	2	1	1								
Females.....	10	1	2	2	1	2	1	1								
Diagnosis reasonably certain. (M).....	4	1	1	1	1								
Diagnosis reasonably certain. (F).....								
Denver.....	222	4	8	9	22	17	37	29	28	29	19	7	9	3	1								
Males.....	94	2	5	7	7	13	11	18	11	8	3	7	1	1								
Females.....	128	2	8	4	15	10	24	18	10	18	11	4	2	2								
Diagnosis reasonably certain. (M).....	55	2	5	6	5	5	8	7	5	4	3	3	1	1								
Diagnosis reasonably certain. (F).....	92	4	4	12	8	17	14	6	11	10	4	1	1								
Other cities.....	71	1	7	4	6	8	6	9	10	7	6	4	2	1								
Males.....	29	1	1	3	2	2	5	4	7	2	2								
Females.....	42	1	6	3	3	6	4	4	6	4	2	2	1								
Diagnosis reasonably certain. (M).....	21	1	1	3	1	1	4	1	5	2	2								
Diagnosis reasonably certain. (F).....	29	1	4	3	3	4	3	3	4	3	1								
CONNECTICUT.																								
Registration cities.....	717	12	25	20	43	74	83	103	106	78	76	58	24	14	2								
Males.....	271	5	8	9	11	32	23	40	43	34	32	16	12	6								
Females.....	446	7	17	11	32	42	60	63	62	44	44	42	12	8	2								
Diagnosis reasonably certain. (M).....	136	2	4	5	7	18	16	19	20	20	12	10	2	1								
Diagnosis reasonably certain. (F).....	280	6	12	11	25	33	45	41	36	25	22	23	3	6	2								
White.....	699	11	24	19	40	72	80	102	102	78	76	56	24	13	2								
Males.....	267	5	8	8	10	32	23	40	41	34	32	16	12	6								
Females.....	432	6	16	11	30	40	57	62	61	44	44	40	12	7	2								
Diagnosis reasonably certain. (M).....	135	2	4	5	7	18	16	19	19	20	12	10	2	1								
Diagnosis reasonably certain. (F).....	278	5	11	11	23	31	42	40	35	25	22	22	3	6	2								
Colored.....	18	1	1	1	3	2	3	1	3	2	1								
Males.....	4	1	1	2								
Females.....	14	1	1	2	2	3	1	1	2	1								
Diagnosis reasonably certain. (M).....	1								
Diagnosis reasonably certain. (F).....	12	1	1	2	2	3	1	1	1								
Bridgeport.....	97	3	6	5	6	11	11	13	19	11	6	4	1	1								
Males.....	40	1	4	3	4	5	2	5	5	6	4	1								
Females.....	57	2	2	2	2	6	9	8	14	5	2	3	1	1								
Diagnosis reasonably certain. (M).....	19	2	3	2	1	1	3	3	3	1								
Diagnosis reasonably certain. (F).....	27	1	2	3	6	3	6	2	2	1	1								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
CONNECTICUT—continued.																								
Hartford.....	132			4	11	15	21	18	17	12	11	12	4	1									
Males.....	56	2	1	5	8	7	8	7	5	4	5	3	1									
Females.....	76	1	3	3	6	7	14	10	10	7	7	7	1										
Diagnosis reasonably certain. {M.	37	2	1	5	6	5	5	4	2	3	3	1										
{F.	57	1	3	3	5	5	10	6	7	6	5	6											
New Haven.....	164	2	4	4	11	22	15	24	23	17	23	10	4	5									
Males.....	57	1	2	1	1	7	3	6	13	9	8	2	2	2									
Females.....	107	1	2	3	10	15	12	18	10	8	15	8	2	3									
Diagnosis reasonably certain. {M.	30	1	4	3	3	8	8	6	2	1	1	1									
{F.	73	1	2	3	9	13	10	12	8	5	5	3	2									
Waterbury.....	57	1	3	3	2	6	7	12	8	3	2	4	5	1									
Males.....	22	1	1	2	1	1	7	5	2	1	1									
Females.....	35	2	1	2	5	6	5	3	4	4										
Diagnosis reasonably certain. {M.	8	1	1	1	2	2	1										
{F.	21	2	1	2	4	5	3	1										
Other cities.....	267	3	9	4	13	20	29	36	38	35	34	28	11	6	1								
Males.....	96	1	2	1	11	10	14	13	14	14	8	6	2									
Females.....	171	3	8	2	12	9	19	22	25	21	20	20	5	4	1								
Diagnosis reasonably certain. {M.	42	1	6	6	6	8	9	5	6	6										
{F.	112	3	5	2	9	8	14	17	14	11	12	11	2	3	1								
DELAWARE.¹																								
Wilmington.....	81	4	3	9	13	10	12	7	12	9	2									
Males.....	33	2	2	4	4	3	2	3	8	4	1									
Females.....	48	2	1	5	9	7	10	4	5	1									
Diagnosis reasonably certain. {M.	8	2	1	1	2	2	1	1									
{F.	38	1	1	5	8	4	8	3	4										
White.....	75	4	2	8	11	10	11	7	11	9	2									
Males.....	31	2	1	3	4	3	2	3	8	4	1									
Females.....	44	2	1	5	7	7	9	4	3	5	1									
Diagnosis reasonably certain. {M.	7	1	1	1	1	2	1	1									
{F.	36	1	1	5	7	4	8	4	2	4										
Colored.....	6	1	1	2	1	1										
Males.....	2	1	1										
Females.....	4	2	1	1										
Diagnosis reasonably certain. {M.	1	1										
{F.	2	1	1										
DISTRICT OF COLUMBIA.																								
Washington.....	355	7	19	15	29	31	42	38	33	55	37	34	14	1									
Males.....	144	4	5	6	9	8	14	14	16	30	19	13	5	1									
Females.....	211	3	14	9	20	23	28	24	17	25	18	21	9										
Diagnosis reasonably certain. {M.	73	3	3	4	5	4	7	7	8	14	9	7	2										
{F.	137	2	9	8	16	14	18	15	10	17	11	12	5										
White.....	271	7	12	7	19	22	25	25	27	46	35	31	14	1									
Males.....	112	4	4	2	8	6	7	8	11	26	18	12	5	1									
Females.....	159	3	8	5	11	16	18	17	16	20	17	19	9										
Diagnosis reasonably certain. {M.	61	3	3	2	4	3	3	6	7	13	8	7	2										
{F.	104	2	5	5	10	10	12	11	10	13	10	11	5										
Colored.....	84	7	8	10	9	17	13	6	9	2	3										
Males.....	32	1	4	1	2	7	6	5	4	1	1										
Females.....	52	6	4	9	7	10	7	1	5	1	2										
Diagnosis reasonably certain. {M.	12	2	1	1	4	1	1	1	1										
{F.	33	4	3	6	4	6	4	4	1	1										
FLORIDA.²																								
Registration cities.....	72	2	1	5	7	15	9	8	8	4	8	3	2										
Males.....	26	2	2	2	4	1	5	4	1	2	2	1										
Females.....	46	1	3	5	11	8	3	4	3	6	1	1										
Diagnosis reasonably certain. {M.	16	1	1	4	1	2	3	2	2										
{F.	38	1	3	5	11	6	2	4	2	3	1										
White.....	58	1	3	4	14	8	8	6	4	5	3	2										
Males.....	23	2	1	4	1	5	4	1	2	2	1										
Females.....	35	1	1	3	10	7	3	2	3	3	1	1										
Diagnosis reasonably certain. {M.	16	1	1	4	1	2	3	2	2										
{F.	29	1	1	3	10	5	2	2	2	2	1										
Colored.....	14	2	2	3	1	1	2	3										
Males.....	3										
Females.....	11	2	2	2	1	1	2	3										
Diagnosis reasonably certain. {M.	9	2	2	1	1	2	1										
{F.	9	2	2	1	1	2	1										

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Nonregistration state; includes Jacksonville, Key West, and Pensacola.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un- known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
GEORGIA. ¹																
Registration cities.....	186	6	15	15	13	21	23	25	17	25	13	8	4	1
Males.....	66	2	6	1	6	8	13	7	12	6	3	2
Females.....	120	4	9	14	13	15	15	12	10	13	7	5	2	1
Diagnosis reasonably certain. {M. F.	41 85	1 4	3 8 13 9	5 10	6 9	8 9	3 8	8 7	3 4	3 3	1 1
White.....	139	3	7	8	9	14	15	19	16	25	12	7	4
Males.....	52	2	2	5	6	9	7	12	5	2	2
Females.....	87	1	5	8	9	9	9	10	9	13	7	5	2
Diagnosis reasonably certain. {M. F.	31 58	1 1 5 7 6	4 7	5 3	4 7	3 7	8 7	3 4	2 3	1 1
Colored.....	47	3	8	7	4	7	8	6	1	1	1	1
Males.....	14	4	1	1	2	4	1	1
Females.....	33	3	4	6	4	6	6	2	1	1
Diagnosis reasonably certain. {M. F.	10 27 3 3 6 3 3 6 2 1
Atlanta.....	106	4	11	9	7	11	12	15	10	12	9	3	3
Males.....	36	2	5	3	5	6	2	6	5	1	1
Females.....	70	2	6	9	7	8	7	9	8	6	4	2	2
Diagnosis reasonably certain. {M. F.	22 54	1 2	3 6 8 5	2 4	4 5	4 7	1 7	3 4	3 8	1 2	1 1
White.....	82	2	5	6	5	7	7	13	10	12	9	3	3
Males.....	29	2	1	3	3	5	2	6	5	1	1
Females.....	53	4	6	5	4	4	8	8	6	4	2	2
Diagnosis reasonably certain. {M. F.	17 40	1 4 5 4	2 2	4 2	3 6	1 7	3 4	3 8	1 2	1 1
Colored.....	24	2	6	3	2	4	5	2
Males.....	7	4	2	1
Females.....	17	2	2	3	2	4	3	1
Diagnosis reasonably certain. {M. F.	5 14 2 2 3 1 2 3 1
Other cities ²	80	2	4	6	6	10	11	10	7	13	4	5	1	1
Males.....	30	1	1	3	3	7	5	6	1	2	1
Females.....	50	2	3	5	6	7	8	3	2	7	3	3	1
Diagnosis reasonably certain. {M. F.	19 31 2 2 5 4 6 4 2 1 3 1 1
White.....	57	1	2	2	4	7	8	6	6	13	3	4	1
Males.....	23	1	2	3	4	5	6	1	1
Females.....	34	1	1	2	4	5	5	2	1	7	3	3
Diagnosis reasonably certain. {M. F.	14 18 1 1 2 2 5 1 1 2 5 1 1
Colored.....	23	1	2	4	2	3	3	4	1	1	1	1
Males.....	7	1	1	3	1	1
Females.....	16	1	2	3	2	2	3	1	1	1
Diagnosis reasonably certain. {M. F.	5 13 1 1 3 2 1 3 1 1
ILLINOIS. ¹																
Registration cities.....	2,338	42	90	101	182	270	334	327	322	237	207	127	49	23	6	1
Males.....	1,033	25	31	28	60	97	147	155	159	138	103	50	15	10	5	1
Females.....	1,305	17	59	73	113	173	187	172	163	119	104	77	34	13	1
Diagnosis reasonably certain. {M. F.	497 826	16 7	21 45	14 50	38 84	54 125	97 138	69 114	68 90	82 61	38 42	19 36	4 18	4 7	2 1
White.....	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6	1
Males.....	1,009	25	31	28	65	93	141	150	156	136	103	50	15	10	5	1
Females.....	1,269	16	58	70	109	167	179	167	161	114	104	77	34	12	1
Diagnosis reasonably certain. {M. F.	479 799	16 7	21 44	14 57	34 81	50 120	81 133	68 110	67 88	87 57	38 42	19 36	4 18	4 6	2 1
Colored.....	60	1	1	3	8	10	14	10	5	7	1
Males.....	24	4	4	6	5	3	2
Females.....	36	1	1	3	4	6	8	5	2	5	1
Diagnosis reasonably certain. {M. F.	18 27 1 2 3 5 5 4 2 4	1
Chicago.....	2,107	41	82	90	167	250	305	292	292	231	178	107	47	19	6
Males.....	948	24	27	26	66	93	135	142	147	127	91	43	15	7	5
Females.....	1,159	17	55	64	101	157	170	150	145	104	87	64	32	12	1
Diagnosis reasonably certain. {M. F.	452 724	15 7	19 42	12 50	36 76	51 114	80 124	64 95	60 79	56 53	34 33	16 29	4 16	3 6	2 1

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Includes Augusta and Savannah.

GENERAL TABLES.

57

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
ILLINOIS—continued.																						
Chicago—Continued.																						
White.....	2,059	40	81	87	161	240	294	284	288	227	178	107	47	19	6						
Males.....	926	24	27	26	62	89	129	138	144	126	91	43	15	7	5						
Females.....	1,133	16	54	61	99	151	165	146	144	101	87	64	32	12	1						
Diagnosis reasonably certain. {M. 435		15	19	12	32	47	74	63	59	55	34	16	4	3	2						
{F. 704		7	41	48	74	109	122	91	78	50	33	29	16	6							
Colored.....	48	1	1	3	6	10	11	8	4	4											
Males.....	22				4	4	6	4	3	1											
Females.....	26	1	1	3	2	6	5	4	1	3											
Diagnosis reasonably certain. {M. 17					4	4	6	1	1	1											
{F. 20			1	2	2	5	2	4	1	3											
Springfield.....	62	1	5	4	2	5	4	10	11	10	4	4	1	1							
Males.....	20	1	3	1			2	3	3	5		1		1							
Females.....	42		2	3	2	5	2	7	8	5	4	3	1								
Diagnosis reasonably certain. {M. 10		1	1	1			1	1	2	3											
{F. 26			1	3	1	4		6	6		2	2	1								
Other cities ¹	169		3	7	13	15	25	25	19	16	25	16	1	3		1						
Males.....	65		1	1	3	4	10	10	9	6	12	6		2		1						
Females.....	104		2	6	10	11	15	15	10	10	13	10	1	1							
Diagnosis reasonably certain. {M. 35			1	1	2	3	6	4	6	3	4	3		1							
{F. 76			2	6	7	7	14	13	5	8	7	5	1	1							
INDIANA.																						
Registration cities.....	765	13	28	39	40	74	102	101	96	104	66	60	29	11	1	1						
Males.....	243	2	7	9	12	20	32	33	38	34	26	15	13	2							
Females.....	522	11	21	30	28	54	70	68	58	70	40	45	16	9	1	1						
Diagnosis reasonably certain. {M. 130		1	5	7	7	15	16	19	21	14	11	7	6	1							
{F. 330		9	16	22	24	43	47	48	26	34	23	21	9	7							
White.....	739	13	27	36	40	72	97	96	94	100	64	59	28	11	1	1						
Males.....	238	2	7	9	12	20	31	31	37	34	26	15	12	2							
Females.....	501	11	20	27	28	52	66	65	57	66	38	44	16	9	1	1						
Diagnosis reasonably certain. {M. 128		1	5	7	7	15	16	18	21	14	11	7	5	1							
{F. 319		9	16	20	24	42	45	47	25	32	22	20	9	7							
Colored.....	26		1	3		2	5	5	2	4	2	1	1								
Males.....	5					1	2	1					1								
Females.....	21		1	3		2	4	3	1	4	2	1									
Diagnosis reasonably certain. {M. 2								1					1								
{F. 11				2		1	2	1	1	2	1	1									
Fort Wayne.....	69	3	2	2	6	6	7	13	8	11	7	2		2							
Males.....	25		2		1	1	4	7	1	6	3										
Females.....	44	3		2	5	5	3	6	7	5	4	2		2							
Diagnosis reasonably certain. {M. 16			2		1	1	1	4		5	2										
{F. 21		2		1	4	2	2	3	3		2			2							
Indianapolis.....	265	3	9	17	15	24	40	33	36	37	17	20	10	3	1						
Males.....	84	1	2	3	6	9	9	10	19	7	9	4	5								
Females.....	181	2	7	14	9	15	31	23	17	30	8	16	5	3	1						
Diagnosis reasonably certain. {M. 53			1	3	4	7	6	7	12	2	5	3	3								
{F. 120		2	6	10	9	12	21	16	6	16	5	10	5	2							
White.....	250	3	9	16	15	23	37	30	36	34	15	19	9	3	1						
Males.....	81	1	2	3	6	9	9	8	19	7	9	4	4								
Females.....	169	2	7	13	9	14	28	22	17	27	6	15	5	3	1						
Diagnosis reasonably certain. {M. 51			1	3	4	7	6	6	12	2	5	3	2								
{F. 114		2	6	9	9	12	20	16	6	14	4	9	5	2							
Colored.....	15			1		1	3	3		3	2	1	1								
Males.....	3						2						1								
Females.....	12			1		1	3	1		3	2	1									
Diagnosis reasonably certain. {M. 2							1						1								
{F. 6				1			1			2	1	1									
Terre Haute.....	52	1	3	1	5	7	8	6	9	4	2	5		1							
Males.....	14		2		1	2	2	1	2	1	1	1		1							
Females.....	38	1	1	1	4	5	6	5	7	3	1	4									
Diagnosis reasonably certain. {M. 5			1		1	2			1												
{F. 25		1	1		4	5	3	5			1	1									
Other cities.....	379	6	14	19	14	37	47	49	43	52	40	33	19	5		1						
Males.....	120	1	1	6	4	8	17	15	16	20	13	10	8	1							
Females.....	259	5	13	13	10	29	30	34	27	32	27	23	11	4							
Diagnosis reasonably certain. {M. 56		1	1	4	1	24	9	8	8	7	4	4	3	1							
{F. 164		4	9	11	7	24	21	24	13	18	15	10	4	3							

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
KANSAS.																						
Registration cities.....	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3						
Males.....	111	2	4	2	4	7	4	20	12	20	14	13	5	2	2						
Females.....	171	2	11	6	18	17	19	23	28	19	9	6	10	2	1						
Diagnosis reasonably certain.....	62	2	2	2	3	5	2	11	4	13	5	7	3	1	2						
Diagnosis reasonably certain.....	116	2	6	6	15	14	14	15	20	10	4	3	4	2	1						
White.....	263	4	13	7	20	22	23	39	37	38	21	18	14	4	3						
Males.....	108	2	4	2	3	6	4	20	12	20	13	13	5	2	2						
Females.....	155	2	9	5	17	16	19	19	25	18	8	6	9	2	1						
Diagnosis reasonably certain.....	61	2	2	2	2	5	2	11	4	13	5	7	3	1	2						
Diagnosis reasonably certain.....	107	2	5	5	14	14	14	13	18	9	4	2	4	2	1						
Colored.....	19	2	1	2	2	4	3	1	2	1	1						
Males.....	3	1	1	1						
Females.....	16	2	1	1	1	4	3	1	1	1	1						
Diagnosis reasonably certain.....	1	1						
Diagnosis reasonably certain.....	9	1	1	1	2	2	1	1						
Kansas City.....	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1						
Males.....	28	1	1	2	2	8	3	5	1	3	1	1						
Females.....	33	4	1	4	1	7	6	4	1	2	3						
Diagnosis reasonably certain.....	17	1	1	1	5	1	4	3	1						
Diagnosis reasonably certain.....	21	2	1	4	1	4	5	3	1						
White.....	55	1	3	1	4	2	9	13	7	6	4	3	1	1						
Males.....	26	1	1	1	2	8	3	5	3	1	1						
Females.....	29	3	1	3	1	7	5	4	1	1	3						
Diagnosis reasonably certain.....	17	1	1	1	5	1	4	3	1						
Diagnosis reasonably certain.....	17	1	1	3	1	4	4	3	1						
Colored.....	6	1	1	1	1	1	1						
Males.....	2	1	1						
Females.....	4	1	1	1	1						
Diagnosis reasonably certain.....	4	1	1	1	1						
Topeka.....	52	1	3	2	1	9	4	4	7	7	4	5	4	1						
Males.....	21	1	2	3	1	2	1	4	3	2	2	1						
Females.....	31	1	2	1	6	3	2	6	3	1	3	2						
Diagnosis reasonably certain.....	12	1	2	1	3	2	2	1	1						
Diagnosis reasonably certain.....	24	1	2	6	2	1	6	2	1	1	1						
White.....	49	1	3	1	1	9	4	3	7	7	4	5	3	1						
Males.....	21	1	2	3	1	2	1	4	3	2	2						
Females.....	28	1	1	1	6	3	1	6	3	1	3	1	1						
Diagnosis reasonably certain.....	12	1	2	1	3	2	2	1						
Diagnosis reasonably certain.....	23	1	1	6	2	1	6	2	1	1	1	1						
Colored.....	3	1	1	1						
Males.....						
Females.....	3	1	1	1						
Diagnosis reasonably certain.....	1	1						
Wichita.....	50	1	3	1	6	3	2	7	7	9	6	2	2	1						
Males.....	25	1	1	1	1	4	3	6	3	2	1						
Females.....	25	1	2	5	3	1	3	4	3	1	1	2	1						
Diagnosis reasonably certain.....	16	1	1	1	1	1	2	4	2	2						
Diagnosis reasonably certain.....	21	1	1	3	3	1	3	4	2	1	2						
Other cities.....	119	1	5	4	10	9	8	18	19	17	12	7	8	1						
Males.....	37	1	1	2	2	6	5	5	5	6	3	1						
Females.....	82	1	4	3	8	7	8	12	14	12	7	1	5						
Diagnosis reasonably certain.....	17	1	1	2	2	4	1	2	1	2	1						
Diagnosis reasonably certain.....	50	1	2	3	8	4	7	6	7	6	2	1	3						
KENTUCKY.																						
Registration cities.....	328	2	13	27	32	35	40	40	42	36	24	25	10	1	1						
Males.....	109	3	7	7	9	18	16	17	15	7	7	1	1	1						
Females.....	219	2	10	20	25	26	22	24	25	21	17	18	9						
Diagnosis reasonably certain.....	39	2	3	2	5	9	10	4	1	1	1	1						
Diagnosis reasonably certain.....	152	2	7	14	19	23	16	20	15	12	7	12	5						
White.....	291	2	13	16	28	27	37	35	39	34	24	24	10	1	1						
Males.....	96	3	4	7	7	16	14	14	14	7	7	1	1	1						
Females.....	195	2	10	12	21	20	21	21	25	20	17	17	9						
Diagnosis reasonably certain.....	36	2	3	2	3	9	9	4	1	1	1	1						
Diagnosis reasonably certain.....	133	2	7	7	17	18	15	17	15	11	7	12	5						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.						
REGISTRATION CITIES—Contd.																
KENTUCKY—continued.																
Registration cities—Continued.																
Colored.....	37			11	4	8	3	5	3	2		1				
Males.....	13			3		2	2	2	3	1						
Females.....	24			8	4	6	1	3		1		1				
Diagnosis reasonably certain. {M	3					2		1								
Diagnosis reasonably certain. {F	19			7	2	5	1	3		1						
Louisville.....	187	2	5	18	19	23	26	23	24	20	11	12	4			
Males.....	64			6	5	5	13	9	10	10	2	4				
Females.....	123	2	5	12	14	18	13	14	14	10	9	8	4			
Diagnosis reasonably certain. {M	19			3	1	2	6	5	2							
Diagnosis reasonably certain. {F	83	2	4	7	11	16	9	11	8	6	2	5	2			
White.....	168	2	5	12	16	18	26	21	22	20	11	11	4			
Males.....	59			4	5	4	13	9	8	10	2	4				
Females.....	109	2	5	8	11	14	13	12	14	10	9	7	4			
Diagnosis reasonably certain. {M	18			3	1	1	6	5	2							
Diagnosis reasonably certain. {F	73	2	4	4	9	13	9	9	8	6	2	5	2			
Colored.....	19			6	3	5		2	2			1				
Males.....	5			2		1			2							
Females.....	14			4	3	4		2				1				
Diagnosis reasonably certain. {M	1					1										
Diagnosis reasonably certain. {F	10			3	2	3		2								
Other cities.....	141		8	9	13	12	14	17	18	16	13	13	6	1		1
Males.....	45		3	1	2	4	5	7	7	5	5	3	1	1		1
Females.....	96		5	8	11	8	9	10	11	11	8	10	5			
Diagnosis reasonably certain. {M	20		2	1	3	3	3	5	2	1	1	1	1			
Diagnosis reasonably certain. {F	69		3	7	8	7	7	9	7	6	5	7	3			
White.....	123		8	4	12	9	11	14	17	14	13	13	6	1		1
Males.....	37		3		2	3	3	5	6	4	5	3	1	1		1
Females.....	86		5	4	10	6	8	9	11	10	8	10	5			
Diagnosis reasonably certain. {M	18		2		1	2	3	4	2	1	1	1	1			
Diagnosis reasonably certain. {F	60		3	3	8	5	6	8	7	5	5	7	3			
Colored.....	18			5	1	3	3	3	1	2						
Males.....	8			1		1	2	2	1	1						
Females.....	10			4	1	2	1	1		1						
Diagnosis reasonably certain. {M	2					1		1								
Diagnosis reasonably certain. {F	9			4		2	1	1		1						
LOUISIANA. ¹																
New Orleans.....	358	4	22	25	31	32	63	59	41	36	26	15	4	1		
Males.....	154	2	7	9	10	11	31	27	21	16	12	5	3			
Females.....	204	2	15	16	21	21	32	32	20	20	13	10	1	1		
Diagnosis reasonably certain. {M	88	1	4	5	7	6	15	20	12	8	6	2	2			
Diagnosis reasonably certain. {F	145	1	13	12	18	14	28	21	15	10	7	7		1		
White.....	257	4	14	15	19	21	46	41	31	29	20	13	3	1		
Males.....	114	2	4	6	4	8	23	22	17	12	10	4	2			
Females.....	143	2	10	9	15	13	23	19	14	17	10	9	1	1		
Diagnosis reasonably certain. {M	67	1	2	3	3	4	12	18	10	6	5	2	1			
Diagnosis reasonably certain. {F	96	1	10	6	14	7	17	11	10	8	5	6		1		
Colored.....	101		8	10	12	11	17	18	10	7	5	2	1			
Males.....	40		3	3	6	3	8	5	4	4	2	1	1			
Females.....	61		5	7	6	8	9	12	6	3	3	1				
Diagnosis reasonably certain. {M	21		2	2	4	2	3	2	2	2	1		1			
Diagnosis reasonably certain. {F	49		3	6	4	7	9	10	5	2	2	1				
MAINE.																
Registration cities.....	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	1
Males.....	65	2	1	1	3	9	9	8	9	6	7	7	1	1		1
Females.....	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	1
Diagnosis reasonably certain. {M	26	2	1		1	4	3	2	6	3	1	1		1		1
Diagnosis reasonably certain. {F	96	1	4	7	9	11	16	16	10	10	4	3	4	1		1
White.....	212	3	6	11	16	20	27	30	25	27	19	16	5	5	1	1
Males.....	65	2	1	1	3	9	9	8	9	6	7	7	1	1		1
Females.....	147	1	5	10	13	11	18	22	16	21	12	9	4	4	1	1
Diagnosis reasonably certain. {M	26	2	1		1	4	3	2	6	3	1	1		1		1
Diagnosis reasonably certain. {F	96	1	4	7	9	11	16	16	10	10	4	3	4	1		1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
MAINE—continued.																								
Portland.....	65	1	1	4	8	6	9	5	7	10	7	5	1	1								
Males.....	22	1	1	1	3	3	3	3	3	2	2								
Females.....	43	1	3	7	3	6	2	4	7	5	3	1	1								
Diagnosis reasonably certain. (M.....)	9	1	1	1	1	2	2	1								
Diagnosis reasonably certain. (F.....)	32	1	2	5	3	6	2	3	4	2	3	1								
Other cities.....	147	2	5	7	8	14	18	25	18	17	12	11	4	4	1	1								
Males.....	43	1	1	2	6	6	5	6	3	5	5	1	1	1								
Females.....	104	1	4	7	6	8	12	20	12	14	7	6	3	3	1								
Diagnosis reasonably certain. (M.....)	17	1	1	1	3	2	1	4	1	1	1	1								
Diagnosis reasonably certain. (F.....)	64	1	3	5	4	8	10	14	7	6	2	3	1								
MARYLAND.																								
Registration cities.....	653	8	25	33	46	77	87	84	111	77	43	35	16	9	2								
Males.....	241	3	12	8	17	25	27	36	52	25	19	9	3	4	1								
Females.....	412	5	13	25	29	52	60	48	59	52	24	26	13	5	1								
Diagnosis reasonably certain. (M.....)	138	3	9	7	10	17	12	23	29	9	11	5	2	1								
Diagnosis reasonably certain. (F.....)	271	3	13	19	24	43	38	35	37	24	13	13	5	3	1								
White.....	567	7	21	26	33	64	72	75	99	72	41	33	13	9	2								
Males.....	219	3	12	8	13	23	22	32	48	24	17	9	3	4	1								
Females.....	348	4	9	18	20	41	50	43	51	48	24	24	10	5	1								
Diagnosis reasonably certain. (M.....)	127	3	9	7	9	16	10	20	27	9	9	5	2	1								
Diagnosis reasonably certain. (F.....)	224	2	9	12	17	34	32	30	33	22	13	12	4	3	1								
Colored.....	86	1	4	7	13	13	15	9	12	5	2	2	3								
Males.....	22	4	2	5	4	4	1	2								
Females.....	64	1	4	7	9	11	10	5	8	4	2	3								
Diagnosis reasonably certain. (M.....)	11	1	1	2	3	2	2								
Diagnosis reasonably certain. (F.....)	47	1	4	7	7	9	6	5	4	2	1	1								
Baltimore.....	589	7	24	29	38	72	78	71	103	73	38	30	16	9	1								
Males.....	220	2	12	8	15	25	24	32	47	24	15	8	3	4	1								
Females.....	369	5	12	21	23	47	54	39	56	49	23	22	13	5								
Diagnosis reasonably certain. (M.....)	126	2	9	7	9	17	11	20	26	9	9	4	2	1								
Diagnosis reasonably certain. (F.....)	245	3	12	16	21	39	35	28	35	24	13	11	5	3								
White.....	510	6	20	22	26	59	64	64	93	68	37	28	13	9	1								
Males.....	201	2	12	8	11	23	19	29	44	23	14	8	3	4	1								
Females.....	309	4	8	14	15	36	45	35	49	45	23	20	10	5								
Diagnosis reasonably certain. (M.....)	118	2	9	7	8	16	9	18	25	9	8	4	2	1								
Diagnosis reasonably certain. (F.....)	200	2	8	9	14	30	29	24	32	22	13	10	4	3								
Colored.....	79	1	4	7	12	13	14	7	10	5	1	2	3								
Males.....	19	4	2	5	3	3	1	1								
Females.....	60	1	4	7	8	11	9	4	7	4	2	3								
Diagnosis reasonably certain. (M.....)	8	1	1	2	2	1	1								
Diagnosis reasonably certain. (F.....)	45	1	4	7	7	9	6	4	3	2	1	1								
Other cities.....	64	1	1	4	8	5	9	13	8	4	5	5	1								
Males.....	21	1	2	3	4	5	1	4	1								
Females.....	43	1	4	6	5	6	9	3	3	1	4	1								
Diagnosis reasonably certain. (M.....)	12	1	1	1	3	3	2	1								
Diagnosis reasonably certain. (F.....)	26	1	3	8	4	3	7	2	2	1								
White.....	57	1	1	4	7	5	8	11	6	4	4	5	1								
Males.....	18	1	2	3	3	4	1	3	1								
Females.....	39	1	4	5	5	5	8	2	3	1	4	1								
Diagnosis reasonably certain. (M.....)	9	1	1	1	2	2	1	1								
Diagnosis reasonably certain. (F.....)	24	1	3	3	4	3	6	1	2	1								
Colored.....	7	1	1	2	2	1								
Males.....	3	1	1	1	1								
Females.....	4	1	1	1	1								
Diagnosis reasonably certain. (M.....)	3	1	1	1	1								
Diagnosis reasonably certain. (F.....)	2	1	1								
MASSACHUSETTS.																								
Registration cities.....	2,781	45	79	103	171	255	321	354	394	367	316	209	110	43	14								
Males.....	1,006	25	26	20	54	72	106	137	152	143	136	75	42	12	6								
Females.....	1,775	20	53	83	117	183	215	217	242	224	180	134	68	31	8								
Diagnosis reasonably certain. (M.....)	535	19	18	14	34	45	80	82	79	63	70	22	19	4	6								
Diagnosis reasonably certain. (F.....)	1,144	16	45	60	91	145	160	142	150	120	106	57	26	20	6								
White.....	2,749	45	78	99	170	250	318	349	390	363	314	209	109	41	14								
Males.....	994	25	26	19	53	69	105	136	151	140	136	75	42	11	6								
Females.....	1,755	20	52	80	117	181	213	213	239	223	178	134	67	30	8								
Diagnosis reasonably certain. (M.....)	531	19	18	14	34	43	80	81	79	62	70	22	19	4	6								
Diagnosis reasonably certain. (F.....)	1,128	16	44	57	91	144	159	138	147	119	105	57	26	19	6								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.			
REGISTRATION CITIES—Contd.																		
MASSACHUSETTS—continued.																		
Registration cities—Continued.																		
Colored.....	32	1	4	1	5	3	5	4	4	2	1	2		
Males.....	12	1	1	3	1	1	1	3	1		
Females.....	20	1	3	2	2	4	3	1	2	1		
Diagnosis reasonably certain.....	4		
M.....	16	1	3	1	1	4	3	1	1	1		
F.....	16		
Boston.....	871	16	28	31	54	84	113	122	128	104	90	60	24	9	8		
Males.....	347	9	13	6	19	27	42	55	56	36	42	28	9	1	4		
Females.....	524	7	15	25	35	57	71	67	72	68	48	32	15	8	4		
Diagnosis reasonably certain.....	196	5	9	4	15	19	28	32	31	15	21	10	3		
M.....	377	6	15	18	28	49	61	46	53	40	33	13	7	5	3		
F.....	377		
White.....	854	16	27	28	54	79	111	120	127	103	90	60	24	7	8		
Males.....	340	9	13	6	19	24	41	54	56	35	42	28	9		
Females.....	514	7	14	22	35	55	70	65	71	68	48	32	15	7	4		
Diagnosis reasonably certain.....	193	5	9	4	15	17	28	31	31	15	21	10	3		
M.....	368	6	14	15	28	48	60	45	52	40	33	13	7	4	3		
F.....	368		
Colored.....	17	1	3	5	2	2	1	1	2		
Males.....	7	3	1	1	1	1		
Females.....	10	1	3	2	1	1	1	1		
Diagnosis reasonably certain.....	3		
M.....	9	1	3	1	1	1	1		
F.....	9		
Brockton.....	55	2	2	1	1	2	5	4	10	8	8	4	5	3		
Males.....	15	1	1	1	2	1	3	2	1	2	1		
Females.....	40	1	1	1	1	1	3	3	7	6	7	4	3	2		
Diagnosis reasonably certain.....	9	1	1	1	2	1	1	1	1		
M.....	19	1	1	1	1	2	1	1	2	6	1	2		
F.....	19		
Cambridge.....	111	1	7	9	16	8	16	18	11	5	8	3		
Males.....	39	1	2	5	1	7	5	5	6	3	3	1		
Females.....	72	5	4	8	9	3	11	12	8	5	5	2		
Diagnosis reasonably certain.....	27	1	4	1	5	2	4	4	3	1	1		
M.....	46	4	4	7	7	2	8	6	6	2	1	1		
F.....	46		
Fall River.....	70	1	6	2	3	8	11	11	5	11	5	4	2	1		
Males.....	19	1	1	3	1	4	1	4	3	1		
Females.....	51	5	2	3	5	10	7	4	7	2	4	1	1		
Diagnosis reasonably certain.....	11	1	1	2	1	3	1	2		
M.....	36	3	2	3	3	7	5	4	3	2	2	1	1		
F.....	36		
Lawrence.....	60	2	6	3	8	7	6	10	7	8	3		
Males.....	17	1	1	2	2	2	3	4	2		
Females.....	43	2	6	2	7	5	4	8	4	4	1		
Diagnosis reasonably certain.....	7	1	1	2	1	2		
M.....	24	2	2	1	6	4	2	6	1		
F.....	24		
Lowell.....	98	2	4	5	7	6	17	8	18	10	10	6	5		
Males.....	34	1	1	2	2	7	2	9	7	2	1		
Females.....	64	1	3	5	5	4	10	6	9	3	8	5	5		
Diagnosis reasonably certain.....	11	1	1	1	2	3	3		
M.....	34	1	3	3	2	3	4	3	4	6	1	4		
F.....	34		
Lynn.....	91	2	1	3	7	7	11	9	16	12	14	8	1		
Males.....	28	2	1	2	3	2	3	5	2	4	4		
Females.....	63	3	5	4	9	6	11	10	10	4	1		
Diagnosis reasonably certain.....	13	1	1	1	2	1	3	1	1	2		
M.....	40	1	5	4	7	6	3	4	7	3		
F.....	40		
New Bedford.....	98	1	1	4	13	13	9	9	13	11	7	6	4	2		
Males.....	26	1	1	2	2	3	3	7	4	1	1	1		
Females.....	67	4	11	11	6	6	6	7	6	6	3	1		
Diagnosis reasonably certain.....	15	1	1	1	2	1	5	2	1	1	1		
M.....	40	3	8	9	2	2	2	5	4	2	2	1		
F.....	40		
Somerville.....	71	1	5	1	3	4	7	9	9	14	10	6	2		
Males.....	21	2	1	1	1	1	2	3	5	3	1	1		
Females.....	50	1	3	2	3	6	7	6	9	7	5	1		
Diagnosis reasonably certain.....	8	2	1	1	1	1	2		
M.....	27	1	2	2	2	5	6	2	3	2	2		
F.....	27		
Springfield.....	92	3	6	6	10	13	16	9	15	7	7		
Males.....	39	3	4	5	6	5	5	6	3	2		
Females.....	53	3	3	2	5	7	11	4	9	4	5		
Diagnosis reasonably certain.....	24	3	3	2	4	3	1	5	2	1		
M.....	24		
F.....	24		

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
MASSACHUSETTS—continued.																						
Worcester.....	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1						
Males.....	59	3	3	2	6	2	4	9	6	6	13	3	3	1	1						
Females.....	117	3	3	6	8	11	15	15	18	13	8	15	1	1	1						
Diagnosis reasonably certain..	30	3	1	2	3	7	2	6	4	1	8	1	1	1	1						
F.....	76	3	2	5	7	7	10	10	12	6	4	8	1	1	1						
Other cities.....	993	18	27	28	53	96	99	133	129	149	113	78	45	20	5						
Males.....	362	10	4	8	13	25	30	46	51	65	52	31	20	6	1						
Females.....	631	8	23	20	40	71	69	87	78	84	61	47	25	14	4						
Diagnosis reasonably certain..	184	9	3	5	6	14	15	26	26	32	26	7	12	2	1						
F.....	401	5	18	16	31	52	51	57	53	47	30	21	8	9	3						
MICHIGAN.																						
Registration cities.....	997	15	39	47	69	102	131	129	132	131	109	54	25	8	6						
Males.....	413	10	15	15	23	29	51	53	65	61	50	22	11	4	4						
Females.....	584	5	24	32	46	73	80	76	67	70	59	32	14	4	2						
Diagnosis reasonably certain..	211	7	10	12	13	18	29	27	30	24	22	7	8	2	2						
F.....	366	4	19	22	36	48	55	49	42	35	34	11	7	3	1						
White.....	988	14	38	45	68	100	130	129	132	130	109	54	25	8	6						
Males.....	411	9	15	15	23	29	51	53	65	60	50	22	11	4	4						
Females.....	577	5	23	30	45	71	79	76	67	70	59	32	14	4	2						
Diagnosis reasonably certain..	209	6	10	12	13	18	29	27	30	23	22	7	8	2	2						
F.....	364	4	18	22	36	47	55	49	42	35	34	11	7	3	1						
Colored.....	9	1	1	2	1	2	1	1						
Males.....	2	1	1						
Females.....	7	1	2	1	1	1						
Diagnosis reasonably certain..	2	1	1	1						
F.....	2	1						
Detroit.....	424	11	23	25	36	44	58	60	56	52	33	14	8	3	1						
Males.....	178	8	9	8	12	11	20	27	31	25	16	6	3	1	1						
Females.....	246	3	14	17	24	33	38	33	25	27	17	8	5	2	1						
Diagnosis reasonably certain..	91	6	5	7	5	8	11	14	12	9	9	2	2	2	1						
F.....	148	2	11	12	18	24	24	17	14	12	9	2	1	2	1						
Grand Rapids.....	120	3	2	5	4	13	22	14	14	15	13	11	2	1	1						
Males.....	43	1	1	2	5	8	4	2	8	6	3	1						
Females.....	77	2	4	2	8	14	10	12	7	7	8	2	1						
Diagnosis reasonably certain..	19	1	1	3	4	5	3	1	1	1						
F.....	46	2	3	1	4	11	7	7	2	4	3	1	1						
Saginaw.....	50	5	2	3	8	10	8	6	4	4						
Males.....	27	1	2	1	7	4	4	4	2	2						
Females.....	23	4	2	1	6	4	2	2	2						
Diagnosis reasonably certain..	14	1	1	3	3	3	2	1						
F.....	17	3	2	1	6	3	1	1	1						
Other cities.....	403	1	9	17	27	42	43	45	54	58	59	25	15	4	4						
Males.....	165	1	3	6	7	12	16	18	28	24	26	11	8	2	3						
Females.....	238	6	11	20	30	27	27	26	34	33	14	7	2	1						
Diagnosis reasonably certain..	87	1	3	5	6	7	11	10	15	8	9	4	6	1	1						
F.....	155	5	7	17	18	19	19	18	21	20	5	5	1						
MINNESOTA.																						
Registration cities.....	605	14	22	25	36	53	88	73	100	69	58	41	20	4	2						
Males.....	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2						
Females.....	343	5	14	17	29	32	55	38	51	34	39	18	9	2						
Diagnosis reasonably certain..	160	4	8	7	4	13	20	18	31	19	8	10	6	1	1						
F.....	232	4	12	14	25	27	43	26	33	25	14	5	3	1						
White.....	604	14	22	25	36	53	88	73	99	69	58	41	20	4	2						
Males.....	262	9	8	8	7	21	33	35	49	35	19	23	11	2	2						
Females.....	342	5	14	17	29	32	55	38	50	34	39	18	9	2						
Diagnosis reasonably certain..	150	4	8	7	4	13	20	18	31	19	8	10	6	1	1						
F.....	232	4	12	14	25	27	43	26	33	25	14	5	3	1						
Colored.....	1	1						
Males.....						
Females.....	1	1						
Diagnosis reasonably certain..						
F.....						
Duluth.....	68	3	5	5	6	12	7	12	7	7	3	1						
Males.....	31	2	2	2	7	5	5	4	2	1	1						
Females.....	37	3	3	3	4	5	2	7	3	5	2						
Diagnosis reasonably certain..	18	2	1	1	5	2	3	2	1	1						
F.....	24	3	2	2	2	3	2	5	1	3	1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.			
REGISTRATION CITIES—Contd.																		
MINNESOTA—continued.																		
Minneapolis.....	313	8	13	12	18	22	40	39	56	36	33	22	10	3	1		
Males.....	138	5	5	4	1	11	15	19	27	19	11	13	6	1	1		
Females.....	175	3	8	8	17	11	25	20	29	17	22	9	4	2		
Diagnosis reasonably certain.....	76	3	5	4	1	7	6	9	16	9	5	7	4	1		
Diagnosis reasonably certain.....	121	2	6	6	17	10	22	16	17	13	7	3	1	1		
St. Paul.....	166	3	5	6	9	18	29	21	26	19	14	11	4	1		
Males.....	69	3	2	1	3	6	8	9	13	10	3	7	3	1		
Females.....	97	3	5	6	12	21	12	13	9	11	4	1		
Diagnosis reasonably certain.....	46	1	2	1	2	4	8	5	9	7	3	1	2	1		
Diagnosis reasonably certain.....	63	3	5	4	10	15	5	10	6	4	1		
Other cities.....	58	3	1	2	4	7	7	6	6	7	4	5	6		
Males.....	24	1	1	1	1	2	3	2	4	2	3	2	2		
Females.....	34	2	1	3	5	4	4	2	5	1	3	4		
Diagnosis reasonably certain.....	10	1	1	1	2	3	1	1		
Diagnosis reasonably certain.....	24	2	1	2	5	3	3	1	5	2		
MISSOURI.																		
Registration cities.....	1,171	20	50	51	94	118	161	164	152	145	95	66	41	9	3	2		
Males.....	489	11	16	16	25	42	66	76	70	77	34	29	20	5	2		
Females.....	682	9	34	35	69	76	95	88	82	68	61	37	21	4	1	2		
Diagnosis reasonably certain.....	295	10	12	11	13	33	40	47	42	39	16	17	11	2	2		
Diagnosis reasonably certain.....	491	7	26	30	59	65	79	62	55	49	24	19	12	1	1	2		
White.....	1,121	17	42	45	92	111	155	159	144	144	92	65	41	9	3	2		
Males.....	472	9	14	15	25	39	64	74	66	77	33	29	20	5	2		
Females.....	649	8	28	30	67	72	91	85	78	67	59	36	21	4	1	2		
Diagnosis reasonably certain.....	286	8	11	10	13	33	40	46	39	39	15	17	11	2	2		
Diagnosis reasonably certain.....	467	7	21	26	57	61	76	61	53	48	23	18	12	1	1	2		
Colored.....	50	3	8	6	2	7	6	5	8	1	3	1		
Males.....	17	2	2	1	3	2	2	4	1		
Females.....	33	1	6	5	2	4	4	3	4	1	2	1		
Diagnosis reasonably certain.....	9	2	1	1	1	3	1		
Diagnosis reasonably certain.....	24	5	4	2	4	3	1	2	1	1		
Kansas City.....	254	4	8	14	12	32	37	31	37	35	24	13	5	1	1		
Males.....	110	1	4	6	5	14	14	13	17	18	8	6	2	1	1		
Females.....	144	3	4	8	7	18	23	18	20	17	16	7	3		
Diagnosis reasonably certain.....	78	1	3	4	3	10	11	10	13	9	6	4	2	1	1		
Diagnosis reasonably certain.....	115	2	4	8	6	14	21	15	17	15	6	5	2		
White.....	240	3	6	14	10	27	37	29	35	35	24	13	5	1	1		
Males.....	105	1	3	6	5	11	14	13	16	18	8	6	2	1	1		
Females.....	135	2	3	8	5	16	23	16	19	17	16	7	3		
Diagnosis reasonably certain.....	77	1	3	4	3	10	11	10	12	9	6	4	2	1	1		
Diagnosis reasonably certain.....	109	2	3	8	4	12	21	15	16	15	6	5	2		
Colored.....	14	1	2	2	5	2	2		
Males.....	5	1	3	1		
Females.....	9	1	1	2	2	2	1		
Diagnosis reasonably certain.....	1	1		
Diagnosis reasonably certain.....	6	1	2	2	1		
St. Joseph.....	97	2	3	5	11	10	9	15	11	12	12	3	3	1		
Males.....	37	2	2	1	3	2	3	6	4	9	2	1	2		
Females.....	60	1	4	8	8	6	9	7	3	10	2	1	1		
Diagnosis reasonably certain.....	21	2	1	2	1	2	3	2	6	1	1		
Diagnosis reasonably certain.....	45	3	8	7	5	8	4	2	6	1	1		
St. Louis.....	701	11	35	28	56	69	97	106	90	81	51	43	24	7	2	1		
Males.....	302	6	8	8	13	26	42	57	43	41	21	20	13	3	1		
Females.....	399	5	27	20	43	43	55	49	47	40	30	23	11	4	1	1		
Diagnosis reasonably certain.....	179	6	6	7	8	22	24	34	24	20	7	13	6	1	1		
Diagnosis reasonably certain.....	274	4	21	16	36	37	43	31	31	26	10	11	5	1	1	1		
White.....	671	9	30	23	56	67	92	104	85	80	49	42	24	7	2	1		
Males.....	291	4	7	7	13	26	40	55	41	41	20	20	13	3	1		
Females.....	380	5	23	16	43	41	52	49	44	39	29	22	11	4	1	1		
Diagnosis reasonably certain.....	171	4	5	6	8	22	24	33	22	20	6	13	6	1	1		
Diagnosis reasonably certain.....	261	4	18	13	36	35	41	31	30	25	10	10	5	1	1	1		
Colored.....	30	2	5	5	2	5	2	5	1	2	1		
Males.....	11	2	1	1	2	2	2	1		
Females.....	19	4	4	2	3	3	1	1		
Diagnosis reasonably certain.....	8	2	1	1	1	2	1		
Diagnosis reasonably certain.....	13	3	3	2	2	1	1	1		

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
MISSOURI—continued.																								
Other cities.....	119	3	4	4	15	7	18	12	14	17	8	7	9	1								
Males.....	40	2	2	1	4	7	6	9	3	2	3	1								
Females.....	79	1	2	3	11	7	11	12	8	8	5	5	6								
Diagnosis reasonably certain.....	17	1	2	3	3	4	2	2								
Males.....	57	1	1	3	9	7	10	8	3	6	2	2	5								
Females.....								
MONTANA.																								
Registration cities.....	82	4	2	5	7	10	11	12	10	7	7	3	2	2								
Males.....	39	2	1	2	1	3	3	8	5	5	4	3	1	1								
Females.....	43	2	1	3	6	7	8	4	5	2	3	1	1								
Diagnosis reasonably certain.....	22	2	1	2	3	5	1	3	1	2	1	1								
Males.....	26	1	1	3	3	7	7	1	1	1	1								
Females.....								
White.....	81	4	2	5	7	10	10	12	10	7	7	3	2	2								
Males.....	39	2	1	2	1	3	3	8	5	5	4	3	1	1								
Females.....	42	2	1	3	6	7	7	4	5	2	3	1	1								
Diagnosis reasonably certain.....	22	2	1	2	3	5	1	3	1	2	1	1								
Males.....	25	1	1	3	3	7	6	1	1	1	1								
Females.....								
Colored.....	1	1								
Males.....								
Females.....	1	1								
Diagnosis reasonably certain.....	1	1								
Males.....								
Females.....								
Diagnosis reasonably certain.....								
NEBRASKA.¹																								
Registration cities.....	187	4	5	13	14	16	25	27	29	20	17	13	1	2	1								
Males.....	81	2	3	3	5	4	10	12	11	9	11	9	1	1								
Females.....	106	2	2	10	9	12	15	15	18	11	6	4	1	1								
Diagnosis reasonably certain.....	51	2	2	1	5	2	5	10	6	9	4	3	1	1								
Males.....	75	2	2	9	9	11	11	13	7	5	2	3	1								
Females.....								
White.....	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1								
Males.....	80	2	3	3	5	4	9	12	11	9	11	9	1	1								
Females.....	105	1	2	10	9	12	15	15	18	11	6	4	1	1								
Diagnosis reasonably certain.....	51	2	2	1	5	2	5	10	6	9	4	3	1	1								
Males.....	74	1	2	9	9	11	11	13	7	5	2	3	1								
Females.....								
Colored.....	2	1	1								
Males.....	1	1								
Females.....	1	1								
Diagnosis reasonably certain.....	1	1								
Males.....								
Females.....								
Diagnosis reasonably certain.....								
Omaha.....	140	4	4	8	11	15	22	19	21	12	10	12	1	1								
Males.....	62	2	2	2	4	4	9	8	8	7	6	8	1	1								
Females.....	78	2	2	6	7	11	13	11	13	5	4	4								
Diagnosis reasonably certain.....	38	2	1	1	4	2	5	6	4	7	2	2	1	1								
Males.....	60	2	2	6	7	10	11	10	5	2	2	3								
Females.....								
Lincoln ²	47	1	5	3	1	3	8	8	8	7	1	1	1								
Males.....	19	1	1	1	1	4	3	2	5	1								
Females.....	28	4	2	1	2	4	5	6	2	1	1								
Diagnosis reasonably certain.....	13	1	1	4	2	2	2	1								
Males.....	15	3	2	1	3	2	3	1								
Females.....								
NEW HAMPSHIRE.																								
Registration cities.....	173	2	2	5	10	18	24	17	20	23	19	22	6	3	1	1								
Males.....	54	1	5	5	5	10	8	5	7	5	2	1								
Females.....	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1								
Diagnosis reasonably certain.....	27	1	3	3	7	3	5	2	2	1								
Males.....	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1								
Females.....								
White.....	172	2	2	5	10	18	24	17	20	23	19	22	6	3	1								
Males.....	53	1	5	5	5	10	8	5	7	5	2								
Females.....	119	2	2	4	5	13	19	7	12	18	12	17	4	3	1								
Diagnosis reasonably certain.....	26	1	3	3	7	3	5	2	2								
Males.....	82	2	2	4	4	10	14	6	8	12	8	6	3	2	1								
Females.....								
Colored.....	1	1								
Males.....	1	1								
Females.....								
Diagnosis reasonably certain.....	1	1								

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.			
REGISTRATION CITIES—Contd.																		
NEW HAMPSHIRE—continued.																		
Manchester.....	56	1	2	2	11	11	7	4	5	5	8		
Males.....	13	3	3	3	1	1	2		
Females.....	43	1	2	2	8	8	4	3	5	4	6		
Diagnosis reasonably certain. (M.....)	7	1	3	1	1	1	1		
Diagnosis reasonably certain. (F.....)	30	1	2	2	6	5	3	3	4	2	2		
Other cities.....	117	1	5	8	7	13	10	16	18	14	14	6	3	1	1		
Males.....	41	1	5	2	7	7	5	6	3	2	1		
Females.....	76	1	4	3	5	11	3	9	13	8	11	4	3	1		
Diagnosis reasonably certain. (M.....)	20	1	2	6	2	5	2	1	1		
Diagnosis reasonably certain. (F.....)	52	1	4	2	4	9	3	5	8	6	4	3	2	1		
NEW JERSEY.																		
Registration cities.....	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6		
Males.....	545	15	11	16	31	41	67	82	82	84	57	30	20	5	4		
Females.....	881	11	29	48	77	108	125	109	121	95	84	41	23	8	2		
Diagnosis reasonably certain. (M.....)	243	9	5	10	14	23	32	39	35	30	24	11	8	2	1		
Diagnosis reasonably certain. (F.....)	529	5	24	36	55	83	82	66	55	48	40	20	9	5	1		
White.....	1,384	26	37	60	106	139	185	186	199	173	140	71	43	13	6		
Males.....	537	15	11	16	30	40	65	80	82	82	57	30	20	5	4		
Females.....	847	11	26	44	76	99	120	106	117	91	83	41	23	8	2		
Diagnosis reasonably certain. (M.....)	241	9	5	10	14	22	32	38	35	30	24	11	8	2	1		
Diagnosis reasonably certain. (F.....)	502	5	21	32	54	75	78	63	53	46	40	20	9	5	1		
Colored.....	42	3	4	2	10	7	5	4	6	1		
Males.....	8	1	1	2	2	2		
Females.....	34	3	4	1	9	5	3	4	4	1		
Diagnosis reasonably certain. (M.....)	2	1	1		
Diagnosis reasonably certain. (F.....)	27	3	4	1	8	4	3	2	2		
Camden.....	74	2	2	6	8	6	8	13	17	1	6	2	2	1		
Males.....	27	2	1	4	1	3	5	4	1	3	1	1	1		
Females.....	47	2	5	4	5	5	8	13	3	1	1		
Diagnosis reasonably certain. (M.....)	17	2	2	2	3	3	1	2	1	1		
Diagnosis reasonably certain. (F.....)	30	2	4	3	4	4	3	8	1	1		
Elizabeth.....	76	4	1	3	2	8	13	13	10	7	8	4	2	1		
Males.....	36	1	1	5	5	7	6	4	4	3		
Females.....	40	3	1	3	1	3	8	6	4	3	4	1	2	1		
Diagnosis reasonably certain. (M.....)	12	1	2	1	3	2	1	1		
Diagnosis reasonably certain. (F.....)	19	2	1	1	1	3	3	3	1	1	2	1		
Jersey City.....	217	3	11	10	15	19	24	29	40	24	21	10	9	2		
Males.....	82	2	2	3	4	4	6	12	20	16	5	2	5	1		
Females.....	135	1	9	7	11	15	18	17	20	8	16	8	4	1		
Diagnosis reasonably certain. (M.....)	37	2	3	1	3	4	5	9	4	2	4		
Diagnosis reasonably certain. (F.....)	72	1	7	6	4	10	8	9	9	3	8	5	1	1		
Newark.....	340	9	11	13	26	32	52	44	46	46	35	17	6	1	2		
Males.....	132	4	3	5	5	13	22	19	14	21	15	6	3	2		
Females.....	208	5	8	8	21	19	30	25	32	25	20	11	3	1		
Diagnosis reasonably certain. (M.....)	54	1	1	4	1	6	9	8	6	10	6	1	1		
Diagnosis reasonably certain. (F.....)	129	1	7	7	17	14	22	17	12	13	12	6	1		
Paterson.....	124	1	2	4	7	16	21	19	18	16	9	7	4		
Males.....	50	1	1	2	2	20	9	7	8	3	3	2		
Females.....	74	1	2	5	14	11	10	11	8	6	4	2		
Diagnosis reasonably certain. (M.....)	18	1	2	1	1	5	4	1	1	1	1		
Diagnosis reasonably certain. (F.....)	45	1	2	3	11	8	6	6	3	3	2		
Trenton.....	98	2	4	4	10	9	14	20	10	12	5	3	1	4		
Males.....	42	1	1	3	4	7	8	5	5	4	2	2		
Females.....	56	1	3	4	7	5	7	12	5	7	1	1	1	2		
Diagnosis reasonably certain. (M.....)	26	1	1	2	4	4	5	3	2	2	1	1		
Diagnosis reasonably certain. (F.....)	34	2	3	4	5	5	5	3	3	1	1	2		
Other cities.....	497	5	11	28	42	57	62	58	66	57	62	24	19	4	2		
Males.....	176	4	4	6	15	9	16	24	25	26	25	11	9	1	1		
Females.....	321	1	7	22	27	48	46	34	41	31	37	13	10	3	1		
Diagnosis reasonably certain. (M.....)	79	2	2	1	9	5	9	12	12	8	12	5	2		
Diagnosis reasonably certain. (F.....)	200	1	6	15	22	37	32	22	22	18	16	4	4	1		
NEW YORK.																		
Registration cities.....	6,621	141	252	332	498	738	884	938	859	790	601	346	174	55	13		
Males.....	2,685	82	99	90	151	250	371	415	379	348	264	150	62	20	4		
Females.....	3,936	59	153	242	347	488	513	523	480	442	337	196	112	35	9		
Diagnosis reasonably certain. (M.....)	1,425	59	66	56	103	143	220	210	193	164	104	71	21	11	4		
Diagnosis reasonably certain. (F.....)	2,499	41	130	202	268	354	346	320	256	227	171	82	63	22	7		

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
NEW YORK—continued.																						
Registration cities—Continued.																						
White.....	6,528	139	241	317	491	720	870	920	852	781	599	340	172	55	13						
Males.....	2,683	82	97	89	150	246	369	409	377	346	264	148	62	20	4						
Females.....	3,865	57	144	228	341	483	501	520	475	435	335	192	110	35	9						
Diagnosis reasonably certain. (M.....)	1,417	59	65	55	103	142	220	207	193	162	104	71	21	11	4						
Diagnosis reasonably certain. (F.....)	2,435	40	122	190	262	350	336	317	254	224	160	80	62	22	7						
Colored.....	93	2	11	15	7	9	14	9	7	9	2	6	2						
Males.....	22	2	1	1	4	2	6	2	2	2						
Females.....	71	2	9	14	6	5	12	3	5	7	2	4	2						
Diagnosis reasonably certain. (M.....)	8	1	1	1	3	2						
Diagnosis reasonably certain. (F.....)	54	1	8	12	6	4	10	3	2	3	2	2	1						
Albany.....	151	2	1	4	7	12	18	31	18	23	17	11	6	1						
Males.....	48	2	3	8	7	5	8	10	8	1	1						
Females.....	103	1	4	7	9	15	24	13	15	7	3	5						
Diagnosis reasonably certain. (M.....)	23	1	1	2	3	1	6	4	3	1	1						
Diagnosis reasonably certain. (F.....)	64	1	2	4	6	13	13	7	10	4	2	2						
Buffalo.....	435	10	18	21	36	48	61	66	50	42	35	20	14	5						
Males.....	192	7	6	9	10	16	28	28	26	23	19	11	6	3						
Females.....	243	3	12	12	26	32	33	38	24	19	16	18	8	2						
Diagnosis reasonably certain. (M.....)	94	6	3	4	7	7	19	11	7	11	12	4	2	1						
Diagnosis reasonably certain. (F.....)	153	3	8	9	20	24	21	20	11	11	8	12	4	2						
New York.....	4,452	106	187	230	350	530	607	636	584	508	379	207	93	20	6						
Males.....	1,908	61	78	66	118	194	270	309	282	226	169	86	37	11	1						
Females.....	2,544	45	109	164	232	336	337	327	302	282	210	121	56	18	5						
Diagnosis reasonably certain. (M.....)	1,004	42	54	48	82	110	152	162	150	99	58	36	11	4	1						
Diagnosis reasonably certain. (F.....)	1,538	30	93	139	173	224	226	191	145	144	99	41	28	11	4						
White.....	4,369	104	177	217	343	522	595	627	578	501	377	202	91	20	6						
Males.....	1,889	61	76	65	117	191	269	303	280	224	169	85	37	11	1						
Females.....	2,480	43	101	152	226	331	326	324	298	277	208	117	54	18	5						
Diagnosis reasonably certain. (M.....)	996	42	53	42	82	109	152	159	150	97	58	36	11	4	1						
Diagnosis reasonably certain. (F.....)	1,508	29	86	129	167	230	216	188	143	142	97	39	27	11	4						
Colored.....	83	2	10	13	7	8	12	9	6	7	2	5	2						
Males.....	19	2	1	1	3	1	6	2	2	1						
Females.....	64	2	8	12	6	5	11	3	4	5	2	4	2						
Diagnosis reasonably certain. (M.....)	8	1	1	1	3	2						
Diagnosis reasonably certain. (F.....)	50	1	7	10	6	4	10	3	2	2	2	2	1						
Bronx Borough.....	516	11	34	20	37	58	66	85	78	50	48	15	10	4						
Males.....	209	6	14	5	11	20	32	34	39	17	19	7	5						
Females.....	307	5	20	15	26	38	34	51	39	33	29	8	5	4						
Diagnosis reasonably certain. (M.....)	110	2	11	2	9	12	20	15	19	9	6	4	1						
Diagnosis reasonably certain. (F.....)	193	4	17	12	21	26	24	29	16	21	15	2	3	3						
White.....	511	11	34	20	36	58	66	84	77	49	48	15	10	4						
Males.....	207	6	14	5	11	20	31	33	39	17	19	7	5						
Females.....	304	5	20	15	25	38	34	51	38	32	29	8	5	4						
Diagnosis reasonably certain. (M.....)	110	2	11	2	9	12	20	15	19	9	6	4	1						
Diagnosis reasonably certain. (F.....)	190	4	17	12	20	26	24	29	15	20	15	2	3	3						
Colored.....	5	1	1	1	1	1						
Males.....	2	1	1						
Females.....	3	1	1	1						
Diagnosis reasonably certain. (M.....)						
Diagnosis reasonably certain. (F.....)	3	1	1	1						
Brooklyn Borough.....	1,439	31	52	74	107	155	186	214	186	161	140	83	40	8	2						
Males.....	583	16	18	17	35	57	71	101	87	72	63	29	13	3	1						
Females.....	856	15	34	57	72	98	115	113	99	89	77	54	27	5	1						
Diagnosis reasonably certain. (M.....)	304	15	12	12	23	32	42	54	40	31	25	12	4	1	1						
Diagnosis reasonably certain. (F.....)	530	9	28	50	54	77	80	62	56	40	37	20	14	2	1						
White.....	1,410	30	49	73	103	153	179	211	182	160	140	81	39	8	2						
Males.....	578	16	18	17	35	56	71	99	85	72	63	29	13	3	1						
Females.....	832	14	31	56	68	97	108	112	97	88	77	52	26	5	1						
Diagnosis reasonably certain. (M.....)	302	15	12	12	23	32	42	52	40	31	25	12	4	1	1						
Diagnosis reasonably certain. (F.....)	514	9	26	49	50	77	74	61	55	40	37	19	14	2	1						
Colored.....	20	1	3	1	4	2	7	3	4	1	2	1						
Males.....	5	1	2	2						
Females.....	24	1	3	1	4	1	7	1	2	1	2	1						
Diagnosis reasonably certain. (M.....)	2	2						
Diagnosis reasonably certain. (F.....)	16	2	1	4	6	1	1	1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
NEW YORK—continued.																								
Manhattan Borough.....	2,124	55	94	117	183	261	307	294	262	258	154	86	36	13	4								
Males.....	955	33	42	37	68	102	151	152	124	117	68	41	15	5								
Females.....	1,169	22	52	80	115	159	156	142	138	141	86	45	21	8	4								
Diagnosis reasonably certain. {M.....	506	20	27	22	46	56	84	83	69	52	23	18	5	1								
{F.....	722	15	46	66	86	105	106	88	59	76	40	15	11	6	3								
White.....	2,079	54	87	106	181	256	303	289	261	253	152	85	35	13	4								
Males.....	944	33	40	36	67	100	151	149	124	115	68	41	15	5								
Females.....	1,135	21	47	70	114	156	152	140	137	138	84	44	20	8	4								
Diagnosis reasonably certain. {M.....	500	20	26	21	46	55	84	82	69	50	23	18	5	1								
{F.....	693	14	41	57	85	102	102	86	59	75	38	15	10	6	3								
Colored.....	45	1	7	11	2	5	4	5	1	5	2	1	1								
Males.....	11	2	1	1	2	3	2								
Females.....	34	1	5	10	1	3	4	2	1	3	2	1	1								
Diagnosis reasonably certain. {M.....	6	1	1	1	1	2								
{F.....	29	1	5	9	1	3	4	2	1	2	1								
Queens Borough.....	277	7	5	15	19	44	37	32	43	25	29	13	6	2								
Males.....	115	4	4	6	3	12	14	14	21	12	14	7	3	1								
Females.....	162	3	1	9	16	32	23	18	22	13	15	6	3	1								
Diagnosis reasonably certain. {M.....	60	3	4	6	3	7	4	8	16	2	3	2	1	1								
{F.....	89	2	9	10	22	12	10	11	6	5	2								
White.....	276	7	5	15	19	44	37	32	43	25	29	12	6	2								
Males.....	115	4	4	6	3	12	14	14	21	12	14	7	3	1								
Females.....	161	3	1	9	16	32	23	18	22	13	15	5	3	1								
Diagnosis reasonably certain. {M.....	60	3	4	6	3	7	4	8	16	2	3	2	1	1								
{F.....	88	2	9	10	22	12	10	11	6	5	1								
Colored.....	1	1								
Males.....								
Females.....	1	1								
Diagnosis reasonably certain. {M.....								
{F.....	1	1								
Richmond Borough.....	96	2	2	4	4	12	11	11	15	14	8	10	1	2								
Males.....	46	2	1	1	3	2	8	11	8	5	2	1	2								
Females.....	50	2	3	3	9	9	3	4	6	3	8								
Diagnosis reasonably certain. {M.....	24	2	1	1	3	2	2	6	5	1	1								
{F.....	24	2	2	2	4	4	2	3	1	2	2								
White.....	93	2	2	3	4	11	11	11	15	14	8	9	1	2								
Males.....	45	2	1	1	3	2	8	11	8	5	1	1	2								
Females.....	48	2	2	3	8	9	3	4	6	3	8								
Diagnosis reasonably certain. {M.....	24	2	1	1	3	2	2	6	5	1	1								
{F.....	23	2	2	2	3	4	2	3	1	2	2								
Colored.....	3	1	1	1								
Males.....	1								
Females.....	2	1	1	1								
Diagnosis reasonably certain. {M.....								
{F.....	1	1								
Rochester.....	261	7	5	8	15	34	31	29	33	40	32	15	7	3	2								
Males.....	95	5	2	3	4	8	11	5	12	25	13	5	2								
Females.....	166	2	3	5	11	26	20	24	21	15	19	10	5	3	2								
Diagnosis reasonably certain. {M.....	70	4	2	3	3	5	8	4	10	16	9	5	1								
{F.....	118	1	3	4	10	21	16	18	16	6	12	5	3	2	1								
Syracuse.....	126	1	2	9	6	9	20	14	19	21	12	9	3	1								
Males.....	38	1	2	1	4	5	7	4	8	4	2								
Females.....	88	8	6	5	15	7	15	13	8	7	3	1								
Diagnosis reasonably certain. {M.....	20	1	1	1	3	2	4	1	4	3								
{F.....	64	8	6	5	10	4	12	5	5	5	3	1								
Troy.....	136	5	7	8	13	20	17	19	20	15	4	7	1								
Males.....	52	1	1	1	6	8	9	4	10	8	2	2								
Females.....	84	4	6	7	7	12	8	15	10	7	2	5	1								
Diagnosis reasonably certain. {M.....	25	1	3	7	8	2	1	6	2	1	1								
{F.....	59	4	5	5	7	7	7	10	6	6	2								
Utica.....	82	2	4	4	4	5	12	14	12	9	5	3	5	3								
Males.....	25	1	2	1	2	3	2	4	5	1	2	1	1								
Females.....	57	1	2	3	3	9	12	8	4	4	1	4	2								
Diagnosis reasonably certain. {M.....	11	1	1	2	1	1	1	1	1	1	1	1								
{F.....	37	1	2	4	3	3	6	6	6	2	3	1								

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
NEW YORK—continued.																						
Yonkers.....	65	1	5	2	7	6	11	9	4	6	6	4	4						
Males.....	29	1	2	3	4	4	1	4	5	2	3						
Females.....	36	1	4	2	5	3	7	5	3	2	1	2	1						
Diagnosis reasonably certain. (M.....)	9	1	2	2	2	1	1						
Diagnosis reasonably certain. (F.....)	20	1	2	1	5	3	2	3	1	1	1						
Other cities.....	913	12	25	47	65	81	104	122	120	121	100	64	35	12	5						
Males.....	298	5	7	10	15	14	39	44	41	39	35	32	10	4	3						
Females.....	615	7	18	37	50	67	65	78	79	82	65	32	25	8	2						
Diagnosis reasonably certain. (M.....)	189	4	5	5	9	10	26	21	22	21	15	20	4	4	3						
Diagnosis reasonably certain. (F.....)	416	5	17	30	42	51	45	58	49	45	34	16	17	5	2						
NORTH CAROLINA.																						
Registration cities.....	124	3	8	8	14	19	17	9	17	16	2	6	3	2						
Males.....	34	1	3	1	2	2	4	2	8	6	3	1	1						
Females.....	90	2	5	7	12	17	13	7	9	10	2	3	2	1						
Diagnosis reasonably certain. (M.....)	18	2	1	1	2	1	3	1	3	1	1						
Diagnosis reasonably certain. (F.....)	69	2	4	7	11	11	10	6	6	7	2	1	1	1						
White.....	76	2	3	2	9	6	7	6	16	13	2	5	3	2						
Males.....	26	1	2	1	1	2	2	7	6	2	1	1						
Females.....	50	1	1	2	8	5	5	4	9	7	2	3	2	1						
Diagnosis reasonably certain. (M.....)	10	1	1	1	1	2	1	2	1	1						
Diagnosis reasonably certain. (F.....)	36	1	1	2	7	2	3	3	6	6	2	1	1	1						
Colored.....	48	1	5	6	5	13	10	3	1	3	1						
Males.....	8	1	1	1	1	2	1	1						
Females.....	40	1	4	5	4	12	8	3	3						
Diagnosis reasonably certain. (M.....)	6	1	1	1	1	1	1	1						
Diagnosis reasonably certain. (F.....)	33	1	3	5	4	9	7	3	1						
OHIO.																						
Registration cities.....	2,104	39	73	102	165	202	275	294	267	258	213	114	68	29	5						
Males.....	789	22	20	26	44	67	105	102	126	110	90	42	22	11	2						
Females.....	1,315	17	53	76	121	135	170	192	141	148	123	72	46	18	3						
Diagnosis reasonably certain. (M.....)	393	13	10	17	24	31	63	56	63	50	33	17	10	6						
Diagnosis reasonably certain. (F.....)	882	13	42	61	98	109	126	136	87	80	66	31	23	9	1						
White.....	2,041	38	70	93	156	190	268	291	260	251	210	113	68	28	5						
Males.....	772	22	20	23	42	65	105	102	123	106	88	41	22	11	2						
Females.....	1,269	16	50	70	114	125	163	189	137	145	122	72	46	17	3						
Diagnosis reasonably certain. (M.....)	389	13	10	17	24	29	63	56	63	49	33	16	10	6						
Diagnosis reasonably certain. (F.....)	849	13	39	57	92	102	119	133	86	79	65	31	23	9	1						
Colored.....	63	1	3	9	9	12	7	3	7	7	3	1	1						
Males.....	17	3	3	2	2	3	3	4	2	1						
Females.....	46	1	3	6	7	10	7	3	4	3	1	1						
Diagnosis reasonably certain. (M.....)	4	2	2	1	1	1						
Diagnosis reasonably certain. (F.....)	33	3	4	6	7	7	3	1	1	1						
Akron.....	62	1	2	1	3	10	10	12	9	5	7	2						
Males.....	20	1	1	4	4	4	4	2						
Females.....	42	1	1	3	6	6	8	5	5	7						
Diagnosis reasonably certain. (M.....)	7	1	1	1	2	1	1	1						
Diagnosis reasonably certain. (F.....)	28	1	3	4	3	6	5	2	4						
Cincinnati.....	419	6	18	21	32	34	52	61	51	55	44	25	13	4	3						
Males.....	153	5	5	6	10	9	24	17	20	26	16	7	5	2	1						
Females.....	266	1	13	15	22	25	28	44	31	29	28	18	8	2	2						
Diagnosis reasonably certain. (M.....)	76	5	2	4	7	2	14	9	11	10	6	3	1	2						
Diagnosis reasonably certain. (F.....)	169	9	13	15	22	22	33	15	15	14	8	2	1						
White.....	400	5	17	18	29	29	50	61	49	53	44	25	13	4	3						
Males.....	150	5	5	5	9	9	24	17	20	25	16	7	5	2	1						
Females.....	250	12	13	20	20	26	44	29	28	28	18	8	2	2						
Diagnosis reasonably certain. (M.....)	76	5	2	4	7	2	14	9	11	10	6	3	1	2						
Diagnosis reasonably certain. (F.....)	159	8	11	14	19	20	33	14	15	14	8	2	1						
Colored.....	19	1	1	3	3	5	2	2	2						
Males.....	3	1	1	1						
Females.....	16	1	1	2	2	5	2	2	1						
Diagnosis reasonably certain. (M.....)	10	1	2	1	3	2	1						
Diagnosis reasonably certain. (F.....)						
Cleveland.....	483	12	19	21	38	63	57	73	60	62	38	17	17	6						
Males.....	214	6	6	8	16	24	28	26	36	28	19	7	8	2						
Females.....	269	6	13	13	22	39	29	47	24	34	19	10	9	4						
Diagnosis reasonably certain. (M.....)	105	4	3	6	10	13	12	13	19	13	6	2	4						
Diagnosis reasonably certain. (F.....)	183	5	10	11	17	32	20	34	17	19	8	4	4	2						

GENERAL TABLES.

69

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
OHIO—continued.																						
Columbus.....	220	1	4	17	22	17	36	30	36	21	20	7	7	2						
Males.....	78	2	3	3	6	15	10	18	9	7	2	1	2						
Females.....	142	1	2	14	19	11	21	20	18	12	13	5	6						
Diagnosis reasonably certain.....	44	1	1	2	2	5	11	6	9	4	3	1						
{M.....	110	1	2	13	16	11	20	14	12	6	10	3	2						
{F.....						
White.....	208	1	4	15	21	14	35	29	35	20	18	7	7	2						
Males.....	74	2	2	3	5	15	10	17	9	6	2	1	2						
Females.....	134	1	2	13	18	9	20	19	18	11	12	5	6						
Diagnosis reasonably certain.....	43	1	1	2	2	4	11	6	9	4	3	1						
{M.....	103	1	2	12	15	9	19	13	12	6	9	3	2						
{F.....						
Colored.....	12	2	1	3	1	1	1	1	2						
Males.....	4	1	1	1	1	1						
Females.....	8	1	1	2	1	1	1	1						
Diagnosis reasonably certain.....	1	1	1	1						
{M.....	7	1	1	2	1	1	1						
{F.....						
Dayton.....	133	5	5	12	9	15	16	16	19	16	9	9	1	1						
Males.....	43	1	1	3	1	3	6	5	8	9	3	2	1						
Females.....	90	4	4	9	8	12	10	11	11	7	6	7	1						
Diagnosis reasonably certain.....	17	1	1	2	5	3	3	1	1						
{M.....	62	4	2	8	8	7	8	6	9	4	4	2						
{F.....						
Toledo.....	184	3	2	7	12	21	33	19	20	23	19	18	7						
Males.....	77	1	4	10	13	8	10	9	9	11	2						
Females.....	107	2	2	7	8	11	20	11	10	14	10	7	5						
Diagnosis reasonably certain.....	40	4	9	4	6	7	3	5	2						
{M.....	67	2	2	6	6	10	14	6	6	5	6	1	3						
{F.....						
Youngstown.....	66	3	2	6	5	4	10	10	4	8	8	2	1	3						
Males.....	24	2	2	2	1	2	3	3	4	3	2						
Females.....	42	1	2	4	3	3	8	7	1	4	5	1						
Diagnosis reasonably certain.....	10	1	1	1	2	1	2						
{M.....	27	1	1	3	3	1	4	4	1	2	3	2	1	1						
{F.....						
Other cities.....	537	13	21	24	41	44	62	73	71	65	61	34	14	13	1						
Males.....	180	7	5	6	6	12	16	28	30	26	27	10	4	3						
Females.....	357	6	16	18	35	32	46	45	41	39	34	24	10	10	1						
Diagnosis reasonably certain.....	94	3	2	4	3	5	11	17	12	13	14	5	3	2						
{M.....	236	4	13	13	30	21	36	31	25	22	17	9	9	6						
{F.....						
OREGON.¹																						
Portland.....	229	10	13	12	14	20	32	28	27	26	19	14	8	5	1						
Males.....	107	5	6	3	4	8	18	10	8	16	13	9	6	1	1						
Females.....	122	5	7	9	10	12	14	18	19	10	6	5	2	4						
Diagnosis reasonably certain.....	63	4	5	2	2	7	12	3	6	6	8	4	3	1						
{M.....	87	3	3	7	10	10	12	17	12	4	1	3	1	3	1						
{F.....						
White.....	222	10	13	11	14	19	30	26	27	26	18	14	8	5	1						
Males.....	101	5	6	2	4	7	17	8	8	16	12	9	6	1						
Females.....	121	5	7	9	10	12	13	18	19	10	6	5	2	4	1						
Diagnosis reasonably certain.....	58	4	5	1	2	6	11	2	6	6	7	4	3	1						
{M.....	86	3	3	7	10	10	11	17	12	4	1	3	1	3	1						
{F.....						
Colored.....	7	1	1	2	1						
Males.....	6	1	1	1	2	1						
Females.....	1	1						
Diagnosis reasonably certain.....	5	1	1	1	1	1						
{M.....	1	1						
{F.....						
PENNSYLVANIA.																						
Registration cities.....	3,245	64	127	167	252	341	412	439	389	377	310	218	89	45	13	2						
Males.....	1,204	33	30	42	70	113	154	162	163	176	140	77	28	13	3						
Females.....	2,041	31	97	125	182	228	258	277	226	201	170	141	61	32	10	2						
Diagnosis reasonably certain.....	610	25	20	25	43	64	76	84	81	80	60	29	15	6	2						
{M.....	1,343	22	79	105	142	160	188	184	144	111	94	61	22	23	7	1						
{F.....						
White.....	3,104	56	123	158	237	308	392	424	383	366	302	213	85	43	12	2						
Males.....	1,158	31	29	39	63	104	149	154	162	174	135	75	27	13	3						
Females.....	1,946	25	94	119	174	204	243	270	221	192	167	138	58	30	9	2						
Diagnosis reasonably certain.....	502	24	20	22	40	60	76	81	81	79	58	29	14	6	2						
{M.....	1,278	17	77	101	136	143	177	179	141	105	92	60	22	21	6	1						
{F.....						
Colored.....	141	8	4	9	15	33	20	15	6	11	8	5	4	2	1						
Males.....	46	2	1	3	7	9	5	8	1	2	5	2	1						
Females.....	95	6	3	6	8	24	15	7	5	9	3	3	3	2	1						
Diagnosis reasonably certain.....	18	1	3	3	4	3	1	2	1						
{M.....	65	5	2	4	6	17	11	5	3	6	2	1	2	1						
{F.....						

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—													Deaths at unknown age.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.			
REGISTRATION CITIES—Contd.																	
PENNSYLVANIA—continued.																	
Allentown.....	59	1	7	1	5	12	5	5	3	5	6	5	3	1		
Males.....	13	2	1	4	1	1	3	1		
Females.....	46	1	5	1	4	8	5	4	2	2	6	4	3	1		
Diagnosis reasonably certain. (M.....)	8	1	1	3	1	1	1	1		
Diagnosis reasonably certain. (F.....)	32	4	1	4	6	4	4	2	1	3	2	1		
Erie.....	55	1	3	5	4	6	11	6	6	5	4	2	1	1		
Males.....	22	1	3	2	5	1	1	4	3	1	1		
Females.....	33	1	2	5	1	4	6	5	5	1	1	1	1		
Diagnosis reasonably certain. (M.....)	11	2	1	2	1	1	1	3		
Diagnosis reasonably certain. (F.....)	21	1	2	4	1	3	2	3	2	1	1	1		
Harrisburg.....	57	1	1	6	3	4	6	9	7	6	7	4	1	2		
Males.....	16	1	2	1	2	3	4	1	2		
Females.....	41	1	4	3	4	5	9	5	3	3	3	1		
Diagnosis reasonably certain. (M.....)	7	1	1	1	2	2	2		
Diagnosis reasonably certain. (F.....)	32	1	4	3	3	2	8	4	2	2	2	1		
Lancaster.....	55	3	4	2	6	6	6	9	5	4	8	1	1		
Males.....	23	1	1	4	4	3	4	3	3		
Females.....	32	2	4	2	5	2	2	6	1	1	5	1	1		
Diagnosis reasonably certain. (M.....)	10	1	1	2	1	3	1	1		
Diagnosis reasonably certain. (F.....)	20	2	4	2	3	2	1	4	1	1		
Philadelphia.....	1,541	28	62	74	128	176	204	208	182	177	146	96	36	19	5		
Males.....	591	16	15	19	42	59	75	84	78	93	62	34	9	4	1		
Females.....	950	12	47	55	86	117	129	124	104	84	84	62	27	15	4		
Diagnosis reasonably certain. (M.....)	323	13	11	13	29	42	37	50	35	46	27	12	5	2	1		
Diagnosis reasonably certain. (F.....)	631	7	39	42	68	81	91	86	63	51	52	26	11	11	3		
White.....	1,455	24	59	67	119	158	191	198	176	170	144	94	33	18	4		
Males.....	564	15	14	17	36	54	73	78	77	92	61	34	8	4	1		
Females.....	891	9	45	50	83	104	118	120	99	78	83	60	25	14	3		
Diagnosis reasonably certain. (M.....)	311	13	11	11	27	40	37	47	35	45	26	12	4	2	1		
Diagnosis reasonably certain. (F.....)	591	4	37	39	65	71	84	83	60	47	52	26	11	10	2		
Colored.....	86	4	3	7	9	18	13	10	6	7	2	2	3	1	1		
Males.....	27	1	1	2	6	5	2	6	1	1	1	2	1		
Females.....	59	3	2	5	3	13	11	4	5	6	1	2	1	1		
Diagnosis reasonably certain. (M.....)	12	2	2	2	3	1	1	1		
Diagnosis reasonably certain. (F.....)	40	3	2	3	3	10	7	3	3	4	1	1	1		
Pittsburgh.....	481	12	25	25	37	51	59	79	61	50	43	18	13	5	3		
Males.....	177	7	10	7	11	10	27	27	27	21	19	5	2	3	1		
Females.....	304	5	15	18	26	41	32	52	34	29	24	13	11	2	2		
Diagnosis reasonably certain. (M.....)	95	7	6	3	7	5	14	14	16	9	9	2	2	1		
Diagnosis reasonably certain. (F.....)	194	4	13	15	23	29	24	32	20	15	9	2	5	2	1		
White.....	460	9	5	24	35	44	58	76	61	48	43	18	12	4	3		
Males.....	173	6	10	7	10	10	27	26	27	20	19	5	2	3	1		
Females.....	287	3	15	17	25	34	31	50	34	28	24	13	10	1	2		
Diagnosis reasonably certain. (M.....)	93	6	6	3	6	5	14	14	16	9	9	2	2	1		
Diagnosis reasonably certain. (F.....)	183	3	13	14	22	25	23	31	20	14	9	2	5	1	1		
Colored.....	21	3	1	2	7	1	3	2	1	1		
Males.....	4	1	1	1	1		
Females.....	17	2	1	7	1	2	1	1	1		
Diagnosis reasonably certain. (M.....)	2	1	1	1		
Diagnosis reasonably certain. (F.....)	11	1	1	1	4	1	1	1	1	1		
Reading.....	86	1	2	5	9	6	5	12	12	15	6	8	4	1		
Males.....	36	2	3	2	4	9	9	4	1	2		
Females.....	50	1	2	5	7	3	3	8	3	9	4	7	2	1		
Diagnosis reasonably certain. (M.....)	11	1	1	4	1	3	1		
Diagnosis reasonably certain. (F.....)	33	1	1	5	5	2	1	6	1	3	6	1	1		
Scranton.....	85	2	5	3	6	10	15	10	10	8	8	4	4		
Males.....	35	2	2	5	8	5	4	1	5	2	1		
Females.....	50	2	5	1	4	5	7	5	6	7	3	2	3		
Diagnosis reasonably certain. (M.....)	15	1	1	5	2	2	2	1	1		
Diagnosis reasonably certain. (F.....)	34	2	4	1	3	4	6	2	4	3	3	1	1		
Williamsport.....	50	1	1	3	4	6	2	9	3	5	7	6	3		
Males.....	19	1	2	3	1	3	4	3	2		
Females.....	31	1	1	2	4	4	2	6	2	2	3	3	1		
Diagnosis reasonably certain. (M.....)	7	1	1	1	1	2	1		
Diagnosis reasonably certain. (F.....)	19	1	2	2	3	2	6	1	1	1		

GENERAL TABLES.

71

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
REGISTRATION CITIES—Contd.																								
PENNSYLVANIA—continued.																								
Other cities.....	776	16	29	37	57	73	97	90	94	102	79	64	20	13	3	2								
Males.....	272	8	5	8	13	29	31	30	37	40	32	25	10	4								
Females.....	504	8	24	29	44	44	66	60	57	62	47	39	10	9	3	2								
Diagnosis reasonably certain. {M.....	123	3	3	5	6	12	13	14	20	19	14	8	4	2								
{F.....	327	6	19	26	31	30	51	37	40	32	24	20	2	6	2	1								
RHODE ISLAND.																								
Registration cities.....	426	9	9	16	25	45	53	60	59	51	41	40	12	5	1								
Males.....	155	2	2	2	9	18	21	23	21	25	16	11	3	1	1								
Females.....	271	7	7	14	16	27	32	37	38	26	25	29	9	4								
Diagnosis reasonably certain. {M.....	86	1	2	2	6	11	10	16	7	16	9	4	1	1								
{F.....	175	6	5	13	15	19	22	27	20	13	15	10	7	3								
White.....	419	8	8	16	24	43	52	59	59	51	41	40	12	5	1								
Males.....	153	1	2	2	8	18	21	23	21	25	16	11	3	1	1								
Females.....	266	7	6	14	16	25	31	36	38	26	25	29	9	4								
Diagnosis reasonably certain. {M.....	85	2	2	6	11	10	16	7	16	9	4	1	1								
{F.....	173	6	5	13	15	18	21	27	20	13	15	10	7	3								
Colored.....	7	1	1	1	2	1	1								
Males.....	2	1	1								
Females.....	5	1	2	1	1								
Diagnosis reasonably certain. {M.....	1								
{F.....	2	1	1								
Providence.....	227	7	8	6	14	24	17	32	39	28	26	17	6	2	1								
Males.....	82	1	2	1	6	12	5	10	13	16	11	3	1	1								
Females.....	145	6	6	5	8	12	12	22	26	12	15	14	5	2								
Diagnosis reasonably certain. {M.....	46	1	2	1	5	5	2	8	4	9	7	2								
{F.....	94	5	4	5	8	8	9	18	12	6	8	7	3	1								
Other cities.....	199	2	1	10	11	21	36	28	20	23	15	23	6	3								
Males.....	73	1	1	3	6	16	13	8	9	5	8	2	1								
Females.....	126	1	1	9	8	15	20	15	12	14	10	15	4	2								
Diagnosis reasonably certain. {M.....	40	1	1	6	8	8	3	7	2	2	1	1								
{F.....	81	1	1	8	7	11	13	9	8	7	7	3	4	2								
SOUTH CAROLINA.¹																								
Charleston. ²	35	2	3	2	3	7	6	2	4	1	3	2								
Males.....	10	1	2	1	1	1	1	1	2								
Females.....	25	1	1	2	2	6	5	1	4	3								
Diagnosis reasonably certain. {M.....	7	1	1	1	1	1	2								
{F.....	19	1	1	2	2	5	4	3	1								
White.....	23	1	2	1	4	5	2	3	1	2	2								
Males.....	7	1	1	1	1	1	2								
Females.....	16	1	1	4	4	1	3	2								
Diagnosis reasonably certain. {M.....	6	1	1	1	2								
{F.....	10	1	1	3	3	2								
Colored.....	12	1	1	1	3	3	1	1	1								
Males.....	3	1	1	1								
Females.....	9	1	1	2	2	1	1	1								
Diagnosis reasonably certain. {M.....	1								
{F.....	9	1	1	2	2	1	1	1								
TENNESSEE.¹																								
Registration cities.....	289	5	22	26	26	35	38	41	33	24	14	12	8	1	1	3								
Males.....	85	2	6	1	3	5	11	17	15	12	4	4	3	1	1								
Females.....	204	3	16	25	23	30	27	24	18	12	10	8	5	1	2								
Diagnosis reasonably certain. {M.....	37	2	2	1	8	6	5	4	3	2	2	1	1								
{F.....	160	2	15	20	22	25	23	15	11	8	7	6	4	1	1								
White.....	209	5	9	14	16	20	21	37	30	24	12	11	7	1	2								
Males.....	72	2	3	3	6	15	15	12	4	4	4	3	1	1								
Females.....	137	3	6	14	13	17	15	22	15	12	8	7	4	1	1								
Diagnosis reasonably certain. {M.....	32	2	1	1	5	5	5	4	3	2	2	1	1								
{F.....	102	2	6	11	13	12	14	13	10	8	5	5	3								
Colored.....	80	13	12	10	15	17	4	3	2	1	1	1	1								
Males.....	13	3	1	2	5	2								
Females.....	67	10	11	10	13	12	2	3	2	1	1	1	1								
Diagnosis reasonably certain. {M.....	5	1	3	3	1								
{F.....	58	9	9	9	13	9	2	1	2	1	1	1	1								

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only registration unit in the state.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown ages.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
REGISTRATION CITIES—Contd.																						
TENNESSEE¹—continued.																						
Memphis.....	114	1	10	7	13	12	13	18	16	7	1	8	5	1	2						
Males.....	37	1	1	3	1	4	8	8	4	1	4	2	1	2						
Females.....	77	1	9	7	10	11	9	10	8	3	4	3						
Diagnosis reasonably certain.....	10	9	4	10	9	3	2	1	2	1	1	1						
(M.....)	60	8	5	7	2	3	2						
(F.....)	9						
White.....	86	1	2	4	9	6	9	17	16	7	1	8	4	1	1						
Males.....	34	3	1	3	7	8	4	1	4	2	1	1						
Females.....	52	1	4	6	5	6	10	8	3	4	2						
Diagnosis reasonably certain.....	9	3	1	1	2	1	1						
(M.....)	37	2	2	6	3	6	5	7	2	3	1						
(F.....)	28	8	3	4	6	4	1	1	1						
Colored.....						
Males.....	3	1	1	1						
Females.....	25	7	3	4	6	3	1	1						
Diagnosis reasonably certain.....	1	1						
(M.....)	23	7	2	4	6	2	1	1						
(F.....)	98	4	4	7	9	15	12	12	10	12	7	2	3	1						
Nashville.....						
Males.....	30	2	3	1	1	4	4	5	6	3	1						
Females.....	68	2	1	6	9	14	8	8	5	6	4	2	2	1						
Diagnosis reasonably certain.....	18	2	1	3	2	3	3	3	1						
(M.....)	55	2	1	5	8	12	8	7	2	3	3	1	2	1						
(F.....)						
White.....	68	4	2	2	4	8	4	10	10	12	7	2	3						
Males.....	22	2	1	4	5	6	6	3	1						
Females.....	46	2	1	2	4	8	4	6	5	6	4	2	2						
Diagnosis reasonably certain.....	14	2	2	3	3	3	3	1						
(M.....)	34	2	1	1	4	6	4	5	2	3	1	2						
(F.....)	30	2	5	5	7	8	2	1						
Colored.....						
Males.....	8	2	1	1	4						
Females.....	22	4	5	6	4	2	1						
Diagnosis reasonably certain.....	4	1	3	3						
(M.....)	21	4	4	6	4	2	1						
(F.....)	77	8	12	4	8	18	11	7	5	6	2	1						
Other cities ²						
Males.....	18	2	3	3	5	2	2	1						
Females.....	59	6	12	4	5	10	6	5	3	6	2	1						
Diagnosis reasonably certain.....	9	1	1	2	2	1	1						
(M.....)	45	5	11	4	4	7	3	2	3	4	2						
(F.....)	55	5	8	3	6	8	10	4	5	4	1	1						
White.....						
Males.....	16	2	2	3	4	2	2	1						
Females.....	39	3	8	3	4	5	6	2	3	4	1						
Diagnosis reasonably certain.....	9	1	1	2	2	1	1	1						
(M.....)	31	3	8	3	3	4	3	1	3	2	1						
(F.....)	22	3	4	1	2	5	1	3	2	1						
Colored.....						
Males.....	2	1	1						
Females.....	20	8	4	1	1	5	3	2	1						
Diagnosis reasonably certain.....	14	2	3	1	1	3	1	2	1						
(M.....)						
(F.....)	TEXAS.¹																					
Registration cities.....	181	8	13	18	17	24	21	22	19	14	11	7	5	2						
Males.....	74	5	3	9	4	10	7	9	11	7	5	1	2	1						
Females.....	107	3	10	9	13	14	14	13	8	7	6	6	3	1						
Diagnosis reasonably certain.....	46	3	1	5	1	6	5	8	8	3	4	1	1						
(M.....)	74	2	8	7	11	11	8	9	4	4	4	4	1	1						
(F.....)	170	6	12	17	13	23	20	22	18	14	11	7	5	2						
White.....						
Males.....	70	4	2	8	4	10	7	9	10	7	5	1	2	1						
Females.....	100	2	10	9	9	13	13	13	8	7	6	6	3	1						
Diagnosis reasonably certain.....	44	2	1	5	1	6	5	8	7	3	4	1	1						
(M.....)	68	1	8	7	7	10	8	9	4	4	4	4	1	1						
(F.....)	11	2	1	1	4	1	1	1						
Colored.....						
Males.....	4	1	1	1	1						
Females.....	7	1	4	1	1						
Diagnosis reasonably certain.....	2	1	1						
(M.....)	6	1	4	1						
(F.....)	52	5	4	4	4	7	4	5	5	6	4	2	1	1						
Galveston.....						
Males.....	28	4	3	2	5	1	2	4	3	3	1	1						
Females.....	24	1	1	2	4	2	3	3	1	3	1	2	1						
Diagnosis reasonably certain.....	17	3	1	2	1	2	4	1	2	1	1						
(M.....)	17	1	1	1	3	2	3	2	2	1	1						
(F.....)						

¹ Nonregistration state; cities shown below only those with effective local ordinances.² Includes Chattanooga, Jackson, and Knoxville.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at un- known age.
		Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	
REGISTRATION CITIES—Contd.																
TEXAS—continued.																
Galveston—Continued.																
White.....	45	3	3	3	2	7	4	5	4	6	4	2	1	1		
Males.....	24	3	2	1		5	1	2	3	3	3			1		
Females.....	21		1	2	2	2	3	3	1	3	1	2	1			
Diagnosis reasonably certain. {M F}	15 14	2 1	1 1		1	2 2	1 3	2 2	3 2	1 2	2 1			1		
Colored.....	7	2	1	1	2				1							
Males.....	4	1	1	1					1							
Females.....	3	1			2											
Diagnosis reasonably certain. {M F}	2 3	1 1			2				1							
San Antonio.....	81	2	4	7	8	11	12	12	11	4	4	2	4			
Males.....	29	1		3	3	3	4	5	5	2	1		2			
Females.....	52	1	4	4	5	8	8	7	6	2	3	2	2			
Diagnosis reasonably certain. {M F}	19 36		3 3	4 4	5 5	6 6	4 4	4 4	3 3	1 1	2 2	2 2	1 1			
White.....	77	2	4	7	6	10	11	12	11	4	4	2	4			
Males.....	29	1		3	3	3	4	5	5	2	1		2			
Females.....	48	1	4	4	3	7	7	7	6	2	3	2	2			
Diagnosis reasonably certain. {M F}	19 33		3 3	2 4	1 3	3 5	2 4	4 4	3 3	2 1	1 2	2 2	1 1			
Colored.....	4				2	1	1									
Males.....																
Females.....	4				2	1	1									
Diagnosis reasonably certain. {M F}	3				2	1										
El Paso ²	48	1	5	7	5	6	5	5	3	4	3	3		1		
Males.....	17			4	1	2	2	2	2	2	1	1				
Females.....	31	1	5	3	4	4	3	3	1	2	2	2		1		
Diagnosis reasonably certain. {M F}	10 21		4 4	3 2	1 3	2 3	2 1	2 3	1 1	1 1	1 1	1 1		1 1		
UTAH.																
Registration cities.....	93	3	1	5	8	13	13	13	12	8	10	3	4			
Males.....	45	3		1	2	6	5	6	7	6	6	1	2			
Females.....	48		1	4	6	7	8	7	5	2	4	2	2			
Diagnosis reasonably certain. {M F}	29 32	3 1		1 3	2 4	3 4	4 5	4 5	3 3	4 1	4 3	1 3	1 2			
White.....	88	3	1	5	8	9	13	12	12	8	10	3	4			
Males.....	42	3		1	2	3	5	6	7	6	6	1	2			
Females.....	46		1	4	6	6	8	6	5	2	4	2	2			
Diagnosis reasonably certain. {M F}	28 32	3 1		1 3	2 4	2 4	4 5	4 5	3 3	4 1	4 3	1 3	1 2			
Colored.....	5					4		1								
Males.....	3					3										
Females.....	2					1		1								
Diagnosis reasonably certain. {M F}	1					1										
Salt Lake City.....	71	2	1	4	6	11	11	11	7	6	9	1	2			
Males.....	32	2		1	1	5	4	4	5	4	5		1			
Females.....	39		1	3	5	6	7	7	2	2	4	1	1			
Diagnosis reasonably certain. {M F}	21 27	2 1		1 2	1 4	3 4	3 5	3 5	2 1	2 1	4 3		1 2			
Ogden ³	22	1		1	2	2	2	2	5	2	1	2	2			
Males.....	13	1			1	1	1	2	2	2	1	1	1			
Females.....	9			1	1	1	1	1	3			1	1			
Diagnosis reasonably certain. {M F}	8 5	1 1			1		1	1	1 2	2		1	1 1			
VERMONT.																
Registration cities.....	73	3	3	3	5	2	6	12	8	7	10	9	3	2		
Males.....	29	2	1		2	1	3	9	1	2	4	3	1			
Females.....	44	1	2	3	3	1	3	3	7	5	6	6	2	2		
Diagnosis reasonably certain. {M F}	19 25	1 1	1 2		2 2	1 1	1 3	5 1	1 2	2 4	3 4	1 1	1 1			
White.....	72	3	3	3	5	2	6	12	8	7	9	9	3	2		
Males.....	28	2	1		2	1	3	9	1	2	3	3	1			
Females.....	44	1	2	3	3	1	3	3	7	5	6	6	2	2		
Diagnosis reasonably certain. {M F}	18 25	1 1	1 2		2 2	1 1	1 3	5 1	1 2	2 4	2 4	1 1	1 1			

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only other registration unit; shown in order to complete the state.³ The only other city of 10,000 inhabitants or over in 1913.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.	
REGISTRATION CITIES—Contd.																
VERMONT—continued.																
Registration cities—Continued.																
Colored.....	1															
Males.....	1															
Females.....	1															
Diagnosis reasonably certain. {M F	1															
VIRGINIA.																
Registration cities.....	304	5	12	17	33	31	51	42	44	24	27	6	5	6	1	
Males.....	101	3	2	6	8	5	17	15	16	6	15	1	2	5		
Females.....	203	2	10	11	25	26	34	27	28	18	12	5	3	1	1	
Diagnosis reasonably certain. {M F	62 143	3 7	2 7	3 8	7 21	3 16	14 27	7 21	10 17	3 13	5 9	1 2	1 1	4 1		
White.....	216	4	5	6	16	20	35	29	33	24	26	6	5	6	1	
Males.....	86	2	2	2	8	5	14	11	14	6	14	1	2	5		
Females.....	130	2	3	4	8	15	21	18	19	18	12	5	3	1	1	
Diagnosis reasonably certain. {M F	53 90	2 2	2 2	1 3	7 6	3 9	11 17	6 14	9 13	3 13	4 9	1 2	1 1	4 1		
Colored.....	88	1	7	11	17	11	16	13	11		1					
Males.....	15	1		4		3	4	2			1					
Females.....	73		7	7	17	11	13	9	9							
Diagnosis reasonably certain. {M F	9 53	1 5		2 5		3 7	1 10	1 7	1 4		1					
Richmond.....	127		5	8	18	12	22	16	20	9	10	2	3	2		
Males.....	48			4	6	3	9	6	8	2	7		1	2		
Females.....	79		5	4	12	9	13	10	12	7	3	2	2			
Diagnosis reasonably certain. {M F	31 55		3 3	1 3	5 11	2 3	6 12	5 6	5 8	1 5	3 3	1 1	1 1	2		
White.....	89		2	3	9	8	17	12	13	9	9	2	3	2		
Males.....	40			2	6	3	7	4	7	2	6		1	2		
Females.....	49		2	1	3	5	10	8	6	7	3	2	2			
Diagnosis reasonably certain. {M F	27 37		1 1	1 1	5 3	2 1	4 10	4 6	5 6	1 5	1 3	1 1	1	2		
Colored.....	38		3	5	9	4	5	4	7		1					
Males.....	8			2		2	2	1			1					
Females.....	30		3	3	9	4	3	2	6							
Diagnosis reasonably certain. {M F	4 18		2 2	2 2	8 8	2 2	2 2	1 2			1					
Other cities.....	177	5	7	9	15	19	23	26	24	15	17	4	2	4	1	
Males.....	53	3	2	2	2	2	8	9	8	4	8	1	1	3		
Females.....	124	2	5	7	13	17	21	17	16	11	9	3	1	1	1	
Diagnosis reasonably certain. {M F	31 88	3 4	2 5	2 5	2 10	1 13	8 15	2 15	5 9	2 8	2 6	1 1	1 1	2		
White.....	127	4	3	3	7	12	18	17	20	15	17	4	2	4	1	
Males.....	46	2	2		2	2	7	7	7	4	8	1	1	3		
Females.....	81	2	1	3	5	10	11	10	13	11	9	3	1	1	1	
Diagnosis reasonably certain. {M F	26 53	2 1	2 1	2 2	2 3	1 8	7 7	2 8	4 7	2 8	2 6	1 1	1 1	2		
Colored.....	50	1	4	6	8	7	11	9	4							
Males.....	7	1		2		1	2	1								
Females.....	43		4	4	8	7	10	7	3							
Diagnosis reasonably certain. {M F	5 35	1 3		2 3		1 5	1 8	1 7	1 2							
WASHINGTON.																
Registration cities.....	499	9	17	27	29	48	64	72	67	62	49	31	20	3	1	
Males.....	251	6	7	14	10	14	32	31	39	40	30	16	9	3		
Females.....	248	3	10	13	19	34	32	41	28	22	19	15	11		1	
Diagnosis reasonably certain. {M F	148 183	3 3	7 8	11 12	5 16	9 28	19 26	21 31	22 23	24 14	12 12	8 6	6 4	1		
White.....	497	9	17	27	28	48	64	72	67	62	49	31	19	3	1	
Males.....	249	6	7	14	9	14	32	31	39	40	30	16	8	3		
Females.....	248	3	10	13	19	34	32	41	28	22	19	15	11		1	
Diagnosis reasonably certain. {M F	147 147	3 3	7 8	11 12	5 16	9 28	19 26	21 31	22 23	24 14	12 12	8 6	5 4	1		
Colored.....	2				1									1		
Males.....	2				1									1		
Females.....	1															
Diagnosis reasonably certain. {M F	1													1		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown ages.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.			
REGISTRATION CITIES—Continued.																		
WASHINGTON—continued.																		
Seattle.....	221	6	4	13	11	18	27	39	31	26	21	11	10	3	1		
Males.....	115	3	—	8	4	6	14	18	19	16	15	4	5	3	—		
Females.....	106	3	4	5	7	12	13	21	12	10	6	7	5	—	1		
Diagnosis reasonably certain.....	74	2	—	6	3	6	9	11	13	10	7	2	4	1	—		
F.....	78	3	2	5	6	11	11	18	10	5	3	2	2	—	—		
Spokane.....	102	2	3	4	5	8	21	13	15	12	6	9	4	—	—		
Males.....	43	2	—	1	2	2	6	7	7	9	2	4	1	—	—		
Females.....	59	—	3	3	3	6	15	6	8	3	4	5	3	—	—		
Diagnosis reasonably certain.....	24	—	—	1	1	1	4	6	3	5	1	2	—	—	—		
F.....	49	—	3	3	3	6	13	5	7	3	3	2	1	—	—		
Tacoma.....	84	1	5	2	9	10	6	8	9	14	12	5	3	—	—		
Males.....	45	1	5	2	3	2	5	1	5	7	8	5	1	—	—		
Females.....	39	—	—	—	6	8	1	7	4	7	4	—	—	—	—		
Diagnosis reasonably certain.....	23	1	5	2	1	—	1	—	3	4	2	3	1	—	—		
F.....	23	—	—	—	4	5	2	4	—	5	1	—	1	—	—		
Other cities.....	92	—	5	8	4	12	10	12	12	10	10	6	3	—	—		
Males.....	48	—	2	3	1	4	7	5	8	8	5	3	2	—	—		
Females.....	44	—	3	5	3	8	3	7	4	2	5	3	1	—	—		
Diagnosis reasonably certain.....	27	—	2	2	—	2	5	4	3	5	2	1	1	—	—		
F.....	33	—	3	4	3	6	1	4	4	1	5	2	—	—	—		
WEST VIRGINIA.¹																		
Wheeling.....	46	1	2	2	5	4	7	5	6	7	4	3	—	—	—		
Males.....	14	1	—	—	1	1	1	2	2	2	2	2	—	—	—		
Females.....	32	—	2	2	4	3	6	3	4	5	2	1	—	—	—		
Diagnosis reasonably certain.....	9	1	—	—	1	1	1	1	1	1	1	1	—	—	—		
F.....	23	—	2	2	3	3	5	3	1	2	2	—	—	—	—		
White.....	45	1	2	2	5	4	6	5	6	7	4	3	—	—	—		
Males.....	14	1	—	—	1	1	1	2	2	2	2	2	—	—	—		
Females.....	31	—	2	2	4	3	5	3	4	5	2	1	—	—	—		
Diagnosis reasonably certain.....	9	1	—	—	1	1	1	1	1	1	1	1	—	—	—		
F.....	22	—	2	2	3	3	4	3	1	2	2	—	—	—	—		
Colored.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
Males.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Females.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
Diagnosis reasonably certain.....	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—		
F.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
WISCONSIN.																		
Registration cities.....	712	14	20	27	32	58	81	116	91	105	68	53	28	16	3		
Males.....	315	8	5	13	9	21	29	50	50	48	32	28	13	10	1		
Females.....	397	6	15	14	23	37	52	66	41	59	36	25	15	6	2		
Diagnosis reasonably certain.....	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1		
F.....	244	6	13	11	21	33	35	39	21	29	16	10	7	2	1		
White.....	710	14	20	26	32	58	81	116	91	105	68	53	27	16	3		
Males.....	315	8	5	13	9	21	29	50	50	48	32	28	13	10	1		
Females.....	395	6	15	13	23	37	52	66	41	59	36	25	14	6	2		
Diagnosis reasonably certain.....	151	5	2	9	5	13	15	25	25	17	14	13	2	5	1		
F.....	243	6	13	11	21	33	35	39	21	29	16	10	6	2	1		
Colored.....	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—		
Males.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Females.....	2	—	—	1	—	—	—	—	—	—	—	—	1	—	—		
Diagnosis reasonably certain.....	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—		
F.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Milwaukee.....	291	7	6	13	14	25	30	46	42	36	35	20	9	7	1		
Males.....	133	4	1	7	4	9	13	21	21	18	14	12	5	4	—		
Females.....	158	3	5	6	10	16	17	25	21	18	21	8	4	3	1		
Diagnosis reasonably certain.....	55	4	1	5	3	3	3	9	8	6	5	6	2	—	—		
F.....	96	3	5	4	9	13	11	13	11	11	9	3	3	—	1		
Other cities.....	421	7	14	14	18	33	51	70	49	69	33	33	19	9	2		
Males.....	182	4	4	6	5	12	16	29	29	28	18	16	8	6	1		
Females.....	239	3	10	8	13	21	35	41	20	41	15	17	11	3	1		
Diagnosis reasonably certain.....	96	1	1	4	2	10	12	16	17	11	9	7	2	3	1		
F.....	148	3	8	7	12	20	24	26	10	18	7	7	4	2	—		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only registration unit in the state.

³ Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
RURAL PART OF REGISTRATION STATES.																						
CALIFORNIA.																						
Total.....	947	12	23	36	61	59	87	111	134	123	133	87	51	22	7	1						
Males.....	496	6	15	11	17	20	43	58	71	66	85	52	35	13	4	1						
Females.....	451	6	8	25	44	39	44	53	63	57	48	35	16	9	3	1						
Diagnosis reasonably certain. (M.....)	267	4	13	5	11	17	23	29	44	32	38	22	19	8	2	1						
(F.....)	320	4	7	24	37	29	32	47	46	34	27	17	8	7	1	1						
White.....	929	12	22	36	60	58	84	109	131	120	130	87	51	22	6	1						
Males.....	483	6	14	11	17	19	40	56	69	65	83	52	35	13	3	1						
Females.....	446	6	8	25	43	39	44	53	62	55	47	35	16	9	3	1						
Diagnosis reasonably certain. (M.....)	259	4	12	5	11	16	21	28	44	31	36	22	19	8	2	1						
(F.....)	317	4	7	24	36	29	32	47	46	32	27	17	8	7	1	1						
Colored.....	18	1	1	1	1	3	2	3	3	3	3	3	3	3	1	1						
Males.....	13	1	1	1	1	3	2	2	2	2	2	2	2	2	1	1						
Females.....	5	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1						
Diagnosis reasonably certain. (M.....)	8	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1						
(F.....)	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Los Angeles County.....	161	1	3	1	19	4	14	20	16	21	26	22	9	4	1	1						
Males.....	69	1	3	1	2	1	4	8	10	7	14	11	7	2	1	1						
Females.....	92	1	1	1	17	3	10	12	6	14	12	11	2	2	1	1						
Diagnosis reasonably certain. (M.....)	32	1	2	1	2	1	2	4	5	2	6	4	4	2	1	1						
(F.....)	60	1	1	15	1	6	11	5	6	7	6	6	2	1	1	1						
Santa Clara County.....	78	2	1	5	4	8	12	11	13	9	6	5	1	1	1	1						
Males.....	39	1	1	3	4	4	5	6	8	3	5	3	1	1	1	1						
Females.....	39	1	1	2	4	4	7	5	5	6	1	2	1	1	1	1						
Diagnosis reasonably certain. (M.....)	19	1	1	2	3	2	1	4	5	2	2	1	1	1	1	1						
(F.....)	26	1	1	2	3	3	6	5	3	3	3	1	1	1	1	1						
Sonoma County.....	63	2	1	7	7	4	7	5	5	5	10	6	4	1	1	1						
Males.....	29	2	1	1	2	2	3	2	1	4	6	2	4	1	1	1						
Females.....	34	1	1	6	5	2	4	3	4	1	4	4	1	1	1	1						
Diagnosis reasonably certain. (M.....)	12	2	1	1	2	1	1	3	4	1	3	1	1	1	1	1						
(F.....)	24	2	1	6	4	2	3	2	1	2	2	2	1	1	1	1						
Other rural districts.....	645	9	17	27	30	47	58	74	102	84	88	53	33	17	5	1						
Males.....	359	4	11	9	10	17	32	43	54	47	62	34	21	11	4	1						
Females.....	286	5	6	18	20	30	26	31	48	37	26	19	12	6	1	1						
Diagnosis reasonably certain. (M.....)	204	2	10	4	7	14	18	24	35	24	26	15	12	8	2	1						
(F.....)	210	3	6	17	16	24	21	27	34	24	18	9	7	4	1	1						
COLORADO.																						
Total.....	237	1	5	10	23	26	30	32	25	24	28	22	9	2	1	1						
Males.....	109	1	2	2	10	7	10	16	18	12	18	7	6	1	1	1						
Females.....	128	1	3	8	13	19	20	16	7	12	10	15	3	1	1	1						
Diagnosis reasonably certain. (M.....)	57	1	2	2	3	6	6	11	5	7	10	2	2	1	1	1						
(F.....)	78	1	1	6	10	15	14	10	4	7	4	4	1	1	1	1						
White.....	236	1	5	10	23	26	30	32	25	23	28	22	9	2	1	1						
Males.....	109	1	2	2	10	7	10	16	18	12	18	7	6	1	1	1						
Females.....	127	1	3	8	13	19	20	16	7	11	10	15	3	1	1	1						
Diagnosis reasonably certain. (M.....)	57	1	2	2	3	6	6	11	5	7	10	2	2	1	1	1						
(F.....)	77	1	1	6	10	15	14	10	4	6	4	4	1	1	1	1						
Colored.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Males.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Females.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Diagnosis reasonably certain. (M.....)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
(F.....)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
CONNECTICUT.																						
Total.....	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	3						
Males.....	123	1	4	3	3	7	8	15	13	19	24	14	7	4	1	1						
Females.....	200	1	4	4	10	14	20	32	23	27	27	26	9	1	4	3						
Diagnosis reasonably certain. (M.....)	63	1	4	3	2	5	4	8	5	9	9	8	1	3	1	1						
(F.....)	122	1	4	4	7	10	13	21	14	12	10	20	7	1	2	1						
White.....	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	3						
Males.....	123	1	4	3	3	7	8	15	13	19	24	14	7	4	1	1						
Females.....	200	1	4	4	10	14	20	32	23	27	27	26	9	1	4	3						
Diagnosis reasonably certain. (M.....)	63	1	4	3	2	5	4	8	5	9	9	8	1	3	1	1						
(F.....)	122	1	4	4	7	10	13	21	14	12	10	20	7	1	2	1						
Hartford County.....	76	2	2	5	3	4	13	8	8	14	11	5	1	1	1	1						
Males.....	27	2	2	5	2	3	3	4	4	6	3	2	1	1	1	1						
Females.....	49	2	2	5	1	1	10	4	4	8	8	3	3	1	1	1						
Diagnosis reasonably certain. (M.....)	16	2	2	3	1	3	3	1	1	2	2	1	1	1	1	1						
(F.....)	31	2	2	3	1	8	8	2	2	4	7	3	3	1	1	1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—															Deaths at unknown age.							
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
RURAL PART OF REGISTRATION STATES—Continued.																								
CONNECTICUT—continued.																								
Other rural districts.....	247	1	2	5	8	18	24	34	28	38	37	29	11	4	5	3								
Males.....	96	1	2	3	3	5	5	12	9	18	18	11	5	3	1	1								
Females.....	151			2	5	13	19	22	19	20	19	18	6	1	4	3								
Diagnosis reasonably certain.....	47	1	2	3	2	4	1	5	4	9	7	6		2	1	1								
INDIANA.	91			2	4	9	13	13	12	11	6	13	4	1	2	1								
Total.....	1,434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	1								
Males.....	578	7	12	7	23	26	43	64	68	97	106	60	44	18	3	1								
Females.....	856	9	24	33	55	80	74	117	104	112	104	82	43	15	4									
Diagnosis reasonably certain.....	303	4	7	5	13	15	24	35	31	50	43	34	27	11	3	1								
White.....	517	9	22	29	47	63	51	83	63	44	37	39	19	7	4									
Males.....	1,423	16	35	39	78	103	115	181	171	209	207	142	87	33	6	1								
Females.....	574	7	11	7	23	25	42	64	68	97	104	60	44	18	3	1								
Diagnosis reasonably certain.....	849	9	24	32	55	78	73	117	103	112	103	82	43	15	3									
Colored.....	301	4	6	5	13	15	24	35	31	50	42	34	27	11	3	1								
Males.....	511	9	22	28	47	61	50	83	62	44	37	39	19	7	3									
Females.....	11		1	1		3	2		1		2				1									
Diagnosis reasonably certain.....	4		1		1	1				1														
KANSAS.	7					2																		
Total.....	813	18	12	22	30	49	78	89	121	181	123	74	50	13	3									
Males.....	393	8	5	9	11	19	24	38	56	74	78	40	22	7	2									
Females.....	420	10	7	13	19	30	54	51	65	57	45	34	28	6	1									
Diagnosis reasonably certain.....	195	6	3	5	4	8	17	21	23	32	35	19	15	5	2									
White.....	248	6	5	11	16	18	41	34	34	25	17	21	16	8	1									
Males.....	801	18	9	21	30	49	78	88	120	130	121	72	49	13	3									
Females.....	388	8	4	8	11	19	24	37	56	73	77	40	22	7	2									
Diagnosis reasonably certain.....	413	10	5	13	19	30	54	51	64	57	44	32	27	6	1									
Colored.....	193	6	3	5	4	8	17	20	23	32	34	19	15	5	2									
Males.....	242	6	3	11	16	18	41	34	33	25	17	19	15	3	1									
Females.....	12		3	1				1	1	1	2	2	1											
Diagnosis reasonably certain.....	5		1																					
KENTUCKY.	7																							
Total.....	753	24	30	32	47	50	65	78	104	110	83	54	44	13	3	16								
Males.....	279	10	4	4	11	12	20	24	38	51	44	23	22	9	1	6								
Females.....	474	14	26	28	36	38	45	54	66	59	39	31	22	4	2	10								
Diagnosis reasonably certain.....	123	6	3	1	6	5	8	10	10	23	22	8	12	5	1	3								
White.....	294	5	17	19	26	28	27	40	35	34	21	14	17	3	2	6								
Males.....	668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	15								
Females.....	260	8	4	4	10	12	16	22	36	48	42	21	21	9	1	6								
Diagnosis reasonably certain.....	408	12	18	24	29	33	38	47	54	56	35	26	21	4	2	9								
Colored.....	119	5	3	1	6	5	6	10	10	23	21	8	12	5	1	3								
Males.....	249	5	9	15	19	25	22	36	28	31	20	12	16	3	2	6								
Females.....	85	4	8	4	8	5	11	9	14	6	6	7	2			1								
Diagnosis reasonably certain.....	19	2																						
MAINE.	66		8	4	7	5	4	2	2	3	2	2	1			1								
Total.....	609	6	6	20	23	43	46	57	78	98	86	74	45	20	6	1								
Males.....	228	2		4	3	7	10	18	34	40	38	37	23	11	1									
Females.....	381	4	6	16	20	36	36	39	44	58	48	37	22	9	5	1								
Diagnosis reasonably certain.....	96			1	2	4	6	7	15	16	12	13	10	9	1									
White.....	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3									
Males.....	607	6	6	20	23	43	46	57	78	97	85	74	45	20	6	1								
Females.....	227	2		4	3	7	10	18	34	39	38	37	23	11	1									
Diagnosis reasonably certain.....	380	4	6	16	20	36	36	39	44	58	47	37	22	9	5	1								
Colored.....	96			1	2	4	6	7	15	16	12	13	10	9	1									
Males.....	212	2	5	12	18	21	25	22	28	28	21	11	11	5	3									
Females.....																								

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
RURAL PART OF REGISTRATION STATES—Continued.																						
MAINE—continued.																						
Total—Continued.	2																					
Colored.....	1																					
Males.....	1																					
Females.....	1																					
Diagnosis reasonably certain. (M/F).....																						
Cumberland County.....	60		1		2	3	3	5	12	12	8	10	3	1								
Males.....	25						2	3	4	9	3	4										
Females.....	35		1		2	3	1	2	8	3	5	6	3	1								
Diagnosis reasonably certain. (M/F).....	11						1	1	1	5	1	2										
Females.....	20		1		2	2	1	1	5		3	2	2	1								
Kennebec County ¹	55		1	1	3	2	1	3	10	6	10	10	4	4								
Males.....	29					1			5	3	6	6	4	4								
Females.....	26		1	1	3	1	1	3	5	3	4	4	4	4								
Diagnosis reasonably certain. (M/F).....	17					1			3	1	2	5	1	4								
Females.....	14		1	1	3		1	2	3	1	1	1										
Penobscot County.....	54		2	2		2	8	4	6	9	7	7	3	3	1							
Males.....	17						1	1	3	2	1	7		2								
Females.....	37		2	2		2	7	3	3	7	6		3	1	1							
Diagnosis reasonably certain. (M/F).....	6						1		1	2				2								
Females.....	23		1	1		1	6	1	2	4	4		2	1								
Washington County.....	54	1		3	2	7	5	4	1	12	6	4	5	4								
Males.....	19					3	2	2		4	2	2	2	2								
Females.....	35	1		3	2	4	3	2	1	8	4	2	3	2								
Diagnosis reasonably certain. (M/F).....	7					1				1	1		2	1								
Females.....	23	1		2	2	2	3	1	1	6	2	1	1	1								
York County.....	60			2	3	4	6	7	6	10	11	8	3									
Males.....	21			1		1	1	2	3	3	4	3	3									
Females.....	39			1	3	3	5	5	3	7	7	5	3									
Diagnosis reasonably certain. (M/F).....	10					1		1	1	3	2	1	1									
Females.....	22			1	3	1	3	4	2	3	4	1										
Other rural districts.....	326	5	2	12	13	25	23	34	43	49	44	35	27	8	5	1						
Males.....	117	2		3	3	2	4	10	19	19	22	15	14	3	1							
Females.....	209	3	2	9	10	23	19	24	24	30	22	20	13	5	4	1						
Diagnosis reasonably certain. (M/F).....	45			1	2	1	3	5	9	4	6	5	6	2	1							
Females.....	110	1	2	7	8	15	11	13	15	14	7	6	6	2	3							
MARYLAND.																						
Total.....	439	9	5	18	23	28	50	54	56	62	60	39	24	5	5	1						
Males.....	160	3	1	4	5	5	11	18	28	26	27	19	6	4	3							
Females.....	279	6	4	14	18	23	39	36	28	36	33	20	18	1	2	1						
Diagnosis reasonably certain. (M/F).....	77	2	1	3	3	3	6	10	13	9	11	8	2	3	3							
Females.....	186	4	3	10	16	15	30	29	12	25	21	10	9	1	1							
White.....	380	8	2	13	19	24	36	51	50	54	53	37	24	4	4	1						
Males.....	146	3		4	5	5	10	16	25	22	25	18	6	4	3							
Females.....	234	5	2	9	14	19	26	35	25	32	28	19	18	1	1	1						
Diagnosis reasonably certain. (M/F).....	72	2		3	3	3	6	9	12	7	11	8	2	3	3							
Females.....	154	4	1	7	12	12	20	28	11	22	18	9	9		1							
Colored.....	59	1	3	5	4	4	14	3	6	8	7	2		1	1							
Males.....	14		1				1	2	3	4	2	1										
Females.....	45	1	2	5	4	4	13	1	3	4	5	1		1	1							
Diagnosis reasonably certain. (M/F).....	5		1				1	1	1	2												
Females.....	32		2	3	4	3	10	1	1	3	3	1		1								
Baltimore County.....	111	2	1	6	7	8	11	20	16	15	10	9	5		1							
Males.....	38			1	1	1	3	8	9	4	5	4	1		1							
Females.....	73	2	1	5	6	7	8	12	7	11	5	5	4									
Diagnosis reasonably certain. (M/F).....	22			1	1	1	1	6	6	1	1	3	2		1							
Females.....	53	2		4	6	2	7	11	4	9	3	3										
White.....	104	2	1	4	6	8	9	19	16	14	10	9	5		1							
Males.....	37			1	1	1	3	7	9	4	5	4	1		1							
Females.....	67	2	1	3	5	7	6	12	7	10	5	5	4									
Diagnosis reasonably certain. (M/F).....	22			1	1	1	1	6	6	1	1	3			1							
Females.....	47	2		2	5	2	5	11	4	8	3	3	2									
Colored.....	7			2	1		2	1		1												
Males.....	1							1														
Females.....	6			2	1		2			1												
Diagnosis reasonably certain. (M/F).....	6			2	1		2			1												

¹ Includes National Military Home.

[See note at head of this table, p. 44.]

Digitized by Google

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
RURAL PART OF REGISTRATION STATES—Continued.																								
MICHIGAN.																								
Total.....	1,398	19	38	25	68	94	140	172	198	203	199	136	74	20	9	3								
Males.....	602	11	12	5	21	29	57	63	81	104	101	62	38	14	3	1								
Females.....	796	8	26	20	47	65	83	109	117	99	98	74	36	6	6	2								
Diagnosis reasonably certain. (M.).....	287	4	10	1	13	19	24	35	39	40	45	21	22	11	3								
Diagnosis reasonably certain. (F.).....	488	6	19	18	39	47	57	76	70	42	40	40	24	5	5								
White.....	1,391	18	38	25	67	93	140	171	197	201	199	136	74	20	9	3								
Males.....	599	10	12	5	21	28	57	63	81	103	101	62	38	14	3	1								
Females.....	792	8	26	20	46	65	83	108	116	98	98	74	36	6	6	2								
Diagnosis reasonably certain. (M.).....	286	4	10	1	13	18	24	35	39	40	45	21	22	11	3								
Diagnosis reasonably certain. (F.).....	486	6	19	18	38	47	57	75	70	42	40	40	24	5	5								
Colored.....	7	1	1	1	1	1	2								
Males.....	3	1	1	1	1								
Females.....	4	1	1								
Diagnosis reasonably certain. (M.).....	1	1								
Diagnosis reasonably certain. (F.).....	2	1	1								
Berrien County.....	58	1	4	5	3	4	13	14	7	6	1								
Males.....	22	1	1	2	1	1	6	3	3	3	1								
Females.....	36	3	3	2	3	7	11	4	3								
Diagnosis reasonably certain. (M.).....	10	1	2	2	1	3	1	1	1								
Diagnosis reasonably certain. (F.).....	20	3	2	2	1	3	3	4	2								
Kent County.....	50	1	1	2	2	2	3	7	4	10	5	7	5	1								
Males.....	26	1	1	2	3	7	3	4	4	1								
Females.....	24	1	2	1	2	3	5	1	3	2	3	1								
Diagnosis reasonably certain. (M.).....	18	1	2	2	2	3	4	3	1	3	1								
Diagnosis reasonably certain. (F.).....	17	1	2	1	2	2	4	1	1	1	2								
Wayne County.....	63	3	2	6	7	3	10	10	7	8	2	4	1								
Males.....	25	1	1	2	2	2	4	3	3	4	1	1	1								
Females.....	38	2	1	4	5	1	6	7	4	4	1	3								
Diagnosis reasonably certain. (M.).....	11	1	1	1	3	1	1	1	1	1								
Diagnosis reasonably certain. (F.).....	25	2	1	3	4	1	2	5	4	1	2								
Other rural districts.....	1,227	17	34	21	56	80	131	151	171	172	179	121	64	18	9	3								
Males.....	529	10	10	4	17	25	54	56	69	91	91	54	32	12	3	1								
Females.....	698	7	24	17	39	55	77	95	102	81	88	67	32	6	6	2								
Diagnosis reasonably certain. (M.).....	248	3	8	1	12	16	23	30	32	34	41	18	18	9	3								
Diagnosis reasonably certain. (F.).....	426	5	17	15	32	39	52	69	61	34	34	36	22	5	5								
MINNESOTA.																								
Total.....	1,096	21	30	34	60	80	114	114	126	153	141	121	70	24	8								
Males.....	567	10	9	9	25	48	55	60	60	84	81	77	33	11	5								
Females.....	529	11	21	25	35	32	59	54	66	69	60	44	37	13	3								
Diagnosis reasonably certain. (M.).....	256	5	6	7	15	27	30	26	29	33	34	22	13	5	4								
Diagnosis reasonably certain. (F.).....	287	7	17	17	27	22	36	38	32	28	23	17	14	7	2								
White.....	1,092	20	30	33	60	80	114	114	125	153	141	120	70	24	8								
Males.....	566	10	9	9	25	48	55	60	59	84	81	77	33	11	5								
Females.....	526	10	21	24	35	32	59	54	66	69	60	43	37	13	3								
Diagnosis reasonably certain. (M.).....	256	5	6	7	15	27	30	26	29	33	34	22	13	5	4								
Diagnosis reasonably certain. (F.).....	287	7	17	17	27	22	36	38	32	28	23	17	14	7	2								
Colored.....	4	1	1	1	1								
Males.....	1								
Females.....	3	1	1	1								
Diagnosis reasonably certain. (M.).....								
Diagnosis reasonably certain. (F.).....								
Olmsted County.....	99	1	6	4	8	4	10	16	12	21	5	7	4	1								
Males.....	62	1	1	8	4	6	12	7	13	3	4	2	1								
Females.....	37	1	5	3	4	4	5	8	2	3	2								
Diagnosis reasonably certain. (M.).....	52	1	1	7	3	6	12	7	10	1	2	2								
Diagnosis reasonably certain. (F.).....	28	1	5	3	2	4	4	6	2	1								
Other rural districts.....	997	20	24	30	52	76	104	98	114	132	136	114	66	23	8								
Males.....	505	10	8	8	17	44	49	43	53	71	78	73	31	10	5								
Females.....	492	10	16	22	35	32	55	50	61	61	58	41	35	13	3								
Diagnosis reasonably certain. (M.).....	204	5	5	6	8	21	21	11	22	23	33	20	11	5	4								
Diagnosis reasonably certain. (F.).....	259	6	12	14	27	22	34	31	28	22	23	15	13	7	2								
MISSOURI.																								
Total.....	1,155	30	35	31	59	62	121	126	144	157	175	116	73	15	10	1								
Males.....	499	9	13	6	12	23	52	50	55	82	88	59	30	6	3	1								
Females.....	666	21	22	25	47	39	69	76	89	75	87	57	43	9	7								
Diagnosis reasonably certain. (M.).....	239	2	12	3	10	17	28	33	22	31	32	29	16	2	2								
Diagnosis reasonably certain. (F.).....	379	12	14	19	35	30	52	41	56	34	38	19	20	5	4								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
RURAL PART OF REGISTRATION STATES—Continued.																								
MISSOURI—continued.																								
Total—Continued.	1,112	29	32	30	57	57	116	120	140	153	170	112	70	15	10	1								
White.....																								
Males.....	473	8	11	6	12	22	50	49	53	80	85	57	30	6	3	1								
Females.....	639	21	21	24	45	35	66	71	87	73	85	55	40	9	7									
Diagnosis reasonably certain {M.....	232	1	11	3	10	17	28	32	21	30	31	28	16	2	2									
{F.....	360	12	13	18	33	27	50	38	55	33	37	18	17	5	4									
Colored.....	43	1	3	1	2	5	5	6	4	4	5	4	3											
Males.....	16	1	2			1	2	1	2	2	3	2												
Females.....	27		1	2	4	3	5	2	2	2	2	2	3											
Diagnosis reasonably certain {M.....	7	1	1					1	1	1	1	1												
{F.....	19		1	1	2	3	2	3	1	1	1	1	3											
MONTANA.																								
Total.....	141	2	7	8	9	15	15	15	27	9	13	12	7	1	1									
Males.....	68	1	3	3	4	7	8	8	14	6	6	5	3											
Females.....	73	1	4	5	5	8	7	7	13	3	7	7	4	1	1									
Diagnosis reasonably certain {M.....	45	1	3	1	2	5	3	5	9	3	5	5	3											
{F.....	48		4	5	4	7	6	4	7	1	4	2	2	1	1									
White.....	137	2	7	8	9	15	15	14	26	8	13	11	7	1	1									
Males.....	67	1	3	3	4	7	8	8	13	6	6	5	3											
Females.....	70	1	4	5	5	8	7	6	13	2	7	6	4	1	1									
Diagnosis reasonably certain {M.....	44	1	3	1	2	5	3	5	8	3	5	5	3											
{F.....	47		4	5	4	7	6	3	7	1	4	2	2	1	1									
Colored.....	4							1	1	1		1												
Males.....	1								1															
Females.....	3							1		1		1												
Diagnosis reasonably certain {M.....	1								1															
{F.....	1																							
NEW HAMPSHIRE.																								
Total.....	269	1	5	11	8	20	30	30	35	24	40	30	22	9	3	1								
Males.....	88	1		4	1	4	6	9	12	8	15	16	8	3	1									
Females.....	181		5	7	7	16	24	21	23	16	25	14	14	6	2	1								
Diagnosis reasonably certain {M.....	37	1		1	1	3	2	2	6	4	4	6	4	2	1									
{F.....	105		3	6	5	12	19	13	14	6	11	5	5	4	1	1								
White.....	268	1	5	11	8	20	30	30	35	24	40	30	21	9	3	1								
Males.....	88	1		4	1	4	6	9	12	8	15	16	8	3	1									
Females.....	180		5	7	7	16	24	21	23	16	25	14	13	6	2	1								
Diagnosis reasonably certain {M.....	37	1		1	1	3	2	2	6	4	4	6	4	2	1									
{F.....	105		3	6	5	12	19	13	14	6	11	5	5	4	1	1								
Colored.....	1												1											
Males.....																								
Females.....	1												1											
Diagnosis reasonably certain {M.....																								
{F.....																								
Rockingham County.																								
Total.....	51			2	2	3	5	5	6	3	8	12	2	1	2									
Males.....	10								1		4	5												
Females.....	41			2	2	3	5	5	5	3	4	7	2	1	2									
Diagnosis reasonably certain {M.....	4										2	2												
{F.....	23			2	2	1	4	3	3	1	2	3	1		1									
Other rural districts.....	218	1	5	9	6	17	25	25	29	21	32	18	20	8	1	1								
Males.....	78	1		4	1	4	6	9	11	8	11	11	8	3	1									
Females.....	140		5	5	5	13	19	16	18	13	21	7	12	5	1	1								
Diagnosis reasonably certain {M.....	33	1		1	1	3	2	2	6	4	2	4	4	2	1									
{F.....	82		3	4	3	11	15	10	11	5	9	2	4	4		1								
NEW JERSEY.																								
Total.....	797	11	12	19	31	61	83	96	120	115	110	68	50	17	4									
Males.....	314	8	3	4	10	16	27	34	58	51	48	29	19	6	1									
Females.....	483	3	9	15	21	45	56	62	62	64	62	39	31	11	3									
Diagnosis reasonably certain {M.....	127	3	2	1	7	6	15	13	28	14	20	8	6	4										
{F.....	279	2	7	13	13	34	39	36	32	34	31	22	10	5	1									
White.....	779	11	12	17	31	60	82	94	116	114	105	67	49	17	4									
Males.....	308	8	3	3	10	16	26	33	57	50	47	29	19	6	1									
Females.....	471	3	9	14	21	44	56	61	59	64	58	38	30	11	3									
Diagnosis reasonably certain {M.....	125	3	2	1	7	6	15	13	25	13	19	8	6	4										
{F.....	272	2	7	12	13	34	39	36	30	34	29	21	9	5	1									

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.		
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.			
RURAL PART OF REGISTRATION STATES—Continued.																		
NEW JERSEY—continued.																		
Total—Continued.																		
Colored.....	18			2	1	1	2	4	1	5	1	1						
Males.....	6			1		1	1	1	1	1								
Females.....	12			1	1		1	3	1	4	1	1						
Diagnosis reasonably certain.....	2							1	1	1								
F.....	7			1			2	2	1	2	1	1						
Bergen County.....	101	2	2	2	1	12	13	14	13	16	8	1	2	1				
Males.....	39				1	4	3	3	7	8	6	5	1	1				
Females.....	62	2	2	2	3	8	10	11	7	5	10	3			1			
Diagnosis reasonably certain.....	16				3	2	1	5	2	1	1	1		1				
F.....	36	1	1	2	7	6	6	3	2	5	2	2		1				
Burlington County.....	60		2	5	4	4	2	7	7	11	8	4	2					
Males.....	23		1	1	1	2	3	1	4	1	5	2	2					
Females.....	37		1	4	3	2	1	3	6	6	6	2	2					
Diagnosis reasonably certain.....	11				1	1	3		2	3	1	1	1					
F.....	23		1	4	3	1		1	5	4	1	1	2					
Monmouth County.....	86		2	2	4	6	6	6	14	13	16	10	4	2	1			
Males.....	30				1	1	3	3	6	7	6	2						
Females.....	56		2	2	3	5	3	11	7	9	4	2	2		1			
Diagnosis reasonably certain.....	11						1	2	3	2	2	1	1					
F.....	31		2	2	1	4	4	1	6	2	6	1	1		1			
Morris County.....	50	1		1	3	2	7	7	8	8	4	4	1	3	1			
Males.....	22	1		1	1		3	4	5	3	1	1	2	1				
Females.....	28				2	2	4	3	3	5	4	3	1	1				
Diagnosis reasonably certain.....	8				1		2	1	2		2		2					
F.....	12				1	3	2	1	1	2	2							
Other rural districts.....	500	8	6	9	19	37	53	67	77	74	63	38	40	8	1			
Males.....	200	7	2	2	6	9	17	23	29	33	30	15	14	3				
Females.....	300	1	4	7	13	28	36	44	38	41	33	23	26	5	1			
Diagnosis reasonably certain.....	81	3	2	1	5	2	8	10	17	9	14	5	4	1				
F.....	177	1	3	5	9	21	26	27	21	24	14	16	8	2				
NEW YORK.																		
Total.....	2,286	27	47	53	82	135	206	249	311	318	345	276	149	58	25	5		
Males.....	883	8	16	10	21	39	58	94	122	144	155	114	63	29	9	1		
Females.....	1,403	19	31	43	61	96	148	155	189	174	190	162	86	29	16	4		
Diagnosis reasonably certain.....	438	6	7	8	13	25	40	45	53	67	69	48	31	17	9			
F.....	870	11	26	32	50	83	112	103	114	96	95	71	45	17	12	3		
White.....	2,263	27	46	53	81	135	203	244	310	314	342	272	149	58	25	4		
Males.....	873	8	15	10	21	39	56	92	122	143	154	112	63	29	9			
Females.....	1,390	19	31	43	60	96	147	152	188	171	188	160	86	29	16	4		
Diagnosis reasonably certain.....	436	6	7	8	13	25	40	44	53	66	69	48	31	17	9			
F.....	863	11	26	32	49	83	112	102	113	94	93	71	45	17	12	3		
Colored.....	23		1		1		3	5	1	4	3	4				1		
Males.....	10		1			2	2	3		1	1	2				1		
Females.....	13				1	1	1	2	1	3	2	2						
Diagnosis reasonably certain.....	2						1	1		1								
F.....	7				1			1	1	2								
Cattaraugus County.....	53		1	1		3	8	3	3	9	9	7	6	3				
Males.....	15					1	2	3		2	3		2	2				
Females.....	38		1	1		2	6		3	7	6	7	4	1				
Diagnosis reasonably certain.....	9					1	2	2		1	1		1	2				
F.....	23		1			2	4		3	2	3	4	3	1				
Chautauqua County.....	58	1	1	2	1		4	6	12	10	9	7	4		1			
Males.....	18							2	3	3	5	2	2		1			
Females.....	40	1	1	2	1		4	4	9	7	4	5	2					
Diagnosis reasonably certain.....	8							2	1		2	1	1		1			
F.....	21		1				2	3	6	3	3							
Delaware County.....	60		3	1	1	6	5	7	9	6	12	6	3	1				
Males.....	19						2	4	3	2	4	1	2	1				
Females.....	41		3	1	1	6	3	3	6	4	8	5	1					
Diagnosis reasonably certain.....	8						2	1	1		2		1	1				
F.....	23		3	1	1	5	3		3	2	4		1					
Dutchess County.....	63		2	3	3	3	6	5	9	7	7	9	3	6				
Males.....	26		2				1	1	4	5	4	5	1	3				
Females.....	37			3	3	3	5	4	5	2	3	4	2	3				
Diagnosis reasonably certain.....	12		1						2	2	8	3		1				
F.....	23			3	2	3	3	3	3		3		3	3				

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
RURAL PART OF REGISTRATION STATES—Continued.																						
NEW YORK—continued.																						
Erie County.....	71	1	3	3	5	11	15	9	9	4	6	4	1						
Males.....	32	1	1	1	4	3	8	6	2	1	3	2						
Females.....	39	2	2	1	8	7	3	7	3	3	2	1						
Diagnosis reasonably certain. (M).....	15	1	1	2	1	2	3	2	2	2	1						
Diagnosis reasonably certain. (F).....	22	2	2	6	4	2	3	2	1						
Monroe County.....	50	1	3	4	1	4	5	6	8	6	5	4	2	1						
Males.....	14	1	3	1	3	1	2	1	2						
Females.....	36	1	2	4	1	4	2	5	5	5	3	3	1						
Diagnosis reasonably certain. (M).....	7	1	3	1	1	1						
Diagnosis reasonably certain. (F).....	26	2	4	1	4	1	4	3	3	2	1	1						
Nassau County.....	78	2	3	3	7	4	10	13	13	10	10	1	1	1						
Males.....	39	1	1	5	1	5	6	10	4	3	1	1	1						
Females.....	39	1	2	3	2	3	5	7	3	6	7	1						
Diagnosis reasonably certain. (M).....	15	1	3	1	2	1	3	1	1	1	1						
Diagnosis reasonably certain. (F).....	20	1	2	2	1	2	3	4	2	3						
Onondaga County.....	74	1	1	2	2	5	7	7	7	8	10	14	9	1						
Males.....	25	1	1	2	4	3	1	7	5	1						
Females.....	49	1	1	2	2	4	6	5	3	5	9	7	4						
Diagnosis reasonably certain. (M).....	10	1	1	1	2	3	1						
Diagnosis reasonably certain. (F).....	32	1	1	2	2	2	5	3	2	3	6	4	1						
Onondaga County.....	62	1	2	2	4	6	10	9	11	8	8	1						
Males.....	26	1	1	4	4	3	6	2	5						
Females.....	36	2	1	4	2	6	6	5	6	3	1						
Diagnosis reasonably certain. (M).....	13	1	1	1	4	1	2	1	3						
Diagnosis reasonably certain. (F).....	22	2	1	2	1	4	2	4	3	2	1						
Ontario County.....	56	1	5	3	3	4	9	8	14	1	5	1	2						
Males.....	29	3	1	2	1	3	6	10	1	2						
Females.....	27	1	2	2	1	3	6	2	4	3	1	2						
Diagnosis reasonably certain. (M).....	13	3	1	3	3	6						
Diagnosis reasonably certain. (F).....	16	1	2	1	3	2	1	2	2	2	2						
Orange County.....	55	5	6	5	5	7	5	2	7	9	2	1	1						
Males.....	22	1	2	3	1	4	1	1	5	2	1						
Females.....	33	4	4	2	4	3	4	1	2	7	1	1						
Diagnosis reasonably certain. (M).....	9	1	1	2	1	3	1						
Diagnosis reasonably certain. (F).....	17	3	3	1	3	1	1	2	3						
Rockland County.....	51	1	1	3	5	6	5	5	12	4	4	5						
Males.....	28	2	2	2	1	4	7	3	3	4						
Females.....	23	1	1	1	3	4	4	1	5	1	1	1						
Diagnosis reasonably certain. (M).....	19	2	2	2	1	3	4	1	1	3						
Diagnosis reasonably certain. (F).....	16	1	1	3	3	3	1	2	1	1						
St. Lawrence County.....	50	1	2	2	9	4	4	7	12	4	1	2	2						
Males.....	21	1	1	2	3	2	2	7	1	1	1						
Females.....	29	1	1	1	7	1	2	5	5	3	1	2						
Diagnosis reasonably certain. (M).....	11	1	1	3	1	1	3	1						
Diagnosis reasonably certain. (F).....	17	1	1	1	6	2	2	1	1	2						
Steuben County.....	69	2	1	3	3	11	7	14	12	9	4	1	2						
Males.....	36	1	8	2	9	6	6	6	2	1	1						
Females.....	33	2	1	3	2	3	5	5	6	3	2	1						
Diagnosis reasonably certain. (M).....	20	5	2	7	1	3	1	1						
Diagnosis reasonably certain. (F).....	20	2	1	2	3	2	3	2	2	2	1						
Suffolk County.....	92	1	4	1	6	6	11	10	16	10	11	9	4	2	1						
Males.....	26	2	2	1	3	4	3	6	4	1						
Females.....	66	1	2	1	4	6	10	7	12	7	5	5	3	2	1						
Diagnosis reasonably certain. (M).....	8	1	1	3	2	1						
Diagnosis reasonably certain. (F).....	42	1	2	1	4	6	8	2	6	5	2	2	1	1	1						
Wayne County.....	59	2	2	3	4	5	6	11	5	9	7	2	2	1						
Males.....	13	2	5	1	3	2	2						
Females.....	46	2	2	3	4	5	4	6	4	6	5	2	2	1						
Diagnosis reasonably certain. (M).....	8	1	2	2	4	3	4	1	3	2						
Diagnosis reasonably certain. (F).....	27						
Westchester County.....	106	2	6	5	2	12	9	12	17	14	12	7	5	2	1						
Males.....	49	4	2	4	6	7	7	10	2	5	1	1						
Females.....	57	2	2	3	2	8	3	5	10	4	10	2	5	1	1						
Diagnosis reasonably certain. (M).....	32	3	2	3	5	4	7	4	1	1	1	1						
Diagnosis reasonably certain. (F).....	43	2	2	2	1	8	3	5	5	2	7	2	3	1						

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
RURAL PART OF REGISTRATION STATES—Continued.																								
NEW YORK—continued.																								
Other rural districts.....	1,179	12	23	23	38	67	108	130	153	167	181	156	77	29	12	3								
Males.....	445	5	7	5	10	20	32	38	61	68	83	67	30	15	4								
Females.....	734	7	16	18	28	47	76	92	92	99	98	89	37	14	8	3								
Diagnosis reasonably certain. (M/F).....	221/460	4/3	3/13	3/11	5/24	13/40	22/59	15/63	27/61	33/58	36/47	33/43	14/23	9/9	4/4	2								
NORTH CAROLINA.¹																								
Total.....	149	5	6	5	13	12	23	21	29	17	7	4	4	2	1								
Males.....	38	2	1	2	2	1	4	8	7	7	2	1	1								
Females.....	111	3	5	3	11	11	19	13	22	10	5	3	3	2	1								
Diagnosis reasonably certain. (M/F).....	19/76	2/1	1/5	1/3	1/9	1/7	1/17	6/12	4/9	2/5	2/3	2/2	1/1	1/1	1/1								
White.....	114	4	6	3	7	9	15	17	24	15	5	3	3	2	1								
Males.....	27	2	1	1	1	1	1	6	4	6	2	1	1								
Females.....	87	2	5	2	6	8	14	11	20	9	3	2	2	2	1								
Diagnosis reasonably certain. (M/F).....	15/54	2/.....	1/5	1/2	1/4	1/4	1/12	5/10	2/8	2/4	2/1	1/1	1/1	1/1	1/1								
Colored.....	35	1	2	6	3	8	4	5	2	2	1	1								
Males.....	11	1	1	3	2	3	1								
Females.....	24	1	1	5	3	5	2	2	1	2	1	1								
Diagnosis reasonably certain. (M/F).....	4/22	1/1	5/5	3/3	1/5	1/2	1/1	1/1	2/2	1/1								
OHIO.																								
Total.....	2,072	24	40	65	102	112	179	222	269	306	310	221	136	66	20								
Males.....	871	18	17	14	30	34	59	92	110	151	152	94	62	31	7								
Females.....	1,201	6	23	51	72	78	120	130	159	155	158	127	74	35	13								
Diagnosis reasonably certain. (M/F).....	420/721	12/2	9/17	7/38	15/55	22/63	31/84	46/88	49/92	69/80	62/75	43/59	32/44	20/16	3/8								
White.....	2,039	24	40	62	100	112	173	219	263	302	307	217	135	66	19								
Males.....	860	18	17	13	29	34	51	92	110	148	151	92	61	31	7								
Females.....	1,179	6	23	49	71	78	116	127	153	154	156	125	74	35	12								
Diagnosis reasonably certain. (M/F).....	417/706	12/2	9/17	6/36	15/54	22/63	31/80	46/85	49/89	68/79	62/74	42/59	32/44	20/16	3/8								
Colored.....	33	3	2	6	3	6	4	3	4	1	1								
Males.....	11	1	1	2	3	3	1	2	1								
Females.....	22	2	1	4	3	6	1	2	2	1								
Diagnosis reasonably certain. (M/F).....	3/15	1/2	1/1	1/4	3/3	1/3	1/1	1/1	1/.....								
HAMILTON COUNTY.																								
Total.....	54	1	4	4	3	5	8	4	4	10	4	5	2								
Males.....	23	1	3	2	2	4	1	1	6	1	2								
Females.....	31	1	2	1	5	4	3	3	4	3	3	2								
Diagnosis reasonably certain. (M/F).....	13/18	1/.....	1/2	1/1	1/5	4/3	1/1	1/2	3/.....	1/1	2/2	1/1								
TUSCARAWAS COUNTY.																								
Total.....	56	1	1	6	4	7	5	3	11	9	5	2	1	1								
Males.....	26	1	2	1	4	2	1	5	4	3	2	1								
Females.....	30	1	4	3	3	3	2	6	5	2	1								
Diagnosis reasonably certain. (M/F).....	10/16	1/.....	1/1	1/4	3/3	2/2	1/1	1/1	3/1	1/2	1/1								
Other rural districts.....	1,962	22	36	64	92	106	167	209	262	291	291	212	129	63	19								
Males.....	822	16	14	14	26	31	55	86	108	145	142	90	58	30	7								
Females.....	1,140	6	22	50	66	74	112	123	154	148	149	122	71	33	12								
Diagnosis reasonably certain. (M/F).....	397/687	11/2	8/17	7/37	13/49	21/59	29/77	41/84	48/90	66/77	58/73	43/58	30/42	19/15	3/7								
PENNSYLVANIA.																								
Total.....	2,752	47	67	99	147	206	271	321	397	404	346	245	129	53	18	3								
Males.....	1,100	25	20	28	32	76	109	129	172	176	144	107	54	16	10	2								
Females.....	1,652	22	47	71	115	129	162	192	225	228	202	138	75	37	8	1								
Diagnosis reasonably certain. (M/F).....	521/982	16/17	14/35	15/49	17/90	42/92	49/111	72/124	76/125	70/114	56/88	37/65	36/46	12/22	8/3	1								
White.....	2,703	47	66	93	143	197	265	316	388	400	343	243	129	53	17	3								
Males.....	1,083	25	20	27	32	72	107	128	167	174	143	107	54	16	9	2								
Females.....	1,620	22	46	66	111	125	158	188	221	226	200	136	75	37	8	1								
Diagnosis reasonably certain. (M/F).....	516/955	16/17	14/34	15/46	17/86	41/90	47/108	71/120	75/121	70/112	56/86	37/63	36/46	12/22	8/3	1								
Colored.....	49	1	6	4	8	6	5	9	4	3	2	1								
Males.....	17	1	4	2	1	5	2	1	1								
Females.....	32	1	5	4	4	4	4	4	2	2	2								
Diagnosis reasonably certain. (M/F).....	5/27	1/1	3/3	4/4	2/2	3/3	4/4	4/4	2/2	2/2	2/2								

¹ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	Allages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
RURAL PART OF REGISTRATION STATES—Continued.																						
PENNSYLVANIA—continued.																						
Allegheny County.....	223		6	12	17	23	29	30	30	31	22	17	4	2								
Males.....	80		3	3	2	7	12	10	11	15	6	9	1	1								
Females.....	143		3	9	15	16	17	20	19	16	16	8	3	1								
Diagnosis reasonably certain.....	32		3	3	2	2	2	6	4	6	2		1	1								
Diagnosis reasonably certain.....	94		3	7	11	9	13	17	8	9	10	5	2									
Berks County.....	66	1	1	2	2	5	7	9	10	7	9	9	2	2								
Males.....	29	1		1		1	2	3	6	3	5	5	1	1								
Females.....	37		1	1	2	4	5	6	4	4	4	4	1	1								
Diagnosis reasonably certain.....	14	1			1	1		3	3		4	2										
Diagnosis reasonably certain.....	19			1	2	3	2	2	2	2	1	3	1									
Bradford County.....	68			3	3	5	4	10	8	13	9	5	4	4								
Males.....	29			1		1		4	3	6	4	4	2	4								
Females.....	39			2	3	4	4	6	5	7	5	1	2									
Diagnosis reasonably certain.....	19				1	1		3	2	4	2	1	2	4								
Diagnosis reasonably certain.....	30			2	3	4	4	4	3	6	3	1										
Bucks County.....	76	1	4	2	4	3	3	7	11	21	10	7	2		1							
Males.....	26		1		1	1		3	5	8	5	1			1							
Females.....	50	1	3	2	3	2	3	4	6	13	5	6	2									
Diagnosis reasonably certain.....	10				1	1		1	2	4	2											
Diagnosis reasonably certain.....	29		3	2	3	2	1	1	4	6	1	5	1									
Chester County.....	65		1	3	3	5	6	5	10	7	9	10	3	3								
Males.....	19		1				3	2	2	3	3	5										
Females.....	46			3	3	5	3	3	8	4	6	5	3	3								
Diagnosis reasonably certain.....	11		1				3	1	1	3	1	1										
Diagnosis reasonably certain.....	21			2	1	4	2	2	1	3	1	1	3	1								
Clearfield County.....	50			1	4	4	8	6	4	5	13	4		1								
Males.....	20					3	4	2	1	2	6	2										
Females.....	30			1	4	1	4	4	3	3	7	2		1								
Diagnosis reasonably certain.....	10					3	2	2		2	1	2										
Diagnosis reasonably certain.....	16			1	1	1	3	4	2	1	2			1								
Delaware County.....	74	4	4	1	3	4	6	3	11	15	7	9	6	1								
Males.....	27	2		1		2	3	2	4	8	1	1	3									
Females.....	47	2	4		3	2	3	1	7	7	6	8	3	1								
Diagnosis reasonably certain.....	12	2				1	1	1	3	1	1	1	2									
Diagnosis reasonably certain.....	31	2	3		3	2	3	1	4	4	3	3	2	1								
Erie County.....	67	1		1	3	2	14	9	6	8	11	10	2									
Males.....	24						3	4	3	3	6	3	2									
Females.....	43	1		1	3	2	11	5	3	5	5	7										
Diagnosis reasonably certain.....	16						2	4	3	3	3	3	1									
Diagnosis reasonably certain.....	30	1		1	3	2	10	1	1	3	2	6										
Fayette County.....	67	1	1	6	5	3	5	14	9	8	6	4	2	3								
Males.....	31	1		3	2	2	4	5	6	2	4	1	1									
Females.....	36		1	3	3	1	1	9	3	6	2	3	1	3								
Diagnosis reasonably certain.....	10	1		2	1		1	2	3													
Diagnosis reasonably certain.....	18		1	1	1			5	3	1		2	1	3								
Jefferson County.....	51	3	2		2	3	8	3	7	7	8	5		3								
Males.....	30	3			1	2	7	2	5	2	3	3		2								
Females.....	21		2		1	1	1	1	2	5	5	2		1								
Diagnosis reasonably certain.....	16	2			1		5	1	1	1	1	3		2								
Diagnosis reasonably certain.....	9				1				2	3	2	1										
Lancaster County.....	90			6	3	3	12	9	10	10	15	10	7	2	2	1						
Males.....	37			2	1	1	5	3	5	5	5	5	2		2	1						
Females.....	53			4	2	2	7	6	5	5	10	5	5	2								
Diagnosis reasonably certain.....	17			1	1	1	2	3	3	1	3	2	1		2	1						
Diagnosis reasonably certain.....	29			1	2	2	3	3	3	3	5	3	3	1								
Luzerne County.....	99	2	6	2	7	8	9	15	12	16	11	4	4	2		1						
Males.....	45	2			4	4	3	7	6	8	5	2	3			1						
Females.....	54		6	2	3	4	6	8	6	8	6	2	1	2								
Diagnosis reasonably certain.....	16			2	2	3	2	2	4		2		1									
Diagnosis reasonably certain.....	29		2	2	3	4	3	6		4	1	1	1	2								
Montgomery County.....	95	2		1	3	7	10	10	26	10	10	7	5	3	1							
Males.....	48	1			2	2	4	5	15	7	5	5	1	1								
Females.....	47	1		1	1	5	6	5	11	3	5	2	4	2	1							
Diagnosis reasonably certain.....	27				1	2	2	5	7	5	4	1										
Diagnosis reasonably certain.....	28	1			3	4	4	3	6	3	2		3	2	1							

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.								
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.														
RURAL PART OF REGISTRATION STATES—Continued.																								
PENNSYLVANIA—continued.																								
Northampton County.....	54	1	1	2	6	6	3	4	5	9	6	6	2	3								
Males.....	24	1	2	2	1	2	2	1	4	3	4	1	1								
Females.....	30	1	4	5	1	2	4	5	3	2	1	2								
Diagnosis reasonably certain. (M. F.)	4	1	1	1								
Schuylkill County.....	89	5	8	5	2	8	14	10	10	9	8	5	4	1								
Males.....	35	1	3	1	1	4	8	3	5	4	3	2								
Females.....	54	4	5	4	1	4	6	7	5	5	5	5	2	1								
Diagnosis reasonably certain. (M. F.)	22	3	1	3	4	1	4	2	2	2	1								
Washington County.....	75	2	1	5	1	4	6	15	16	8	9	4	1	2	1								
Males.....	34	1	2	2	4	8	4	3	5	3	1								
Females.....	41	1	1	3	1	2	2	7	12	5	4	1	1	2	1								
Diagnosis reasonably certain. (M. F.)	17	1	1	5	3	1	1								
Westmoreland County.....	110	1	4	5	9	13	9	12	15	19	12	5	4	1	1								
Males.....	45	1	2	3	7	6	3	6	10	3	1	2	1								
Females.....	65	1	3	3	6	6	3	9	9	9	4	4	1	1								
Diagnosis reasonably certain. (M. F.)	28	1	1	2	4	4	2	5	5	1	1	1								
York County.....	64	4	1	1	2	8	8	7	7	9	10	6	1								
Males.....	22	2	2	2	2	4	2	2	5	2	1								
Females.....	42	2	1	1	2	6	6	3	5	7	5	4								
Diagnosis reasonably certain. (M. F.)	12	1	2	1	2	3	3								
Other rural districts.....	1,269	19	27	41	68	91	110	143	190	192	161	118	77	19	12	1								
Males.....	495	10	11	10	13	34	37	57	82	81	67	51	32	5	5								
Females.....	774	9	16	31	55	57	73	86	108	111	94	67	45	14	7	1								
Diagnosis reasonably certain. (M. F.)	228	7	6	7	6	22	16	27	32	32	22	18	24	4	5								
Diagnosis reasonably certain. (M. F.)	462	7	13	21	45	36	50	57	70	54	44	28	26	8	2	1								
RHODE ISLAND.																								
Total.....	113	1	2	3	8	5	19	13	15	20	13	5	7	2								
Males.....	41	2	1	2	2	7	5	6	6	7	1	1	1								
Females.....	72	1	2	6	3	12	8	9	14	6	4	6	1								
Diagnosis reasonably certain. (M. F.)	16	1	2	2	1	2	3	2	1	1	1								
White.....	111	1	2	3	8	5	19	13	14	19	13	5	7	2								
Males.....	41	2	1	2	2	7	5	6	6	7	1	1	1								
Females.....	70	1	2	6	3	12	8	8	13	6	4	6	1								
Diagnosis reasonably certain. (M. F.)	16	1	2	2	1	2	3	2	1	1	1								
Colored.....	2	1	1								
Males.....								
Females.....	2	1	1								
Diagnosis reasonably certain. (M. F.)								
UTAH.																								
Total.....	97	4	3	4	3	7	14	16	14	13	8	8	3								
Males.....	49	2	1	2	1	2	8	6	11	3	7	4	2								
Females.....	48	2	2	2	2	5	6	10	3	10	1	4	1								
Diagnosis reasonably certain. (M. F.)	12	1	2	1	4	1	1	2								
White.....	97	4	3	4	3	7	14	16	14	13	8	8	3								
Males.....	49	2	1	2	1	2	8	6	11	3	7	4	2								
Females.....	48	2	2	2	2	5	6	10	3	10	1	4	1								
Diagnosis reasonably certain. (M. F.)	12	1	2	1	4	1	1	2								
Colored.....	29	2	2	2	2	3	4	7	2	3	1	1								
VERMONT.																								
Total.....	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2								
Males.....	130	2	3	1	2	3	15	14	22	27	15	16	7	2	1								
Females.....	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1								
Diagnosis reasonably certain. (M. F.)	69	2	1	1	1	5	5	14	17	6	11	3	2	1								
Diagnosis reasonably certain. (M. F.)	120	4	2	4	5	6	14	18	14	12	12	14	10	3	2								

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 44.]

AREA AND BASIS OF DIAGNOSIS.	All ages.	DEATHS FROM CANCER (ALL FORMS) AT AGE OF—														Deaths at unknown age.						
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.												
RURAL PART OF REGISTRATION STATES—Continued.																						
VERMONT—continued.																						
Total—Continued.																						
White.....	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	2						
Males.....	130	2	3	3	1	2	3	15	14	22	27	15	16	7	2	1						
Females.....	194	4	5	4	5	8	19	26	19	22	30	21	19	9	2	1						
Diagnosis reasonably certain. (M. F.)	69 120	2 4	1 2	1 4	1 5	1 6	1 14	5 18	5 14	14 12	17 12	6 14	11 10	3 8	2 2	1						
Total.....	747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	1						
Males.....	289	9	4	10	9	11	20	31	42	40	51	36	16	7	3	1						
Females.....	458	10	20	23	35	39	37	48	51	62	50	42	22	14	4	1						
Diagnosis reasonably certain. (M. F.)	127 297	4 7	3 16	4 20	7 28	4 27	6 26	6 28	18 36	16 37	17 21	20 20	9 17	7 10	2 4	1						
White.....	551	11	11	20	26	29	35	58	68	78	84	70	36	18	7	1						
Males.....	238	7	3	8	4	7	14	26	33	32	45	34	15	7	3	1						
Females.....	313	4	8	12	22	22	21	32	35	46	39	36	21	11	4	1						
Diagnosis reasonably certain. (M. F.)	112 196	3 3	2 7	4 11	3 17	2 14	8 15	6 19	16 24	14 28	17 13	20 17	8 16	7 8	2 4	1						
Colored.....	196	8	13	13	18	21	22	21	25	24	17	8	2	3	1	1						
Males.....	51	2	1	2	5	4	6	5	9	8	6	2	1	1	1	1						
Females.....	145	6	12	11	13	17	16	16	16	16	11	6	1	3	1	1						
Diagnosis reasonably certain. (M. F.)	15 101	1 4	1 9	1 9	4 11	2 13	2 11	2 9	2 12	2 9	2 8	1 3	1 1	1 2	1	1						
Total.....	372	9	8	9	22	34	55	48	53	42	35	28	22	4	3	1						
Males.....	196	6	3	3	8	12	25	28	33	26	12	16	18	3	2	1						
Females.....	177	3	5	6	14	22	30	20	20	16	23	12	4	1	1	1						
Diagnosis reasonably certain. (M. F.)	94 117	5 3	2 5	2 5	4 14	5 18	15 21	10 12	17 10	7 7	5 12	7 6	8 3	1 1	1	1						
White.....	368	9	8	9	22	34	53	47	53	42	35	27	22	4	3	1						
Males.....	193	6	3	3	8	12	24	28	33	26	12	15	18	3	2	1						
Females.....	175	3	5	6	14	22	29	19	20	16	23	12	4	1	1	1						
Diagnosis reasonably certain. (M. F.)	93 115	5 3	2 5	2 5	4 14	5 18	14 20	14 11	17 10	7 7	5 12	7 6	8 3	1 1	1	1						
Colored.....	4					2	1					1										
Males.....	2					1						1										
Females.....	2					1	1															
Diagnosis reasonably certain. (M. F.)	1 2					1 1																
Total.....	1,273	21	17	25	54	72	128	147	156	196	191	134	89	33	9	1						
Males.....	633	12	7	6	21	26	62	74	82	104	98	77	53	9	1	1						
Females.....	640	9	10	19	33	46	66	73	74	92	93	57	36	24	8	1						
Diagnosis reasonably certain. (M. F.)	243 352	9 6	4 7	2 13	8 22	15 37	26 48	26 44	27 45	42 38	34 36	25 22	20 15	4 14	1 5	1						
White.....	1,266	21	17	25	54	72	128	146	154	194	191	133	89	32	9	1						
Males.....	632	12	7	6	21	26	62	74	81	104	98	77	53	9	1	1						
Females.....	634	9	10	19	33	46	66	72	73	90	93	56	36	23	8	1						
Diagnosis reasonably certain. (M. F.)	243 347	9 6	4 7	2 13	8 22	15 37	26 48	26 44	27 44	42 36	34 36	25 21	20 15	4 13	1 5	1						
Colored.....	7						1	2	2			1		1								
Males.....	1								1													
Females.....	6						1	1	2			1		1								
Diagnosis reasonably certain. (M. F.)	5							1	2			1		1								
Milwaukee County ¹	59	1			4	5	7	9	2	11	7	6	5	2								
Males.....	41	1			2	4	3	6	2	9	6	4	4									
Females.....	18				2	1	4	3	1	2	1	2	1	2								
Diagnosis reasonably certain. (M. F.)	26 11	1			2 2	2 1	2 2	1 3	1 1	8 1	5	2	2	1	1							
Other rural districts.....	1,214	20	17	25	50	67	121	138	154	185	184	128	84	31	9	1						
Males.....	592	11	7	6	19	22	59	68	80	95	92	73	49	9	1	1						
Females.....	622	9	10	19	31	45	62	70	74	90	92	55	35	22	8	1						
Diagnosis reasonably certain. (M. F.)	217 341	8 6	4 7	2 13	6 20	13 36	24 46	25 41	26 45	34 37	29 36	23 22	18 14	4 13	1 5	1						

¹ Includes National Military Home.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT

(Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
SUMMARY.																
1	The registration area.....	52,420	2,270	376	614	230	851	199	19,889	58	605	12,768	6,458	6,745	485	4,055
2	Males.....	21,282	1,878	347	526	184	670	151	10,122	46	475	7,015	2,586	2,903	184	1,645
3	Females.....	31,138	392	29	88	46	181	48	9,767	12	130	5,753	3,872	3,842	301	2,410
4	Diagnosis reasonably certain.....	10,749	1,878	347	526	184	670	151	2,524	19	164	1,795	546	1,787	96	638
5	M.....	19,806	391	29	88	46	180	48	1,763	5	35	913	810	2,099	132	851
6	F.....	6,966	5,212	15	214	3,598	1,385	709	55	639
7	Diagnosis uncertain.....	7,438	5,485	3	71	3,375	2,036	1,109	104	993
8	M.....	3,567	2,386	12	97	1,622	655	407	33	362
9	F.....	3,894	1	1	2,519	4	24	1,465	1,026	643	65	566
10	White.....	50,515	2,218	373	602	228	822	193	19,288	54	589	12,367	6,278	6,584	478	3,964
11	Males.....	20,717	1,842	345	518	183	648	148	9,818	42	465	6,812	2,499	2,851	181	1,618
12	Females.....	29,798	376	28	84	45	174	45	9,470	12	124	5,555	3,779	3,733	297	2,346
13	Diagnosis reasonably certain.....	10,511	1,842	345	518	183	648	148	2,462	18	163	1,755	526	1,759	96	630
14	M.....	18,831	375	28	84	45	173	45	1,727	5	33	892	797	2,033	130	835
15	F.....	6,774	5,068	14	207	3,498	1,349	695	54	626
16	Diagnosis uncertain.....	7,235	5,331	3	68	3,271	1,989	1,078	103	965
17	M.....	3,432	2,288	10	95	1,559	624	397	31	362
18	F.....	3,732	1	1	2,412	4	23	1,392	993	622	64	546
19	Colored.....	1,905	52	3	12	2	29	6	601	4	16	401	180	161	7	91
20	Males.....	565	36	2	8	1	22	3	304	4	10	203	87	52	3	27
21	Females.....	1,340	16	1	4	1	7	3	297	6	198	93	109	4	64
22	Diagnosis reasonably certain.....	238	36	2	8	1	22	3	62	1	1	40	20	28	8
23	M.....	975	16	1	4	1	7	3	36	2	21	13	57	2	16
24	F.....	192	144	1	7	100	36	14	1	13
25	Diagnosis uncertain.....	203	154	3	104	47	31	1	28
26	M.....	135	98	2	2	63	31	10	2	6
27	F.....	162	107	1	73	33	21	1	20
28	Registration states ¹	48,259	2,090	355	548	216	787	184	18,370	50	536	11,781	6,003	6,261	451	3,782
29	Males.....	19,546	1,726	329	466	171	618	142	9,273	41	414	6,425	2,393	2,698	169	1,536
30	Females.....	28,713	364	26	82	45	169	42	9,097	9	122	5,356	3,610	3,563	282	2,246
31	Diagnosis reasonably certain.....	9,845	1,726	329	466	171	618	142	2,256	17	142	1,604	493	1,658	84	596
32	M.....	18,155	363	26	82	45	168	42	1,620	4	34	838	744	1,920	121	783
33	F.....	6,538	4,904	13	194	3,384	1,313	667	54	603
34	Diagnosis uncertain.....	7,038	5,192	2	65	3,200	1,925	1,068	100	958
35	M.....	3,163	2,113	11	78	1,437	587	373	31	337
36	F.....	3,520	1	1	2,285	3	23	1,318	941	575	61	506
37	White.....	46,739	2,048	352	538	215	764	179	17,870	46	521	11,451	5,852	6,133	445	3,707
38	Males.....	19,100	1,697	327	459	171	601	139	9,028	37	405	6,232	2,324	2,656	166	1,515
39	Females.....	27,639	351	25	79	44	163	40	8,842	9	116	5,189	3,628	3,477	279	2,192
40	Diagnosis reasonably certain.....	9,677	1,697	327	459	171	601	139	2,218	16	141	1,580	481	1,637	84	591
41	M.....	17,396	350	25	79	44	162	40	1,590	4	32	822	732	1,879	120	770
42	F.....	6,373	4,780	12	188	3,297	1,283	655	53	592
43	Diagnosis uncertain.....	6,861	5,056	2	62	3,107	1,885	1,042	99	935
44	M.....	3,050	2,030	9	76	1,385	560	364	29	332
45	F.....	3,382	1	1	2,196	3	22	1,260	911	556	60	487
46	Colored.....	1,520	42	3	10	1	23	5	500	4	15	330	151	128	6	75
47	Males.....	446	29	2	7	17	3	245	4	9	163	69	42	3	21
48	Females.....	1,074	13	1	3	6	2	255	6	167	82	86	3	54
49	Diagnosis reasonably certain.....	168	29	2	7	17	3	38	1	1	24	12	21	5
50	M.....	759	13	1	3	6	2	30	2	16	12	41	1	13
51	F.....	165	124	1	6	87	30	12	1	11
52	Diagnosis uncertain.....	177	136	3	93	40	26	1	23
53	M.....	113	83	2	2	52	27	9	2	5
54	F.....	138	89	1	58	30	19	1	18
55	Cities in registration states ¹	26,795	1,060	118	361	99	391	91	9,739	40	395	6,171	3,133	3,775	280	2,302
56	Males.....	10,505	894	110	317	82	312	73	4,879	35	316	3,276	1,252	1,579	101	921
57	Females.....	16,290	166	8	44	17	79	18	4,860	5	79	2,895	1,881	2,196	179	1,381
58	Diagnosis reasonably certain.....	5,566	894	110	317	82	312	73	1,410	15	122	976	297	1,024	54	424
59	M.....	10,652	165	8	44	17	78	18	1,010	2	24	535	449	1,258	81	555
60	F.....	3,158	2,315	10	132	1,531	642	325	27	292
61	Diagnosis uncertain.....	3,616	2,584	41	1,620	923	576	61	506
62	M.....	1,781	1,154	10	62	769	313	230	20	205
63	F.....	2,022	1	1	1,266	3	14	740	509	362	37	320
64	White.....	25,893	1,038	118	352	99	380	89	9,441	36	381	5,974	3,050	3,694	274	2,258
65	Males.....	10,247	877	110	311	82	302	72	4,738	31	308	3,185	1,214	1,552	98	910
66	Females.....	15,646	161	8	41	17	78	17	4,703	5	73	2,789	1,836	2,142	176	1,348

¹ Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and are shown in Table I, p. 21.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2,171	34	8,152	451	7,470	184	47	5,423	1,957	7,994	341	371	686	538	784	1,014	141	497	121	3,491	1
1,064	10	8,152	451	7,470	184	47	83	1,242	5,049	279	209	368	281	784	718	76	259	121	1,954	2
1,107	24	8,152	451	7,470	184	47	5,335	715	2,935	62	162	318	257	296	296	65	238	121	1,537	3
1,052	1	7,988	310	7,460	184	34	88	1,242	3,230	279	83	216	145	311	352	84	109	121	1,580	4
1,098	9	7,988	310	7,460	184	34	5,332	715	1,527	61	38	132	118	314	107	25	94	121	952	5
7	8	72	66	8	8	8	1	1	1,045	1	71	122	88	314	197	18	79	121	171	6
5	1	92	85	2	5	5	2	2	774	1	40	55	53	159	108	21	77	121	283	7
2	10	92	85	2	5	5	2	2	774	1	40	55	53	159	108	21	77	121	283	8
2,110	32	7,544	438	6,887	173	46	5,223	1,925	7,733	330	365	660	521	764	993	136	479	121	3,364	9
1,042	10	7,544	438	6,887	173	46	87	1,229	4,890	272	208	352	270	764	700	71	247	121	1,887	10
1,068	22	7,544	438	6,887	173	46	5,136	696	2,843	58	159	308	251	293	293	65	232	121	1,477	11
1,032	1	7,385	301	6,877	173	34	87	1,229	3,132	272	82	206	138	302	340	33	107	121	1,531	12
1,080	8	7,385	301	6,877	173	34	5,133	696	1,482	57	38	127	116	307	105	25	93	121	921	13
7	8	71	55	8	8	8	1	1	1,011	1	71	121	86	307	193	16	71	121	160	14
6	4	88	82	2	4	4	2	2	754	1	38	51	51	155	108	21	73	121	273	15
3	1	88	82	2	4	4	2	2	754	1	38	51	51	155	108	21	73	121	273	16
2	10	88	82	2	4	4	2	2	607	1	50	60	49	155	167	22	67	121	196	17
61	2	608	13	583	11	1	200	32	251	11	6	26	17	20	21	5	18	127	127	18
22	2	608	13	583	11	1	199	13	159	7	3	16	11	20	18	5	12	67	67	19
39	2	608	13	583	11	1	199	13	92	4	3	10	6	20	18	5	12	60	60	20
20	1	608	9	583	11	1	199	13	98	7	1	10	7	9	12	1	2	49	49	21
38	1	608	9	583	11	1	199	13	45	4	1	5	2	2	2	1	1	31	31	22
1	1	1	1	1	1	1	1	1	34	2	2	2	2	7	4	2	6	11	11	23
2	1	1	1	1	1	1	1	1	17	1	1	1	1	2	2	2	4	10	10	24
2	1	1	1	1	1	1	1	1	27	2	2	2	2	4	2	2	4	7	7	25
2	1	1	1	1	1	1	1	1	30	3	4	4	2	4	1	1	1	19	19	26
2,001	27	7,334	409	6,710	172	43	5,075	1,850	7,279	318	334	617	472	717	919	125	451	111	3,215	27
986	7	7,334	409	6,710	172	43	82	1,183	4,584	261	187	325	242	717	650	68	231	111	1,792	28
1,015	20	7,334	409	6,710	172	43	4,993	667	2,695	57	147	292	230	269	269	57	220	111	1,423	29
977	1	7,184	280	6,701	172	31	82	1,183	2,940	261	75	193	123	276	317	31	96	111	1,457	30
1,008	5	7,184	280	6,701	172	31	4,990	667	1,411	56	33	122	108	298	188	22	88	111	883	31
5	8	68	53	7	8	8	1	1	967	1	64	115	78	298	188	16	71	111	157	32
5	5	68	53	7	8	8	1	1	709	1	64	115	78	298	188	21	72	111	260	33
4	1	82	76	2	4	4	2	2	677	33	47	46	44	143	145	21	64	111	178	34
2	7	82	76	2	4	4	2	2	575	50	55	44	44	143	72	14	60	111	280	35
1,956	25	6,860	400	6,263	163	43	4,913	1,827	7,079	308	329	599	457	702	900	122	436	111	3,115	36
968	7	6,860	400	6,263	163	43	81	1,175	4,463	255	185	314	233	702	634	65	222	111	1,742	37
988	18	6,860	400	6,263	163	43	4,832	652	2,616	53	144	285	224	266	266	57	214	111	1,373	38
961	1	6,722	274	6,254	163	31	81	1,175	2,869	255	75	186	117	271	307	31	94	111	1,422	39
982	7	6,722	274	6,254	163	31	4,829	652	1,374	52	33	119	106	291	184	22	87	111	858	40
5	5	68	53	7	8	8	1	1	938	79	85	72	72	291	184	14	66	111	147	41
4	4	68	53	7	8	8	1	1	694	1	64	114	76	291	184	21	66	111	252	42
2	1	79	73	2	4	4	2	2	656	31	43	44	44	140	143	20	62	111	173	43
2	7	79	73	2	4	4	2	2	548	47	52	42	42	140	71	14	59	111	263	44
45	2	465	9	447	9	9	162	23	200	10	5	18	15	15	19	3	15	100	100	45
18	2	465	9	447	9	9	161	15	121	6	2	11	9	15	16	3	9	50	50	46
27	2	465	9	447	9	9	161	15	79	4	3	7	6	5	10	2	2	35	35	47
16	1	462	6	447	9	9	161	15	71	6	3	7	6	5	10	2	2	25	25	48
26	1	462	6	447	9	9	161	15	37	4	3	3	2	7	4	2	4	10	10	49
1	1	1	1	1	1	1	1	1	15	1	1	1	1	2	2	2	4	8	8	50
2	1	1	1	1	1	1	1	1	21	2	4	4	2	3	2	1	1	5	5	51
2	1	1	1	1	1	1	1	1	27	3	3	3	2	3	1	1	1	17	17	52
1,175	18	4,428	290	4,026	94	18	2,830	666	4,297	226	231	403	297	415	597	80	269	61	1,718	53
552	5	4,428	290	4,026	94	18	46	401	2,706	193	125	207	150	415	419	41	133	61	962	54
623	13	4,428	290	4,026	94	18	2,784	265	1,591	33	106	196	147	415	178	39	136	61	756	55
545	1	4,332	201	4,022	94	15	46	401	1,791	193	53	132	88	183	220	18	56	61	787	56
616	6	4,332	201	4,022	94	15	2,782	265	840	32	24	83	76	150	70	18	54	61	483	57
3	3	42	38	3	1	1	1	1	518	1	44	69	43	150	104	9	39	61	87	58
5	4	42	38	3	1	1	1	1	413	1	44	69	43	150	104	13	45	61	139	59
4	1	54	51	1	2	2	1	1	397	22	29	29	28	82	95	14	38	61	88	60
2	3	54	51	1	2	2	1	1	338	38	44	28	28	82	95	8	37	61	134	61
1,146	16	4,143	283	3,755	87	18	2,739	654	4,184	221	226	389	289	404	587	80	262	61	1,665	62
532	5	4,143	283	3,755	87	18	45	397	2,638	190	123	198	146	404	412	41	128	61	935	63
607	11	4,143	283	3,755	87	18	2,694	257	1,546	31	103	191	143	404	175	39	134	61	730	64

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
SUMMARY—Continued.																	
Cities in registration states ¹ —Contd.																	
White—Continued.																	
1	Diagnosis reasonably certain.	M	5,461	877	110	311	82	302	72	1,385	14	122	961	288	1,010	54	421
		F	10,196	160	8	41	17	77	17	989	2	22	524	441	1,230	80	544
2	Diagnosis uncertain.	M	3,074							2,248	9	126	1,487	319	28	287	
		F	3,513							2,504		38	1,559	907	561	60	494
3	Diagnosis unknown.	M	1,712					1		1,105	8	60	737	300	223	18	202
		F	1,937	1						1,210	3	13	706	488	351	36	310
4	Colored.		902	22		9		11	2	298	4	14	197	83	81	6	44
5	Males.		258	17		6		10	1	141	4	8	91	38	27	3	11
6	Females.		644	5		3		1	1	157		6	106	45	54	3	33
7	Diagnosis reasonably certain.	M	105	17		6		10	1	25	1		15	9	14		3
		F	456	5		3		1	1	21			11	8	28	1	11
8	Diagnosis uncertain.	M	84							67	1	6	44	16	6	1	5
		F	103							80		3	61	16	15	1	12
9	Diagnosis unknown.	M	69							49	2	2	32	13	7	2	3
		F	85							56		1	34	21	11	1	10
10	Rural part of registration states.		21,464	1,030	237	187	117	396	93	8,631	10	141	5,610	2,870	2,486	171	1,480
11	Males.		9,041	832	219	149	89	306	69	4,394	6	98	3,149	1,141	1,119	68	615
12	Females.		12,423	198	18	38	28	90	24	4,237	4	43	2,461	1,729	1,367	103	865
13	Diagnosis reasonably certain.	M	4,279	832	219	149	89	306	69	846	2	20	623	196	634	30	172
		F	7,503	198	18	38	28	90	24	610	2	10	303	296	662	40	228
14	Diagnosis uncertain.	M	3,380							2,589	3	62	1,863	671	342	27	311
		F	3,422							2,608	2	24	1,580	1,002	492	39	452
15	Diagnosis unknown.	M	1,382							969	1	16	668	274	143	11	132
		F	1,498							1,019		9	578	432	213	24	186
16	White.		20,846	1,010	234	186	116	384	90	8,429	10	140	5,477	2,802	2,439	171	1,449
17	Males.		8,853	820	217	148	89	299	67	4,290	6	97	3,077	1,110	1,104	68	606
18	Females.		11,993	190	17	38	27	85	23	4,139	4	43	2,400	1,692	1,335	103	844
19	Diagnosis reasonably certain.	M	4,216	820	217	148	89	299	67	833	2	19	619	193	627	30	170
		F	7,200	190	17	38	27	85	23	601	2	10	298	291	649	40	226
20	Diagnosis uncertain.	M	3,299							2,532	3	62	1,810	657	336	27	305
		F	3,348							2,552	2	24	1,548	978	481	39	441
21	Diagnosis unknown.	M	1,338							925	1	16	648	280	141	11	130
		F	1,445							986		9	554	423	205	24	177
22	Colored.		618	20	3	1	1	12	3	202		1	133	68	47		31
23	Males.		188	12	2	1		7	2	104		1	72	31	15		10
24	Females.		430	8	1		1	5	1	98			61	37	32		21
25	Diagnosis reasonably certain.	M	63	12	2	1		7	2	13		1	9	3	7		2
		F	303	8	1		1	5	1	9			5	4	13		2
26	Diagnosis uncertain.	M	81							57			43	14	6		6
		F	74							56			32	24	11		11
27	Diagnosis unknown.	M	44							34			20	14	2		2
		F	53							33			24	9	8		8
28	Registration states, ¹ exclusive of North Carolina.		47,986	2,086	354	547	216	785	184	18,285	50	534	11,733	5,968	6,234	447	3,768
29	Males.		19,474	1,724	328	465	171	618	142	9,236	41	413	6,405	2,377	2,690	168	1,533
30	Females.		28,512	362	26	82	45	167	42	9,049	9	121	5,328	3,591	3,544	279	2,235
31	Diagnosis reasonably certain.	M	9,810	1,724	328	465	171	618	142	2,246	17	142	1,597	490	1,652	83	596
		F	18,010	361	26	82	45	166	42	1,608	4	34	833	737	1,912	120	781
32	Diagnosis uncertain.	M	6,517							4,887	13	193	3,376	1,305	666	54	602
		F	7,008							5,169	2	64	3,185	1,918	1,061	99	952
33	Diagnosis unknown.	M	3,147							2,103	11	78	1,432	582	372	31	336
		F	3,496	1				1		2,272	3	23	1,310	936	571	60	502
34	White.		46,549	2,045	352	537	215	762	179	17,806	46	519	11,417	5,824	6,108	441	3,693
35	Males.		19,047	1,696	327	458	171	601	139	9,004	37	404	6,249	2,314	2,649	165	1,512
36	Females.		27,502	349	25	79	44	161	40	8,802	9	115	5,168	3,510	3,459	276	2,181
37	Diagnosis reasonably certain.	M	9,652	1,696	327	458	171	601	139	2,212	16	141	1,576	479	1,632	83	590
		F	17,306	348	25	79	44	160	40	1,540	4	32	819	725	1,872	119	768
38	Diagnosis uncertain.	M	6,357							4,768	12	187	3,292	1,277	654	53	591
		F	6,834							5,037	2	61	3,096	1,873	1,035	98	929
39	Diagnosis unknown.	M	3,038							2,024	9	76	1,341	558	363	29	331
		F	3,362	1				1		2,185	3	22	1,253	907	552	50	434
40	Colored.		1,437	41	2	10	1	23	5	479	4	15	316	144	126	6	75
41	Males.		427	28	1	7		17	3	232	4	9	156	63	41	3	21
42	Females.		1,010	13	1	3	1	6	2	247		6	160	81	85	3	54
43	Diagnosis reasonably certain.	M	158	28	1	7		17	3	34	1	1	21	11	20		5
		F	704	13	1	3	1	6	2	28		2	14	12	40	1	13
44	Diagnosis uncertain.	M	160							119	1	6	84	28	12	1	11
		F	172							132		3	89	40	26	1	23
45	Diagnosis unknown.	M	109							79	2	2	51	24	9	2	5
		F	134							87		1	57	29	19	1	18

¹ Includes District of Columbia.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																	
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.							
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	
534	1							45	397								
601	5	4,049	196	3,751	87	15		2,692	257	1,747	190	53	126	85	178	215	18
3	3									819	30	24	81	75		68	18
4	3	42	38	3		1		1		507		50	46	33	147	103	9
2	1									405	1	44	68	42		59	13
2	3	52	49	1		2		1		384		20	26	28	79	94	14
29	2	285	7	271	7			91	12	322		35	42	26		48	8
13																	
16	2	285	7	271	7			1	4	68	3	2	9	4	11	7	5
								90	8	45	2	3	5	4		3	2
11																	
15	1	283	5	271	7			1	4	44	3		6	3	5	5	1
								90	8	21	2		2	1		2	1
1	1									11					3	1	3
2										8			1	1			1
		2	2							13		2	3	1	3	1	1
										16		3	2	2		1	1
826	9	2,906	119	2,684	78	25		2,245	1,184	2,982	92	103	214	175	302	322	45
																	182
																	50
																	1,497
434	2							36	782	1,878	68	62	118	92	302	231	27
392	7	2,906	119	2,684	78	25		2,209	402	1,104	24	41	96	83		91	18
																	98
432	2	2,852	79	2,679	78	16		36	782	1,149	68	22	61	35	93	97	13
392	2							2,208	402	571	24	9	39	32		29	4
2	1	26	15	4		7				449		29	39	40	148	84	7
										296		20	46	35		39	8
	4	28	25	1		2		1		280		11	18	17	61	50	7
										237		12	11	16		23	6
810	9	2,726	117	2,508	76	25		2,174	1,173	2,895	87	103	210	168	298	313	42
																	174
																	50
																	1,450
429	2							36	778	1,825	65	62	116	87	298	222	24
381	7	2,726	117	2,508	76	25		2,138	395	1,070	22	41	94	81		91	18
																	94
427	2	2,673	78	2,503	76	16		36	778	1,122	65	22	60	32	93	92	13
381	2							2,137	395	555	22	9	38	31		29	4
2	1	26	15	4		7				431		29	39	39	144	81	5
										289		20	46	34		39	8
	4	27	24	1		2		1		272		11	17	16	61	49	6
										226		12	10	16		23	6
16		180	2	176	2			71	11	87	5		4	7	4	9	3
																	8
5																	
11		180	2	176	2			71	7	53	3		2	5	4	9	3
										34	2		2	2			4
5																	
11		179	1	176	2			71	4	27	3		1	3		5	1
										16	2		1	1			
										18				1	4	3	2
										7				1			4
										8				1		1	1
										11				1			
1,992	27	7,247	406	6,629	170	42		5,052	1,838	7,244	318	333	617	467	716	915	123
																	448
																	111
																	3,196
982	7							81	1,177	4,566	261	187	325	239	716	648	66
1,010	20	7,247	406	6,629	170	42		4,971	661	2,678	57	146	292	228		267	57
																	219
973	1							81	1,177	2,930	261	75	193	121	276	316	29
1,003	8	7,097	277	6,620	170	30		4,968	661	1,403	56	33	122	107		98	22
5	5									964		79	85	72	297	188	16
5	5	68	53	7		8		1		707	1	63	115	78		98	21
4	1									672		33	47	46	143	144	21
2	7	82	76	2		4		2		568		50	55	43		71	14
1,949	25	6,824	399	6,220	163	42		4,897	1,816	7,053	308	328	599	452	701	897	120
																	433
																	111
																	3,104
965	7							81	1,169	4,448	255	185	314	230	701	633	63
984	18	6,824	399	6,220	163	42		4,816	647	2,605	53	143	285			264	57
																	213
958	1							81	1,169	2,862	255	75	186	115	271	307	29
978	7	6,677	273	6,211	163	30		4,813	647	1,369	52	33	119	105		96	22
5	5									935		79	85	71	290	184	14
4	4	68	53	7		8		1		693		63	114	76		98	21
2	1									651		31	43	44	140	142	20
2	7	79	73	2		4		2		543		47	52	41		70	14
43	2	423	7	409	7			155	22	191	10	5	18	15		18	3
																	15
17																	
26	2	423	7	409	7			155	14	118	6	2	11	9	15	3	9
										73	4	3	7	6		3	6
15										68	6		7	6	5	9	2
25	1	420	4	409	7			155	14	34	4		3	2		2	1
										29				1	7	4	5
1	1									14				2			4
2										21		2	4	2	3	2	2
										25		3	3	2		1	1

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
		Aggre- gate.	Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
SUMMARY—Continued.																
1	Registration cities in other states.....	4,161	180	21	66	14	64	15	1,519	8	69	987	455	484	34	273
2	Males.....	1,736	152	18	60	13	52	9	849	5	61	590	193	205	15	109
3	Females.....	2,425	28	3	6	1	12	6	670	3	8	397	262	279	19	164
4	Diagnosis reasonably certain. (M.....	904	152	18	60	13	52	9	268	2	22	191	53	129	12	42
	Diagnosis reasonably certain. (F.....	1,651	28	3	6	1	12	6	143	1	1	75	66	170	11	68
5	Diagnosis uncertain..... (M.....	428							308	2	20	214	72	42	1	36
	Diagnosis uncertain..... (F.....	400							293	1	6	175	111	41	4	35
6	Diagnosis unknown..... (M.....	404							273	1	19	185	68	34	2	31
	Diagnosis unknown..... (F.....	374							234	1	1	147	85	68	4	61
7	White.....	3,776	170	21	64	13	58	14	1,418	8	68	916	426	451	33	257
8	Males.....	1,617	145	18	59	12	47	9	790	5	60	550	175	195	15	103
9	Females.....	2,159	25	3	5	1	11	5	628	3	8	366	251	256	18	154
10	Diagnosis reasonably certain. (M.....	834	145	18	59	12	47	9	244	2	22	175	45	122	12	39
	Diagnosis reasonably certain. (F.....	1,435	25	3	5	1	11	5	137	1	1	70	65	154	10	65
11	Diagnosis uncertain..... (M.....	401							288	2	19	201	66	40	1	34
	Diagnosis uncertain..... (F.....	374							275	1	6	164	104	36	4	30
12	Diagnosis unknown..... (M.....	382							258	1	19	174	64	33	2	30
	Diagnosis unknown..... (F.....	350							216	1	1	132	82	66	4	59
13	Colored.....	385	10		2	1	6	1	101		1	71	29	33	1	16
14	Males.....	119	7		1	1	5		59		1	40	18	10		6
15	Females.....	266	3		1		1	1	42			31	11	23	1	10
16	Diagnosis reasonably certain. (M.....	70	7		1	1	5		24			16	8	7		3
	Diagnosis reasonably certain. (F.....	216	3		1		1	1	6			5	1	16	1	3
17	Diagnosis uncertain..... (M.....	27							20		1	13	6	2		2
	Diagnosis uncertain..... (F.....	26							18			11	7	5		5
18	Diagnosis unknown..... (M.....	22							15			11	4	1		1
	Diagnosis unknown..... (F.....	24							18			15	3	2		2
19	All registration cities ¹	30,956	1,240	139	427	113	455	106	11,258	48	464	7,158	3,588	4,259	314	2,575
20	Males.....	12,241	1,046	128	377	95	364	82	5,728	40	377	3,866	1,445	1,784	116	1,030
21	Females.....	18,715	194	11	50	18	91	24	5,530	8	87	3,292	2,143	2,475	198	1,545
22	Diagnosis reasonably certain. (M.....	6,470	1,046	128	377	95	364	82	1,678	17	144	1,167	350	1,153	66	466
	Diagnosis reasonably certain. (F.....	12,303	193	11	50	18	90	24	1,153	3	25	610	515	1,428	92	623
23	Diagnosis uncertain..... (M.....	3,598							2,623	12	152	1,745	714	367	28	328
	Diagnosis uncertain..... (F.....	4,016							2,877	1	47	1,795	1,034	617	65	541
24	Diagnosis unknown..... (M.....	2,185							1,427	11	81	954	381	264	22	236
	Diagnosis unknown..... (F.....	2,396	1				1		1,500	4	15	887	594	430	41	381
25	White.....	29,669	1,208	139	416	112	438	103	10,859	44	449	6,890	3,476	4,145	307	2,515
26	Males.....	11,864	1,022	128	370	94	349	81	5,528	36	368	3,735	1,389	1,747	113	1,013
27	Females.....	17,805	186	11	46	18	89	22	5,331	8	81	3,155	2,087	2,398	194	1,502
28	Diagnosis reasonably certain. (M.....	6,295	1,022	128	370	94	349	81	1,629	16	144	1,136	333	1,132	66	460
	Diagnosis reasonably certain. (F.....	11,631	185	11	46	18	88	22	1,126	3	23	594	506	1,384	90	609
29	Diagnosis uncertain..... (M.....	3,475							2,536	11	145	1,688	692	359	27	321
	Diagnosis uncertain..... (F.....	3,887							2,779	1	44	1,723	1,011	597	64	524
30	Diagnosis unknown..... (M.....	2,094							1,363	9	79	911	364	256	20	232
	Diagnosis unknown..... (F.....	2,287	1				1		1,426	4	14	838	570	417	40	369
31	Colored.....	1,287	32		11	1	17	3	399	4	15	268	112	114	7	60
32	Males.....	377	24		7	1	15	1	200	4	9	131	56	37	3	17
33	Females.....	910	8		4		2	2	199		6	137	56	77	4	43
34	Diagnosis reasonably certain. (M.....	175	24		7	1	15	1	49	1		31	17	21		6
	Diagnosis reasonably certain. (F.....	672	8		4		2	2	27		2	16	9	44	2	14
35	Diagnosis uncertain..... (M.....	111							87	1	7	57	22	8	1	7
	Diagnosis uncertain..... (F.....	129							98		3	72	23	20	1	17
36	Diagnosis unknown..... (M.....	91							64	2	2	43	17	8	2	4
	Diagnosis unknown..... (F.....	109							74		1	49	24	13	1	12
REGISTRATION STATES.																
37	CALIFORNIA.....	2,701	133	19	42	1	56	15	1,042	2	35	698	307	343	19	196
38	Males.....	1,278	115	18	36	1	48	12	627	2	33	445	147	168	8	91
39	Females.....	1,423	18	1	6		8	3	415		2	253	160	175	11	105
40	Diagnosis reasonably certain. (M.....	731	115	18	36	1	48	12	214	2	10	150	52	114	5	40
	Diagnosis reasonably certain. (F.....	1,004	18	1	6		8	3	99		2	53	44	112	7	47
41	White.....	2,649	130	19	42	1	55	13	1,013	2	33	682	296	339	17	194
42	Males.....	1,244	112	18	36	1	47	10	604	2	31	433	138	165	6	90
43	Females.....	1,405	18	1	6		8	3	409		2	249	158	174	11	104
44	Diagnosis reasonably certain. (M.....	715	112	18	36	1	47	10	205	2	9	147	47	114	5	40
	Diagnosis reasonably certain. (F.....	991	18	1	6		8	3	98		2	53	43	111	7	46

¹ Includes District of Columbia.

GENERAL TABLES.

93

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
170	7	818	42	760	12	4	348	107	705	22	37	69	66	67	95	16	46	10	276
78	3	818	42	760	12	4	6	59	465	18	22	43	39	67	68	8	28	10	162
92	4	818	42	760	12	4	342	48	240	5	15	26	27	27	27	8	18		114
75	1	804	30	759	12	3	6	59	290	18	8	23	22	35	35	3	13	10	123
90	3	804	30	759	12	3	342	48	116	5	5	10	10	16	8	3	6		69
2	1	4	3	1					78		7	12	10	16	9	2	8		14
2	1	4	3	1					62		7	7	10	16	10		5		23
1	3	10	9			1			97		7	8	7	16	24	3	7		25
									62		3	9	7		9	5	7		22
154	7	675	38	624	10	3	310	98	654	22	36	61	64	62	93	14	43	10	249
74	3	675	38	624	10	3	6	54	427	17	21	38	37	62	66	6	25	10	145
80	4	675	38	624	10	3	304	44	227	5	15	23	27	27	27	8	18		104
71	1	663	27	623	10	3	6	54	263	17	7	20	21	31	33	2	13	10	109
78	3	663	27	623	10	3	304	44	108	5	5	8	10	16	8	3	6		63
2	1	3	2	1					73		7	10	9	16	9	2	7		13
2	1	3	2	1					60		7	7	10	16	10		5		21
1	3	9	9						91		7	8	7	15	24	2	6		23
									59		3	8	7		9	5	7		20
16		143	4	136	2	1	38	9	51	1	1	8	2	5	2	2	3		27
4		143	4	136	2	1	38	5	38	1	1	5	2	5	2	2	3		17
12		143	4	136	2	1	38	4	13			3	3						10
4		141	3	136	2		38	5	27	1	1	3	1	4	2	1			14
12		141	3	136	2		38	4	8			2	1						6
		1	1						5			2	1				1		1
		1							2					1			2		2
		1							3			1							2
1,345	25	5,246	332	4,786	106	22	3,178	773	5,002	249	268	472	363	482	692	96	315	71	1,994
630	8	5,246	332	4,786	106	22	52	460	3,171	211	147	250	189	482	487	49	161	71	1,124
715	17	5,246	332	4,786	106	22	3,126	313	1,831	38	121	222	174	205	205	47	154		870
620	1	5,136	231	4,781	106	18	52	460	2,081	211	61	155	110	218	255	21	69	71	910
706	7	5,136	231	4,781	106	18	3,124	313	956	37	29	93	86	166	78	21	60		552
5	6	46	41	4		1	1		596		57	58	43	113	11	47			101
7	4	46	41	4		1	1		475	1	51	76	53	69	13	50			162
5	1	64	60	1		3	1		494		29	37	36	98	119	17	45		113
2	6	64	60	1		3	1		400		41	53	35	58	13	44			156
1,300	23	4,818	321	4,379	97	21	3,049	752	4,838	243	262	460	353	466	680	94	305	71	1,914
613	8	4,818	321	4,379	97	21	51	451	3,065	207	144	236	183	466	478	47	153	71	1,080
667	15	4,818	321	4,379	97	21	2,998	301	1,773	36	118	214	170	202	202	47	152		834
605	1	4,712	223	4,374	97	18	51	451	2,010	207	60	146	106	209	248	20	68	71	875
679	6	4,712	223	4,374	97	18	2,996	301	927	35	29	89	85	163	76	21	59		533
5	6	45	40	4		1	1		580		57	56	42	112	11	43			96
6	3	45	40	4		1	1		465	1	51	75	52	69	13	50			154
3	1	61	58	1		2	1		475		27	34	35	94	118	16	42		109
2	6	61	58	1		2	1		381		38	60	33	57	13	43			147
45	2	428	11	407	9	1	129	21	164	6	6	22	10	16	12	2	10		80
17		428	11	407	9	1	1	9	106	4	3	14	6	16	9	2	8		44
28	2	428	11	407	9	1	128	12	58	2	3	8	4		3		2		36
15		424	8	407	9		1	9	71	4	1	9	4	9	7	1	1		35
27	1	424	8	407	9		128	12	29	2		4	1	3	2		1		19
1	1	1	1						16			2	1				4		5
2		3	2			1			10			1	1						8
									19		2	3	1	4	1	1	3		4
									19		3	3	2		1		1		9
127	1	366	22	333	7	4	299	100	418	19	23	40	25	45	44	15	17	11	179
99		366	22	333	7	4	5	74	289	14	13	26	13	45	33	9	9	11	116
58	1	366	22	333	7	4	294	26	129	5	10	14	12	21	11	6	8		63
99		358	15	333	7	3	5	74	209	14	8	20	8		17	3	6	11	101
58		360	22	327	7	4	294	26	97	5	3	14	10		5	4	3		53
127	1	360	22	327	7	4	295	100	412	17	23	39	25	45	44	15	16	11	177
99		360	22	327	7	4	5	74	284	13	13	25	13	45	33	9	8	11	114
58	1	360	22	327	7	4	290	26	128	4	10	14	12		11	6	8		63
99		352	15	327	7	3	5	74	205	13	8	19	8	21	17	3	5	11	100
58		352	15	327	7	3	290	26	96	4	3	14	10		5	4	3		53

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggre- gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.	
REGISTRATION STATES—Con.																	
1 CALIFORNIA—Continued.																	
2 Colored.	52	3					1	2	29		2	16	11	4	2	2	
3 Males.	34	3					1	2	23		2	12	9	3	2	1	
4 Females.	18								6			4	2	1		1	
5 Diagnosis reasonably certain.	16	3					1	2	9	1	1	3	5				
6 (M..)	13								1				1	1		1	
7 (F..)																	
8 COLORADO.	530	22	3	5	2	12			245	2	4	164	75	58	4	29	
9 Males.	232	22	3	5	2	12			138	2	4	101	31	24	2	10	
10 Females.	298								107			63	44	34	2	19	
11 Diagnosis reasonably certain.	133	22	3	5	2	12			62		1	41	10	17		5	
12 (M..)	199								31			13	18	23	2	9	
13 (F..)																	
14 White.	517	22	3	5	2	12			239	1	4	160	74	58	4	29	
15 Males.	230	22	3	5	2	12			137	1	4	101	31	24	2	10	
16 Females.	287								102			59	43	34	2	19	
17 Diagnosis reasonably certain.	133	22	3	5	2	12			52		1	41	10	17		5	
18 (M..)	194								31			13	18	23	2	9	
19 (F..)																	
20 Colored.	13								6	1		4	1				
21 Males.	2								1	1							
22 Females.	11								5			4	1				
23 Diagnosis reasonably certain.	5																
24 (M..)																	
25 (F..)																	
26 CONNECTICUT.	1,040	48	5	17	5	18	3		331		8	214	109	158	7	112	
27 Males.	394	40	3	14	5	15	3		164		5	118	41	64	3	43	
28 Females.	646	8	2	3		3			167		3	96	68	94	4	69	
29 Diagnosis reasonably certain.	199	40	3	14	5	15	3		46		3	35	8	31	1	12	
30 (M..)	412	8	2	3		3			37			19	18	40	1	18	
31 (F..)																	
32 White.	1,022	48	5	17	5	18	3		326		8	209	109	155	7	111	
33 Males.	390	40	3	14	5	15	3		160		5	114	41	64	3	43	
34 Females.	632	8	2	3		3			166		3	95	68	91	4	68	
35 Diagnosis reasonably certain.	198	40	3	14	5	15	3		45		3	34	8	31	1	12	
36 (M..)	400	8	2	3		3			37			19	18	38	1	18	
37 (F..)																	
38 Colored.	18								5			5		3		1	
39 Males.	4								4			4					
40 Females.	14								1			1		3		1	
41 Diagnosis reasonably certain.	1								1			1		2			
42 (M..)	12																
43 (F..)																	
44 INDIANA.	2,199	98	22	16	15	40	5		864	2	11	513	338	226	15	138	
45 Males.	821	79	20	13	9	33	4		382	2	9	249	122	97	4	50	
46 Females.	1,378	19	2	3	6	7	1		482		2	264	218	129	11	88	
47 Diagnosis reasonably certain.	433	79	20	13	9	33	4		80	1	1	49	29	73	4	26	
48 (M..)	847	19	2	3	6	7	1		82		1	42	39	59	4	25	
49 (F..)																	
50 White.	2,162	97	22	15	15	40	5		854	2	11	507	334	222	14	138	
51 Males.	812	78	20	12	9	33	4		382	2	9	249	122	97	4	50	
52 Females.	1,350	19	2	3	6	7	1		472		2	258	212	125	10	88	
53 Diagnosis reasonably certain.	429	78	20	12	9	33	4		80	1	1	49	29	73	4	26	
54 (M..)	830	19	2	3	6	7	1		82		1	42	39	56	4	25	
55 (F..)																	
56 Colored.	37	1		1					10			6	4	4	1		
57 Males.	9	1		1													
58 Females.	28								10			6	4	4	1		
59 Diagnosis reasonably certain.	4	1		1										3			
60 (M..)	17																
61 (F..)																	
62 KANSAS.	1,095	59	26	7	1	19	6		442		5	275	162	117	10	82	
63 Males.	504	53	25	6	1	17	4		241		4	167	70	59	6	40	
64 Females.	591	6	1	1		2	2		201		1	108	92	58	4	42	
65 Diagnosis reasonably certain.	257	53	25	6	1	17	4		67		2	48	17	30	5	12	
66 (M..)	364	6	1	1		2	2		45			18	27	29	4	13	
67 (F..)																	
68 White.	1,064	58	26	7	1	18	6		431		5	268	158	115	10	81	
69 Males.	496	52	25	6	1	16	4		236		4	163	69	59	6	40	
70 Females.	568	6	1	1		2	2		195		1	105	89	56	4	41	
71 Diagnosis reasonably certain.	254	52	25	6	1	16	4		66		2	47	17	30	5	12	
72 (M..)	349	6	1	1		2	2		44			17	27	28	4	13	
73 (F..)																	
74 Colored.	31	1				1			11			7	4	2		1	
75 Males.	8	1				1			5			4	1				
76 Females.	23								6			3	3	2		1	
77 Diagnosis reasonably certain.	3	1				1			1			1		1			
78 (M..)	15																
79 (F..)																	

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
		6		6			4		6	2		1					1		2
		6		6			4		5	1		1					1		2
		6		6			4		1	1		1					1		3
		6		6			4		4	1		1					1		4
25		81	4	74	3		53	14	57	3	6	5	7	6	3	2	1	1	23
12							2	10	36	3	2	5	2	6	1	1	1	1	14
13							51	4	21		4		5		2	1	1		9
12		81	4	74	3		2	10	30	3	1	3	1	5	1	1		1	7
12		80	3	74	3		51	4	10		1		2		1	1			8
25		80	4	73	3		50	13	55	3	6	4	6	6	3	2	1	1	23
12							2	10	35	3	2	4	2	6	1	1	1	1	14
13							48	3	20		4		4		2	1	1		10
12		80	4	73	3		2	10	30	3	1	3	1	5	1	1		1	11
12		79	3	73	3		48	3	10		1		2		1	1			12
		1		1			3	1	2			1	1						5
							3	1	1			1	1						13
		1		1			3	1	1			1	1						14
		1		1			3	1	1			1	1						15
39		158	7	145	5	1	121	33	191	11	5	16	7	23	32	2	11	1	83
18							1	19	106	8	1	5	4	23	21		3	1	40
21		158	7	145	5	1	120	14	85	3	4	11	3		11	2	8		18
18							1	19	62	8	1	5	1	5	9		1	1	43
21		155	5	145	5		120	14	38	3	2	4			3	1	2		31
37		152	7	139	5	1	118	32	191	11	5	16	7	23	32	2	11	1	23
18							1	19	106	8	1	5	4	23	21		3	1	40
19		152	7	139	5	1	117	13	85	3	4	11	3		11	2	8		22
18							1	19	62	8	1	5	1	5	9		1	1	43
19		149	5	139	5		117	13	38	3	2	4			3	1	2		23
2		6		6			3	1											25
2		6		6			3	1											26
2		6		6			3	1											27
72	1	355	15	331	6	3	229	138	289	8	7	39	24	20	41	2	14	4	130
43							3	94	166	6	3	13	8	20	25	1	8	4	73
29	1	355	15	331	6	3	226	44	123	2	4	21	16		16	1	6		31
43							3	94	104	6	2	9	4	11	7		3	4	57
29	1	350	11	331	6	2	226	44	67	2	2	9	6		4		2		32
69	1	346	15	322	6	3	226	137	280	8	7	37	23	20	40	2	12	4	127
43							3	94	158	6	3	17	7	20	24	1	6	4	34
26	1	346	15	322	6	3	223	43	122	2	4	20	16		16	1	6		35
43							3	94	101	6	2	9	3	11	7		2	4	57
26	1	341	11	322	6	2	223	43	66	2	2	8	6		4		2		36
3		9		9			3	1	9			2	1		1		2		37
3		9		9			3	1	8			1	1		1		2		38
3		9		9			3	1	3			1	1				1		39
25		142	10	129	3		110	46	179	1	1	14	6	19	15	3	13	3	104
13							2	36	113	1	1	7	3	19	11	2	10	3	56
12		142	10	129	3		108	10	66			7	3		4	1	3		48
13							2	36	69	1	1	6	2	8	7	1	3	3	37
12		138	7	128	3		108	10	28			3	2		2	1	2		18
24		133	10	120	3		107	45	175	1	1	13	6	19	15	3	13	3	101
13							2	36	111	1	1	7	3	19	11	2	10	3	54
11		133	10	120	3		105	9	64			6	3		4	1	3		47
13							2	36	68	1	1	6	2	8	7	1	3	3	48
11		129	7	119	3		105	9	28			3	2		2	1	2		18
1		9		9			3	1	4			1							3
1		9		9			3	1	2			1							50
1		9		9			3	1	1										51
1		9		9			3	1	1										52

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
1	KENTUCKY.....	1,081	58	10	11	21	12	4	366	1	209	156	101	3	64
2	Males.....	388	46	9	8	15	10	4	183	1	105	77	42	24
3	Females.....	693	12	1	3	6	2	183	104	79	59	3	40
4	Diagnosis reasonably certain. (M..)	162	46	9	8	15	10	4	26	12	14	18	1
5	Diagnosis reasonably certain. (F..)	446	12	1	3	6	2	23	10	13	27	1	10
6	White.....	959	55	10	10	20	11	4	328	1	188	139	93	3	58
7	Males.....	356	45	9	8	15	9	4	165	1	94	70	40	22
8	Females.....	603	10	1	2	5	2	163	94	69	53	3	36
9	Diagnosis reasonably certain. (M..)	155	45	9	8	15	9	4	25	11	14	18	1
10	Diagnosis reasonably certain. (F..)	382	10	1	2	5	2	21	10	11	25	1	10
11	Colored.....	122	3	1	1	1	38	21	17	8	6
12	Males.....	32	1	1	18	11	7	2	2
13	Females.....	90	2	1	1	20	10	10	6	4
14	Diagnosis reasonably certain. (M..)	7	1	1	1	1
15	Diagnosis reasonably certain. (F..)	64	2	1	1	2	2	2
16	MAINE.....	821	33	11	7	3	11	1	300	1	5	180	114	129	6	86
17	Males.....	293	25	11	6	1	6	1	132	1	4	79	48	57	2	27
18	Females.....	528	8	1	2	5	168	1	101	66	72	4	49
19	Diagnosis reasonably certain. (M..)	122	25	11	6	1	6	1	20	1	14	5	24	6
20	Diagnosis reasonably certain. (F..)	308	8	1	2	5	16	1	6	9	30	1	10
21	White.....	819	33	11	7	3	11	1	299	1	5	179	114	128	6	85
22	Males.....	292	25	11	6	1	6	1	131	1	4	78	48	57	2	37
23	Females.....	527	8	1	2	5	168	1	101	66	71	4	48
24	Diagnosis reasonably certain. (M..)	122	25	11	6	1	6	1	20	1	14	5	24	6
25	Diagnosis reasonably certain. (F..)	308	8	1	2	5	16	1	6	9	30	1	10
26	Colored.....	2	1	1	1	1
27	Males.....	1	1	1	1	1
28	Females.....	1
29	Diagnosis reasonably certain. (M..)
30	Diagnosis reasonably certain. (F..)
31	MARYLAND.....	1,092	44	7	15	3	14	5	389	1	10	225	153	129	9	77
32	Males.....	401	35	7	14	2	9	3	185	1	8	125	51	55	4	29
33	Females.....	691	9	1	1	5	2	204	2	100	102	74	5	48
34	Diagnosis reasonably certain. (M..)	215	35	7	14	2	9	3	51	1	3	35	12	33	2	11
35	Diagnosis reasonably certain. (F..)	457	9	1	1	5	2	39	1	14	24	43	3	19
36	White.....	947	40	7	13	3	12	5	342	7	200	135	120	9	69
37	Males.....	365	31	7	12	2	7	3	163	6	111	46	53	4	28
38	Females.....	582	9	1	1	5	2	179	1	89	89	67	5	41
39	Diagnosis reasonably certain. (M..)	199	31	7	12	2	7	3	47	3	33	11	32	2	11
40	Diagnosis reasonably certain. (F..)	378	9	1	1	5	2	34	1	12	21	41	3	17
41	Colored.....	145	4	2	2	47	1	3	25	18	9	8
42	Males.....	36	4	2	2	22	1	2	14	5	2	1
43	Females.....	109	25	1	11	13	7	7
44	Diagnosis reasonably certain. (M..)	16	4	2	2	4	1	2	1	1
45	Diagnosis reasonably certain. (F..)	79	5	2	3	2	2
46	MASSACHUSETTS.....	3,649	150	24	52	15	48	11	1,151	4	50	722	375	666	32	460
47	Males.....	1,324	127	22	46	11	37	11	542	3	33	365	141	240	8	160
48	Females.....	2,325	23	2	6	4	11	609	1	17	357	234	426	24	300
49	Diagnosis reasonably certain. (M..)	683	127	22	46	11	37	11	136	2	17	91	26	139	3	64
50	Diagnosis reasonably certain. (F..)	1,475	23	2	6	4	11	106	1	4	52	49	213	6	107
51	White.....	3,613	148	24	50	15	48	11	1,138	4	49	714	371	663	32	458
52	Males.....	1,310	126	22	45	11	37	11	533	3	32	358	140	239	8	159
53	Females.....	2,303	22	2	5	4	11	605	1	17	356	231	424	24	299
54	Diagnosis reasonably certain. (M..)	678	126	22	45	11	37	11	134	2	17	89	26	138	3	63
55	Diagnosis reasonably certain. (F..)	1,457	22	2	5	4	11	105	1	4	52	48	211	6	106
56	Colored.....	36	2	2	13	1	8	4	3	2
57	Males.....	14	1	1	9	1	7	1	1	1
58	Females.....	22	1	1	4	1	3	2	1
59	Diagnosis reasonably certain. (M..)	5	1	1	2	2	1	1
60	Diagnosis reasonably certain. (F..)	18	1	1	1	1	2	1
61	MICHIGAN.....	2,395	118	23	22	10	51	12	974	1	19	638	316	272	27	165
62	Males.....	1,015	89	22	15	8	35	9	509	15	369	125	128	11	71
63	Females.....	1,380	29	1	7	2	16	3	465	1	4	269	191	144	16	94
64	Diagnosis reasonably certain. (M..)	498	89	22	15	8	35	9	128	3	91	34	79	6	37
65	Diagnosis reasonably certain. (F..)	854	29	1	7	2	16	3	83	1	43	39	69	10	25

GENERAL TABLES.

97

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
34		216	10	196	9	1	116	58	166	3	4	11	15	8	13	3	7	4	98
18		216	10	196	9	1	2	33	82	2	1	4	5	8	8		1	4	49
16		216	10	196	9	1	114	25	84	1	3	7	10		3		6		49
17		213	8	196	9		2	33	37	2		1		2	2			4	26
16		213	8	196	9		114	25	32	1		3	5				3		20
32		174	9	156	8	1	106	54	149	1	3	11	13	7	13	3	6	4	88
18		174	9	156	8	1	2	31	73	1		4	4	7	8		1	4	44
14		174	9	156	8	1	101	23	76		3	7	9		5	3	5		44
17		171	7	156	8		2	31	34	1		1		2	2			4	24
14		171	7	156	8		104	23	28			3	4				3		18
2		42	1	40	1		10	4	17	2	1		2	1			1		10
2		42	1	40	1		10	2	9	1	1		1	1					5
2		42	1	40	1		10	2	8	1			1				1		5
2		42	1	40	1		10	2	3	1			1						2
37		142	1	138	3		93	28	96	2	4	8	2	6	13	2	3	2	54
18		142	1	138	3		93	21	58	1	1	6	1	6	10	2	2	2	27
19		142	1	138	3		93	7	38	1	3	2	1		3		1		15
18		142	1	138	3		93	21	32	1		3		2	2			2	27
19		142	1	138	3		93	7	12	1	1								10
37		142	1	138	3		93	28	96	2	4	8	2	6	13	2	3	2	54
18		142	1	138	3		93	21	58	1	1	6	1	6	10	2	2	2	27
19		142	1	138	3		93	7	38	1	3	2	1		3		1		19
18		142	1	138	3		93	21	32	1		3		2	2			2	22
19		142	1	138	3		93	7	12	1	1								10
																			21
																			22
																			23
																			24
43		186	11	171	3	1	132	35	177	11	6	17	10	12	26	5	13	1	76
22		186	11	171	3	1	1	19	106	8	2	7	5	12	21	3	8	1	39
21		186	11	171	3	1	131	16	71	3	4	10	5		5		5		37
20		181	6	171	3	1	1	19	76	8	1	7	4	7	11		4	1	33
21		181	6	171	3	1	131	16	38	3		7	3		3		2		20
42		137	10	124	2	1	113	33	162	9	6	14	9	12	25	5	12	1	69
21		137	10	124	2	1	1	18	99	7	2	5	5	12	21	3	8	1	35
21		137	10	124	2	1	112	15	63	2	4	9	4		4	2	4		34
19		133	6	124	2	1	1	18	70	7	1	5	4	7	11		4	1	30
21		133	6	124	2	1	112	15	34	2		6	3		2		2		19
1		49	1	47	1		19	2	15	2		3	1		1		1		7
1		49	1	47	1		19	1	7	1		2							4
1		48		47	1		19	1	8	1		1	1		1		1		3
172	2	576	39	518	16	3	436	94	576	30	33	36	30	68	68	5	44	9	253
72		576	39	518	16	3	4	55	356	26	13	16	12	68	52	4	19	9	137
100	2	576	39	518	16	3	432	39	220	4	20	20	18		16	1	25		116
72		562	25	518	16	3	4	55	222	26	5	12	8	26	21	2	5	9	108
98	2	562	25	518	16	3	432	39	100	4	4	10	5		5		9		63
171	2	569	39	513	14	3	430	94	571	30	33	36	30	67	68	5	44	9	249
72		569	39	513	14	3	4	55	353	26	13	16	12	67	52	4	19	9	135
99	2	569	39	513	14	3	426	39	218	4	20	20	18		16	1	25		114
72		555	25	513	14	3	4	55	221	26	5	12	8	26	21	2	5	9	107
97	2	555	25	513	14	3	426	39	99	4	4	10	5		5		9		62
1		7		5	2		6		5					1					4
1		7		5	2		6		3					1					2
1		7		5	2		6		2										1
1		7		5	2		6		1										1
80		380	14	341	3	2	214	114	343	9	10	34	13	38	36	5	24	4	170
46		360	14	341	3	2	4	75	210	5	7	16	9	38	26	3	12	4	90
34		360	14	341	3	2	210	39	133	4	3	18	4		10	2	12		80
46		356	10	341	3	2	4	75	123	5	3	8	2	18	12	1	4	4	66
34		356	10	341	3	2	210	39	68	4		8	3		4		6		43

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
1 MICHIGAN—Continued.																
2 White.....	2,379	118	23	22	10	51	12		968	1	19	634	314	269	27	162
3 Males.....	1,010	89	22	15	8	35	9		507		15	368	124	128	11	71
4 Females.....	1,369	29	1	7	2	16	3		461	1	4	266	190	141	16	91
5 Diagnosis reasonably certain. (M.)	495	89	22	15	8	35	9		127		3	90	34	79	6	27
6 (F.)	850	29	1	7	2	16	3		82	1		42	39	69	10	25
7 Colored.....	16								6			4	2	3		3
8 Males.....	5								2			1	1			
9 Females.....	11								4			3	1	3		3
10 Diagnosis reasonably certain. (M.)	3								1			1				
11 (F.)	4								1			1				
12 MINNESOTA.....	1,701	70	16	14	3	31	6		804		20	611	173	213	13	127
13 Males.....	829	59	14	12	3	26	4		452		17	376	59	107	7	62
14 Females.....	872	11	2	2		5	2		352		3	285	114	106	6	65
15 Diagnosis reasonably certain. (M.)	406	59	14	12	3	26	4		125		6	108	11	70	4	28
16 (F.)	519	11	2	2		5	2		71			44	27	69	2	32
17 White.....	1,696	70	16	14	3	31	6		801		20	610	171	213	13	127
18 Males.....	828	59	14	12	3	26	4		452		17	376	59	107	7	62
19 Females.....	868	11	2	2		5	2		349		3	284	112	106	6	65
20 Diagnosis reasonably certain. (M.)	406	59	14	12	3	26	4		125		6	108	11	70	4	28
21 (F.)	519	11	2	2		5	2		71			44	27	69	2	32
22 Colored.....	5								3			1	2			
23 Males.....	1															
24 Females.....	4								3			1	2			
25 Diagnosis reasonably certain. (M.)																
26 (F.)																
27 MISSOURI.....	2,326	120	25	32	16	37	10		882	3	27	561	291	228	15	129
28 Males.....	978	104	25	27	13	32	7		438	3	19	301	115	102	11	48
29 Females.....	1,348	16		5	3	5	3		444		8	280	176	126	4	81
30 Diagnosis reasonably certain. (M.)	534	104	25	27	13	32	7		101	1	5	68	27	69	4	22
31 (F.)	870	16		5	3	5	3		75			42	33	73	4	30
32 White.....	2,233	116	24	32	16	35	9		855	3	26	542	284	219	14	123
33 Males.....	945	101	24	27	13	30	7		421	3	19	288	111	99	10	47
34 Females.....	1,288	15		5	3	5	2		434		7	254	173	120	4	76
35 Diagnosis reasonably certain. (M.)	518	101	24	27	13	30	7		98	1	5	66	26	67	4	21
36 (F.)	827	15		5	3	5	2		74			41	33	72	4	30
37 Colored.....	93	4	1			2	1		27		1	19	7	9	1	6
38 Males.....	33	3	1			2			17			13	4	3	1	1
39 Females.....	60	1				1			10		1	6	3	6		5
40 Diagnosis reasonably certain. (M.)	16	3	1			2			3			2	1	2		1
41 (F.)	43	1				1			1			1		1		
42 MONTANA.....	228	14	3	3		7	1		93		3	65	25	28	3	16
43 Males.....	107	13	3	3		6	1		52		1	41	10	17	2	10
44 Females.....	116	1				1			41		2	24	15	11	1	6
45 Diagnosis reasonably certain. (M.)	67	13	3	3		6	1		19			15	4	16	2	9
46 (F.)	74	1				1			6		1	3	2	8	1	3
47 White.....	218	14	3	3		7	1		91		3	64	24	26	3	16
48 Males.....	106	13	3	3		6	1		52		1	41	10	16	2	10
49 Females.....	112	1				1			39		2	23	14	10	1	6
50 Diagnosis reasonably certain. (M.)	66	13	3	3		6	1		19			15	4	15	2	9
51 (F.)	72	1				1			6		1	3	2	7	1	3
52 Colored.....	5								2			1	1	2		
53 Males.....	1													1		
54 Females.....	4								2			1	1	1		
55 Diagnosis reasonably certain. (M.)	1													1		
56 (F.)	2								1					1		
57 NEW HAMPSHIRE.....	442	13	2	4		7			132		1	67	64	86	2	63
58 Males.....	142	12	2	4		6			60		1	32	27	29	1	21
59 Females.....	300	1				1			72			35	87	57	1	42
60 Diagnosis reasonably certain. (M.)	64	12	2	4		6			11			6	5	11		4
61 (F.)	187	1				1			6			3	3	27	1	12
62 White.....	440	13	2	4		7			130		1	66	63	86	2	63
63 Males.....	141	12	2	4		6			59		1	32	26	29	1	21
64 Females.....	299	1				1			71			34	37	57	1	42
65 Diagnosis reasonably certain. (M.)	63	12	2	4		6			10			6	4	11		
66 (F.)	187	1				1			6			3	3	27	1	12

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 82.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
80	358	14	339	3	2	213	114	339	9	10	34	13	38	36	5	24	4	166
46	358	14	339	3	2	209	75	207	5	7	16	9	38	26	3	12	4	87
34	358	14	339	3	2	209	39	132	4	3	18	4	10	2	12	12	79	3
46	354	10	339	3	2	209	75	121	5	3	8	2	18	12	1	4	4	64
34	2	2	1	68	4	8	3	4	6	43
.....	4	4
.....	2	2	1	3	3
.....	2	2	1	1	1
.....	2	2	1	2	2
73	193	16	174	3	119	57	245	9	15	18	23	25	29	6	22	5	93
38	193	16	174	3	115	43	164	8	8	11	15	25	23	3	16	5	50
35	193	16	174	3	115	14	81	1	7	7	8	6	3	6	43
38	191	14	174	3	115	43	105	8	3	8	8	8	16	2	9	5	38
35	191	14	174	3	115	14	48	1	1	3	4	3	2	34
73	193	16	174	3	119	57	243	9	15	18	23	24	20	6	22	5	92
38	193	16	174	3	115	43	163	8	8	11	15	24	23	3	16	5	50
35	193	16	174	3	115	14	80	1	7	7	8	6	3	6	42
38	191	14	174	3	115	43	105	8	3	8	8	8	16	2	9	5	38
35	191	14	174	3	115	14	48	1	1	3	4	3	2	34
.....	2	1	1
.....	1	1	1
.....	1	1
83	1	378	18	348	9	3	221	156	341	10	8	25	31	32	43	12	15	4	161
43	378	18	348	9	3	210	101	222	8	6	20	15	32	35	6	7	4	89
40	1	378	18	348	9	3	210	55	119	2	2	5	16	8	6	8	72
43	372	12	348	9	3	210	101	148	8	3	11	9	14	18	3	3	4	75
39	350	18	320	9	3	211	55	69	2	1	3	8	4	2	4	45
81	1	350	18	320	9	3	211	154	328	10	8	25	30	31	41	12	14	4	153
42	350	18	320	9	3	200	100	213	8	6	20	14	31	33	6	7	4	84
39	1	350	18	320	9	3	200	54	115	2	2	5	16	8	6	7	69
42	344	12	320	9	3	200	100	141	8	3	11	8	13	17	3	3	4	71
38	28	28	10	2	68	2	1	3	4	2	4	44
2	13	1	1	2	8
1	1	9	1	1	2	5
1	28	28	10	1	4	1	1	3
1	28	28	10	1	7	1	1	4
1	28	28	10	1	1	1	1	1
9	31	2	26	2	1	18	7	32	1	6	1	4	1	1	2	4	12
5	31	2	26	2	1	17	4	20	3	4	1	1	4	7
4	30	2	26	2	17	3	12	1	3	1	1	5
5	30	2	26	2	17	3	14	2	4	1	4	4
4	31	2	26	2	1	18	7	9	1	5
7	31	1	6	1	4	1	1	2	4	11
4	31	2	26	2	1	17	4	20	3	4	1	1	4	7
3	31	2	26	2	1	17	3	11	1	3	1	1	4
4	30	2	26	2	17	4	14	1	4	1	4	4
3	17	3	8	2	1	1	4
2	1	1
1	1	1
1	1	1
1	1	1
21	83	1	79	1	2	54	17	57	2	2	5	2	6	9	1	1	29
7	83	1	79	1	2	53	13	27	2	2	3	6	4	1	1	8
14	82	79	1	2	53	4	30	2	2	5	21
7	82	79	1	2	53	4	16	2	1	3	1	1	8
14	83	1	79	1	2	54	17	14	1	1	12
21	83	1	79	1	2	54	17	57	2	2	5	2	6	9	1	1	29
7	83	1	79	1	2	53	13	27	2	2	3	6	4	1	1	8
14	82	79	1	2	53	4	30	2	2	5	21
7	82	79	1	2	53	4	16	2	1	3	1	1	8
14	83	1	79	1	2	54	17	14	1	1	12

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
1	NEW HAMPSHIRE—Continued.															
2	Colored.....	2							2			1	1			
3	Males.....	1							1				1			
4	Females.....	1							1			1				
5	Diagnosis reasonably certain. (M. F.)	1							1			1				
6	NEW JERSEY.....	2, 223	80	12	31	12	23	2	849	4	19	549	277	335	26	201
7	Males.....	859	65	11	27	9	16	2	405	3	16	283	103	134	5	80
8	Females.....	1, 364	15	1	4	3	7		444	1	3	266	174	201	21	121
9	Diagnosis reasonably certain. (M. F.)	370	65	11	27	9	16	2	73		3	53	17	69	3	17
10		808	15	1	4	3	7		67		1	42	24	102	9	34
11	White.....	2, 163	80	12	31	12	23	2	832	3	19	537	273	325	26	196
12	Males.....	845	65	11	27	9	16	2	398	2	16	278	102	132	5	79
13	Females.....	1, 318	15	1	4	3	7		434	1	3	259	171	193	21	117
14	Diagnosis reasonably certain. (M. F.)	366	65	11	27	9	16	2	73		3	53	17	68	3	17
15		774	15	1	4	3	7		66		1	41	24	97	9	33
16	Colored.....	60							17	1		12	4	10		5
17	Males.....	14							7	1		5	1	2		1
18	Females.....	46							10			7	3	8		4
19	Diagnosis reasonably certain. (M. F.)	4							1			1		1		1
20		34							1			1		5		1
21	NEW YORK.....	8, 907	339	37	124	34	113	31	3, 250	19	159	2, 051	1, 021	1, 319	115	765
22	Males.....	3, 568	283	33	109	31	85	25	1, 618	17	117	1, 077	407	572	39	321
23	Females.....	5, 339	56	4	15	3	28	6	1, 632	2	42	974	614	747	76	444
24	Diagnosis reasonably certain. (M. F.)	1, 863	283	33	109	31	85	25	414	8	51	275	80	386	22	157
25		3, 359	56	4	15	3	28	6	268	1	11	138	118	421	27	176
26	White.....	8, 791	336	37	123	34	111	31	3, 212	18	157	2, 026	1, 011	1, 305	115	755
27	Males.....	3, 536	281	33	109	31	83	25	1, 602	16	115	1, 067	404	567	39	317
28	Females.....	5, 255	55	4	14	3	28	6	1, 610	2	42	959	607	738	76	438
29	Diagnosis reasonably certain. (M. F.)	1, 853	281	33	109	31	83	25	413	8	51	274	80	384	22	156
30		3, 298	55	4	14	3	28	6	265	1	11	136	117	415	27	172
31	Colored.....	116	3		1		2		38	1	2	25	10	14		10
32	Males.....	32	2				2		16	1	2	10	3	5		4
33	Females.....	84	1		1				22			15	7	9		6
34	Diagnosis reasonably certain. (M. F.)	10	2		1		2		1			1		2		1
35		61	1		1				3			2	1	6		4
36	NORTH CAROLINA ¹	273	4	1	1		2		85		2	48	35	27	4	14
37	Males.....	72	2	1	1				37		1	20	16	8	1	3
38	Females.....	201	2				2		48		1	28	19	19	3	11
39	Diagnosis reasonably certain. (M. F.)	35	2	1	1				10			7	3	6	1	1
40		145	2				2		12			5	7	8	1	2
41	White.....	190	3		1		2		64		2	34	28	25	4	14
42	Males.....	53	1		1				24		1	13	10	7	1	3
43	Females.....	137	2				2		40		1	21	18	18	3	11
44	Diagnosis reasonably certain. (M. F.)	25	1		1				6			4	2	5	1	1
45		90	2				2		10			3	7	7	1	2
46	Colored.....	83	1	1					21			14	7	2		
47	Males.....	19	1	1					13			7	6	1		
48	Females.....	64							8			7	1	1		
49	Diagnosis reasonably certain. (M. F.)	10	1	1					4			3	1	1		
50		55							2			2		1		
51	OHIO.....	4, 176	174	26	38	22	75	13	1, 635	3	46	998	588	487	36	268
52	Males.....	1, 660	143	24	30	17	62	10	800	3	39	530	228	207	16	112
53	Females.....	2, 516	31	2	8	5	13	3	835		7	468	360	280	20	156
54	Diagnosis reasonably certain. (M. F.)	813	143	24	30	17	62	10	185	1	16	124	44	122	6	39
55		1, 603	31	2	8	5	13	3	173		3	90	80	156	4	50
56	White.....	4, 080	172	26	38	22	74	12	1, 601	3	45	974	579	481	36	266
57	Males.....	1, 632	142	24	30	17	61	10	783	3	39	519	222	205	16	111
58	Females.....	2, 448	30	2	8	5	13	2	818		6	455	357	276	20	155
59	Diagnosis reasonably certain. (M. F.)	806	142	24	30	17	61	10	183	1	16	122	44	121	6	39
60		1, 555	30	2	8	5	13	2	170		2	89	79	154	4	50
61	Colored.....	96	2				1	1	34		1	24	9	6		2
62	Males.....	28	1				1		17			11	6	2		1
63	Females.....	68	1					1	17		1	13	3	4		1
64	Diagnosis reasonably certain. (M. F.)	7	1				1		2			2		1		
65		48	1					1	3		1	1	1	2		

¹Includes only municipalities having a population of 1,000 or over in 1910.

GENERAL TABLES.

101

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
108		317	20	289	7	1	232	60	344	15	21	22	27	34	42	7	26	4	146
49							3	46	206	12	10	13	12	34	27	3	12	4	79
59		317	20	289	7	1	229	20	138	3	11	9	15	34	15	4	14	4	67
49							3	46	114	12	3	4	3	9	14	1	3	4	61
59		305	10	287	7	1	229	20	70	3	1	4	6	6	6	2	6	4	42
103		287	20	270	6	1	227	66	336	15	21	22	27	34	40	6	26	4	141
48							3	46	201	12	10	13	12	34	26	2	12	4	76
55		287	20	270	6	1	224	20	135	3	11	9	15	34	14	4	14	4	65
48							3	46	111	12	3	4	3	9	13	1	3	4	59
55		285	10	268	6	1	224	20	67	3	1	4	6	6	5	2	6	4	40
5		20		19	1		5		8						2	1			5
1							5		5						1	1			3
4		20		19	1		5		3						1				2
1							5		3						1				2
4		20		19	1		5		3						1				2
423	16	1,262	92	1,120	42	8	1,035	245	1,457	83	96	106	89	125	223	12	89	24	610
207	5						18	157	920	73	61	52	51	125	150	5	39	24	340
216	11	1,262	92	1,120	42	8	1,017	88	537	10	35	54	38	73	73	7	50	24	270
206	1						18	157	605	73	27	22	26	49	83	3	20	24	278
214	4	1,225	62	1,115	42	6	1,015	88	286	10	10	20	20	27	27	4	17		178
419	16	1,229	89	1,091	41	8	1,019	245	1,445	83	96	105	87	123	221	11	89	24	606
206	5						18	157	911	73	61	51	50	123	148	4	39	24	338
213	11	1,229	89	1,091	41	8	1,001	88	534	10	35	54	37	73	73	7	50	24	268
206	1						18	157	600	73	27	22	25	48	82	3	20	24	276
212	4	1,192	59	1,086	41	6	999	88	284	10	10	20	19	27	27	4	17		177
4		33	3	29	1		16		12			1	2	2	2	1			4
1									9			1	1	2	2	1			2
3		33	3	29	1		16		3			1	1	1	1				2
1									5										2
2		33	3	29	1		16		2			1	1						1
9		87	3	81	2	1	23	12	35		1		5	1	4	2	3		19
4							1	6	18				3	1	2	2	2		8
5		87	3	81	2	1	22	6	17		1		2	2	2	1	1		11
4							1	6	10				2	2	1	2	1		4
5		87	3	81	2	1	22	6	8				1	1	1	1	1		5
7		45	1	43		1	16	11	26		1		5	1	3	2	3		11
3								6	15				3	1	1	2	2		6
4		45	1	43		1	16	5	11		1		2	2	2	1	1		5
3								6	7				2	2		2	1		2
4		45	1	43		1	16	5	5				1	1	1	1	1		2
2		42	2	38	2		7	1	9						1				8
1							1	1	3						1				2
1		42	2	38	2		6	1	6										6
1							1	1	3						1				2
1		42	2	38	2		6	1	3										3
180	3	633	35	585	8	5	430	199	618	32	36	55	43	63	71	11	45	9	253
78	1						5	105	400	26	25	30	23	63	47	8	22	9	147
102	2	633	35	585	8	5	425	94	218	6	11	25	20	24	24	3	23	9	106
77							5	105	253	26	5	19	15	24	17	3	8	9	127
102		619	24	585	8	2	425	94	105	6	2	4	7	7	5	2	8		71
177	2	603	34	556	8	5	420	199	604	31	35	54	42	62	71	11	42	9	247
77	1						5	105	392	26	24	29	23	62	47	8	20	9	144
100	1	603	34	556	8	5	415	94	212	5	11	25	19	24	24	3	22	9	103
78							5	105	250	26	5	18	15	24	17	3	8	9	125
100		590	24	556	8	2	415	94	102	5	2	4	7	7	5	2	8		69
3	1	30	1	29			10		14	1	1	1	1	1			3		6
1									8		1	1		1			2		3
2	1	30	1	29			10		6	1		1	1				1		3
1									3										2
2		29		29			10		3	1									2

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
[See note at head of this table, p. 58.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
1	PENNSYLVANIA.....	5,997	294	36	57	31	127	43	2,345	6	59	1,470	810	723	75	411
2	Males.....	2,304	237	34	46	28	99	30	1,087	4	45	735	303	294	26	160
3	Females.....	3,693	57	2	11	3	28	13	1,258	2	14	735	507	429	49	251
4	Diagnosis reasonably certain. (M. F.)	1,131	237	34	46	28	99	30	221	1	12	164	44	160	8	46
		2,325	56	2	11	3	27	13	214		5	115	94	249	26	95
5	White.....	5,807	287	36	55	31	123	42	2,277	6	56	1,422	793	701	74	400
6	Males.....	2,241	231	34	44	28	96	29	1,054	4	44	712	294	285	26	157
7	Females.....	3,566	56	2	11	3	27	13	1,223	2	12	710	499	416	48	243
8	Diagnosis reasonably certain. (M. F.)	1,108	231	34	44	28	96	29	219	1	12	162	44	153	8	45
		2,233	55	2	11	3	26	13	208		4	111	93	240	25	91
9	Colored.....	190	7		2		4	1	68		3	48	17	22	1	11
10	Males.....	63	6		2		3	1	33		1	23	9	9		3
11	Females.....	127	1				1		35		2	25	8	13	1	8
12	Diagnosis reasonably certain. (M. F.)	23	6		2		3	1	2			2		7		1
		92	1				1		6		1	4	1	9	1	4
13	RHODE ISLAND.....	539	28	4	5	4	11	4	161		4	106	51	86	4	56
14	Males.....	196	24	4	5	4	9	2	73		3	54	16	39	3	23
15	Females.....	343	4				2	2	88		1	52	35	47	1	33
16	Diagnosis reasonably certain. (M. F.)	102	24	4	5	4	9	2	15		2	11	2	23	1	9
		220	4				2	2	11			5	6	21		8
17	White.....	530	28	4	5	4	11	4	156		3	102	51	85	4	55
18	Males.....	194	24	4	5	4	9	2	73		3	54	16	38	3	22
19	Females.....	336	4				2	2	83			48	35	47	1	33
20	Diagnosis reasonably certain. (M. F.)	101	24	4	5	4	9	2	15		2	11	2	23	1	9
		218	4				2	2	11			5	6	21		8
21	Colored.....	9							5		1	4		1		1
22	Males.....	2												1		1
23	Females.....	7							5		1	4				
24	Diagnosis reasonably certain. (M. F.)	1														
		2														
25	UTAH.....	190	3		1		2		102	1	2	81	18	13		7
26	Males.....	94	3		1		2		63		2	51	10	4		3
27	Females.....	96							39	1		30	8	9		4
28	Diagnosis reasonably certain. (M. F.)	41	3		1		2		16			14	2	1		
		61							8	1		6	1	6		1
29	White.....	185	3		1		2		97	1	1	77	18	13		7
30	Males.....	91	3		1		2		60		1	49	10	4		3
31	Females.....	94							37	1		28	8	9		4
32	Diagnosis reasonably certain. (M. F.)	40	3		1		2		15			13	2	1		
		61							8	1		6	1	6		1
33	Colored.....	5							5		1	4				
34	Males.....	3							3		1	2				
35	Females.....	2							2			2				
36	Diagnosis reasonably certain. (M. F.)	1							1			1				
37	VERMONT.....	397	17	5	3	5	2	2	131		1	88	42	57	2	29
38	Males.....	159	14	4	3	3	2	2	58		1	40	17	31		14
39	Females.....	238	3	1		2			73			48	25	26	2	15
40	Diagnosis reasonably certain. (M. F.)	88	14	4	3	3	2	2	14			11	3	22		5
		145	3	1		2			8			4	4	11		2
41	White.....	396	17	5	3	5	2	2	131		1	88	42	57	2	29
42	Males.....	158	14	4	3	3	2	2	58		1	40	17	31		14
43	Females.....	238	3	1		2			73			48	25	26	2	15
44	Diagnosis reasonably certain. (M. F.)	87	14	4	3	3	2	2	14			11	3	22		5
		145	3	1		2			8			4	4	11		2
45	Colored.....	1														
46	Males.....	1														
47	Females.....															
48	Diagnosis reasonably certain. (M. F.)	1														
49	VIRGINIA.....	1,051	40	6	9	4	18	3	326		4	214	108	78	2	49
50	Males.....	390	27	5	7	3	9	3	166		1	112	53	36	1	21
51	Females.....	661	13	1	2	1	9		180		3	102	55	42	1	28
52	Diagnosis reasonably certain. (M. F.)	189	27	5	7	3	9	3	21			15	6	24		10
		440	13	1	2	1	9		11		1	3	7	16		3

103

[See note at head of this table, p. 88.]

Digitized by Google

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION STATES—Con.																
VIRGINIA—Continued.																
White.....	707	35	5	9	4	14	3	251	4	156	91	62	2	36	
Males.....	324	26	5	7	3	8	3	133	1	86	46	31	1	17	
Females.....	443	9	2	1	6	118	3	70	45	31	1	19	
Diagnosis reasonably certain. {M.....	165	26	5	7	3	8	3	20	15	5	22	9	
{F.....	286	9	2	1	6	10	1	3	6	14	3	
Colored.....	284	5	1	4	75	58	17	16	13	
Males.....	66	1	1	33	26	7	5	4	
Females.....	218	4	1	3	42	32	10	11	9	
Diagnosis reasonably certain. {M.....	24	1	1	1	1	2	1	
{F.....	154	4	1	3	1	1	2	
WASHINGTON.....	871	33	10	8	5	9	1	386	5	293	88	100	6	61	
Males.....	446	26	9	7	2	8	251	4	200	47	51	2	31	
Females.....	425	7	1	1	3	1	1	135	1	93	41	49	4	30	
Diagnosis reasonably certain. {M.....	242	26	9	7	2	8	91	2	73	16	39	2	19	
{F.....	300	7	1	1	3	1	1	43	1	27	15	34	3	6	
White.....	865	32	10	7	5	9	1	384	5	291	88	100	6	61	
Males.....	442	25	9	6	2	8	249	4	198	47	51	2	31	
Females.....	423	7	1	1	3	1	1	135	1	93	41	49	4	30	
Diagnosis reasonably certain. {M.....	240	25	9	6	2	8	90	2	72	16	39	2	19	
{F.....	298	7	1	1	3	1	1	43	1	27	15	34	3	16	
Colored.....	6	1	1	2	2	
Males.....	4	1	1	2	2	
Females.....	2	
Diagnosis reasonably certain. {M.....	2	1	1	1	1	
{F.....	2	
WISCONSIN.....	1,985	80	20	18	3	35	4	973	1	33	678	261	234	11	147	
Males.....	948	69	18	17	2	28	4	550	28	420	102	119	6	65	
Females.....	1,037	11	2	1	1	7	423	1	5	258	159	115	5	82	
Diagnosis reasonably certain. {M.....	394	69	18	17	2	28	4	104	3	86	15	76	4	24	
{F.....	596	11	2	1	1	7	81	2	37	42	55	1	26	
White.....	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147	
Males.....	947	69	18	17	2	28	4	549	28	420	101	119	6	65	
Females.....	1,029	10	2	1	1	6	422	1	5	258	158	115	5	82	
Diagnosis reasonably certain. {M.....	394	69	18	17	2	28	4	104	3	86	15	76			

¹ Nonreg. Istration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
24	139	4	131	3	1	76	57	147	5	4	11	7	13	15	2	4	2	84	1
13	139	4	131	3	1	76	37	97	3	3	7	3	13	10	2	1	2	53	2
11	139	4	131	3	1	76	20	50	2	1	4	4	5	5	1	3	3	31	3
13	137	3	130	3	1	76	37	60	3	3	1	5	1	1	2	44	4
11	137	3	130	3	1	76	20	20	2	1	1	1	1	1	1	14
3	110	1	108	1	29	8	41	2	1	5	4	2	5	1	2	19	5
1	4	23	2	2	4	2	4	1	1	7	6
2	110	1	108	1	29	4	18	1	3	1	1	1	12	7
1	4	16	2	1	3	1	3	6
2	109	108	1	29	4	5	5	8
33	111	11	100	73	27	141	6	5	13	11	18	18	2	9	1	58	9
18	1	20	97	4	5	10	8	18	11	1	4	1	35	10
15	111	11	100	72	7	44	2	3	3	7	1	5	23	11
18	1	20	65	4	2	10	1	9	6	1	2	1	29
15	110	10	100	72	7	27	2	1	2	5	1	2	14	12
33	109	11	98	73	27	140	6	5	13	11	18	18	2	8	1	58	13
18	1	20	96	4	5	10	8	18	11	1	3	1	35	14
15	109	11	98	72	7	44	2	3	3	7	1	5	23	15
18	1	20	65	4	2	10	1	9	6	1	2	1	29
15	108	10	98	72	7	27	2	1	2	5	1	2	14	16
.....	2	2	1	1	17
.....	2	2	1	1	18
.....	2	2	19
.....	2	2	20
76	219	20	185	12	2	162	72	245	6	10	18	24	35	27	3	15	6	101	21
48	1	40	169	6	7	12	13	35	20	1	12	6	57	22
28	219	20	185	12	2	161	32	76	3	6	11	7	2	3	44	23
48	1	40	104	6	1	7	7	14	10	4	6	49
28	212	14	185	12	1	160	32	45	3	5	4	2	31	24
76	217	20	183	12	2	159	72	244	6	9	18	24	35	27	3	15	6	101	25
48	1	40	169	6	7	12	13	35	20	1	12	6	57	26
28	217	20	183	12	2	158	32	75	2	6	11	7	2	3	44	27
48	1	40	104	6	1	7	7	14	10	4	6	49
28	210	14	183	12	1	157	32	45	3	5	4	2	31	28
.....	2	2	3	1	1	29
.....	30
.....	2	2	3	1	1	31
.....	2	2	3	32
4	53	3	49	1	9	10	31	5	4	2	2	2	16	33
4	53	3	49	1	9	6	21	3	2	2	2	2	10	34
4	53	3	49	1	9	4	10	2	2	2	1	6	35
.....	53	3	49	1	9	16	2	2	9	36
4	34	3	30	1	5	8	24	2	4	2	2	2	12	37
4	5	17	1	2	2	2	2	8	38
4	34	3	30	1	5	3	7	1	2	2	1	4	39
.....	34	3	30	1	5	3	13	1	2	2	7	40
.....	19	19	4	2	4	3	4	41
.....	1	2	2	42
.....	19	19	4	1	3	1	2	43
.....	19	19	4	1	3	1	2	44
3	30	2	27	1	3	2	12	1	3	1	1	6	45
3	2	8	1	2	1	1	3	46
3	30	2	27	1	3	4	1	2	1	3	47
.....	30	2	27	1	3	2	6	1	2	1	2	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
ALABAMA ¹ —continued.																
1	Birmingham—Continued.															
	White.....	56	3	2	1			16		1	10	5	6		3	
2	Males.....	20	2	1	1			7		1	5	1	4		1	
3	Females.....	36	1	1				9			5	4	2		2	
4	Diagnosis reasonably certain. {M F	14 28	2 1	1 1	1			4 4		1	2 1	1 3	3 1		1	
5	Colored.....	21						3			2	1	2		2	
6	Males.....	6						1				1	2		2	
7	Females.....	15						2			2				2	
8	Diagnosis reasonably certain. {M F	5 12											2		2	
9	Mobile.....	52	1		1			11			9	2	7		6	
10	Males.....	21	1		1			4			3	1	4		3	
11	Females.....	31						7			6	1	3		3	
12	Diagnosis reasonably certain. {M F	18 23	1		1			3 2			2 1	1 1	4 1		3 1	
13	White.....	41	1		1			8			6	2	6		5	
14	Males.....	20	1		1			3			2	1	4		3	
15	Females.....	21						5			4	1	2		2	
16	Diagnosis reasonably certain. {M F	17 17	1		1			2 2			1 1	1 1	4 1		3 1	
17	Colored.....	11						3			3		1		1	
18	Males.....	1						1			1					
19	Females.....	10						2			2		1		1	
20	Diagnosis reasonably certain. {M F	1 6						1			1					
21	Montgomery ¹	30						6			3	3	1		1	
22	Males.....	6						1				1				
23	Females.....	24						5			3	2	1		1	
24	Diagnosis reasonably certain. {M F	4 18						1			1					
25	White.....	18						4			2	2				
26	Males.....	4						1				1				
27	Females.....	14						3			2	1				
28	Diagnosis reasonably certain. {M F	3 10														
29	Colored.....	12						2			1	1	1		1	
30	Males.....	2														
31	Females.....	10						2			1	1	1		1	
32	Diagnosis reasonably certain. {M F	1 8						1			1					
CALIFORNIA.																
33	Registration cities.....	1,754	77	11	31	1	27	7	660	2	26	422	210	226	14	127
34	Males.....	782	67	10	27	1	23	6	384	2	25	260	97	99	5	53
35	Females.....	972	10	1	4		4	1	276		1	162	113	127	9	74
36	Diagnosis reasonably certain. {M F	464 684	67 10	10 1	27 4	1	23 4	6 1	148 63	2	7 1	103 34	36 28	70 82	2 5	27 33
37	White.....	1,720	75	11	31	1	26	6	644	2	25	414	208	222	12	125
38	Males.....	761	65	10	27	1	22	5	371	2	24	254	91	96	3	52
39	Females.....	959	10	1	4		4	1	273		1	160	112	126	9	73
40	Diagnosis reasonably certain. {M F	456 674	65 10	10 1	27 4	1	22 4	5 1	144 63	2	7 1	102 34	33 28	70 81	2 5	27 32
41	Colored.....	34	2				1	1	16		1	8	7	4	2	2
42	Males.....	21	2				1	1	13		1	6	6	3	2	1
43	Females.....	13							3			2	1	1		1
44	Diagnosis reasonably certain. {M F	8 10	2				1 1	1	4			1 3		1		1
45	Los Angeles.....	443	20	3	6		11		154		5	94	55	58	4	36
46	Males.....	172	18	3	5		10		77		5	53	19	22	1	14
47	Females.....	271	2		1		1		77			41	36	36	3	22
48	Diagnosis reasonably certain. {M F	109 180	18 2	3 1	5 1		10 1		32 16		3	25 6	4 10	15 20		8 7

¹ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																					
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.												
Rec-tum.	Others of this class.	Total.	Ovary and fallo-pian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.		
3		19	2	16	1		2	1	9				3	1	1				4	1	
3		19	2	16	1		2	1	6				2	1	1				2	2	
3		19	2	16	1		2	1	3				1	1					1	3	
		11		11			1	1	1										2	5	
		11		11			1	1	2										1	6	
		11		11			1	1	1										1	7	
1		14		14			2	2	15				1	1	1		2		9	9	
1		14		14			2	1	11				1	1	1		2		6	10	
1		14		14			2	1	9				1	1	1		1		3	11	
1		9		9			1	2	14				1	1	1		2		8	12	
1		9		9			1	1	11				1	1	1		2		6	13	
1		9		9			1	1	3				1	1	1		1		2	14	
		9		9			1	1	9				1	1	1		1		6	15	
		5		5			1		3										2	16	
									1										1	17	
		5		5			1		1										1	18	
		5		5			1													19	
		9	1	8			4	6	4				3						1	20	
																				21	
		9	1	8			4	3	2				1						1	22	
		9	1	8			4	3	1				2						1	23	
		6	1	5			2	5	1				1							24	
																				25	
		6	1	5			2	3	1				1							26	
		6	1	5			2	3												27	
		3		3			2	1	3				2						1	28	
																				29	
		3		3			2	1	2				1						1	30	
		3		3			2	1	1				1						1	31	
									1											32	
85		252	18	227	4	3	200	51	288	13	20	29	18	29	31	13	14	9	112	33	
41							2	33	197	9	10	20	11	29	24	9	7	9	69	34	
44		252	18	227	4	3	198	18	91	4	10	9	7		7	4	7		43	35	
41							2	33	144	9	7	15	8	15	14	3	5	9	59	36	
44		245	12	227	4	2	198	18	68	4	3	9	6		4	3	3		36	37	
85		246	18	221	4	3	198	51	284	12	20	29	18	29	31	13	13	9	110	38	
41							2	33	194	9	10	20	11	29	24	9	6	9	67	39	
44		246	18	221	4	3	196	18	90	3	10	9	7		7	4	7		43	40	
41							2	33	142	9	7	15	8	15	14	3	4	9	58	41	
44		239	12	221	4	2	196	18	67	3	3	9	6		4	3	3		36	42	
		6		6			2		4	1							1		2	43	
																				44	
		6		6			2		3	1							1		2	45	
									1											46	
18		70	7	62		1	53	8	80	4	8	8	3	6	4	1	9	3	34	47	
7									49	1	4	5	1	6	2	1	5	3	20	48	
11		70	7	62		1	53	1	32	3	4	3	2		2	4	4	14	49		
7									37	1	2	3	1	4	1	4	4	18	50		
11		67	4	62		1	53	1	21	3		3	1		1	2	2	11	51		

* The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-yx.	Esoph-agus.	Stomach.	Liver and gall bladder.	Total.	Peri-toneum and mesen-tery.	Intes-tines.
REGISTRATION CITIES—Con.																
CALIFORNIA—continued.																
Los Angeles—Continued.																
1	White.....	436	19	3	6		10	152		5	93	54	57	3	36	
2	Males.....	167	17	3	5		9	75		5	52	18	21		14	
3	Females.....	269	2		1		1	77			41	36	36	3	22	
4	Diagnosis reasonably certain. (M.....	106	17	3	5		9	31		3	25	3	15		8	
	(F.....	178	2		1		1	16			6	10	20	2	7	
5	Colored.....	7	1				1	2			1	1	1	1		
6	Males.....	5	1				1	2			1	1	1	1		
7	Females.....	2														
8	Diagnosis reasonably certain. (M.....	3	1				1	1				1				
	(F.....	2														
9	Oakland.....	170	5	1	1		3	64		1	42	21	24	2	13	
10	Males.....	61	4	1	1		2	25		1	19	5	12	1	5	
11	Females.....	109	1				1	39			23	16	12	1	8	
12	Diagnosis reasonably certain. (M.....	39	4	1	1		2	9		1	7	1	9		3	
	(F.....	75	1				1	10			9	1	7	1	3	
13	Pasadena.....	53	1				1	20		1	17	2	7		4	
14	Males.....	17	1				1	8		1	6	1	2		1	
15	Females.....	36						12			11	1	5		3	
16	Diagnosis reasonably certain. (M.....	10	1				1	3			2	1	1			
	(F.....	24						2			1	1	5		3	
17	Sacramento.....	65	4	1	1		1	28		1	20	7	6	1	2	
18	Males.....	32	4	1	1		1	17		1	12	4	3	1	2	
19	Females.....	33						11			8	3	3			
20	Diagnosis reasonably certain. (M.....	20	4	1	1		1	10		1	6	3	1		1	
	(F.....	23						1			1		3			
21	San Diego.....	85	3		3			30		1	20	9	13	3	5	
22	Males.....	39	3		3			20		1	13	6	4		3	
23	Females.....	46						10			7	3	9	3	2	
24	Diagnosis reasonably certain. (M.....	17	3		3			5			4	1	2		1	
	(F.....	35						2			1	1	6	1	1	
25	San Francisco.....	576	33	5	16	1	6	211	2	13	137	59	72	4	37	
26	Males.....	292	28	4	13	1	6	139	2	13	90	34	39	2	15	
27	Females.....	284	5	1	3		1	72			47	25	33	2	22	
28	Diagnosis reasonably certain. (M.....	186	28	4	13	1	6	56	2	1	39	14	34	2	10	
	(F.....	208	5	1	3		1	17			8	9	19	1	9	
29	White.....	563	32	5	16	1	6	206	2	12	136	56	72	4	37	
30	Males.....	286	27	4	13	1	6	136	2	12	90	32	39	2	15	
31	Females.....	277	5	1	3		1	70			46	24	33	2	22	
32	Diagnosis reasonably certain. (M.....	183	27	4	13	1	6	55	2	1	39	13	34	2	10	
	(F.....	203	5	1	3		1	17			8	9	19	1	9	
33	Colored.....	13	1				1	5		1	1	3				
34	Males.....	6	1				1	3		1		2				
35	Females.....	7						2			1	1				
36	Diagnosis reasonably certain. (M.....	3	1				1	1				1				
	(F.....	5														
37	Other cities.....	362	11	1	4		5	153		4	92	57	46		30	
38	Males.....	189	9	1	4		3	98		3	67	28	17		13	
39	Females.....	193	2				2	55		1	25	29	29		17	
40	Diagnosis reasonably certain. (M.....	83	9	1	4		3	33		1	20	12	8		4	
	(F.....	139	2				2	15		1	8	6	22		10	
COLORADO.																
41	Registration cities.....	293	17	1	4	2	10	118	2	4	82	30	32	2	16	
42	Males.....	123	17	1	4	2	10	66	2	4	50	10	12		5	
43	Females.....	170						52			32	20	20	2	11	
44	Diagnosis reasonably certain. (M.....	76	17	1	4	2	10	26		1	21	4	9		2	
	(F.....	121						17			7	10	14	2	6	
45	White.....	281	17	1	4	2	10	112	1	4	78	29	32	2	16	
46	Males.....	121	17	1	4	2	10	65	1	4	50	10	12		5	
47	Females.....	160						47			28	19	20	2	11	
48	Diagnosis reasonably certain. (M.....	76	17	1	4	2	10	26		1	21	4	9		2	
	(F.....	117						17			7	10	14	2	6	

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
18		60	7	61		1	53	8	78	3	8	8	3	6	4	1	8	3	34	
7								7	47	1	4	5	1	6	2	1	4	3	20	
11		69	7	61		1	53	1	31	2	4	3	2	2	2	4	3	14		
7								7	36	1	2	3	1	4	1	1	3	18		
11		66	4	61		1	53	1	20	2		3	1	1		2		11		
		1		1					2	1						1		5		
		1		1					1	1						1		6		
		1		1					1	1						1		7		
		1		1					1	1						1		8		
9		22		21	1		24	11	20		1	1	2	2	1		1	12		
6							1	6	13			1	2	2	1		1	6		
3		22		21	1		23	5	7		1		1	1	1		1	11		
6							1	6	10			1	1	1	1		1	5		
3		22		21	1		23	5	7		1							6		
3		8	2	5	1		7	3	7		1		1	3	1			1		
1								2	4				3	1						
2		8	2	5	1		7	1	3		1		1					1		
1								2	3					2	1					
2		8	2	5	1		7	1	3				1							
3		12		12			5	1	9					1	1			7		
									8					1	1			6		
3		12		12			5	1	5					1				1		
3		12		12			5	1	5					1				4		
5		6	1	5			15	3	15			1	1	2	1			10		
1								2	10			1	1	2	1			5		
4		6	1	5			15	1	5									5		
1								2	5			1			1			3		
4		6	1	5			15	1	5									5		
31		78	6	72			61	13	108	7	7	15	7	7	12	12	5	2	34	
22							1	7	78	7	4	12	5	7	8	8	2	2	23	
9		78	6	72			60	6	30		3	3	2		4	4	3		11	
22							1	7	60	7	3	10	5	3	4	3	1	2	22	
9		76	4	72			60	6	25		2	3	2		3	3	1		11	
31		73	6	67			61	13	106	7	7	15	7	7	12	12	5	2	32	
22							1	7	76	7	4	12	5	7	8	8	2	2	21	
9		73	6	67			60	6	30		3	3	2		4	4	3		11	
22							1	7	59	7	3	10	5	3	4	4	1	2	21	
9		71	4	67			60	6	25		2	3	2		3	3	1		11	
		5		5					2										2	
									2										2	
		5		5					1										1	
		5		5																
16		56	2	50	2	2	35	12	49	2	3	4	4	8	11		3	14	37	
4								9	36	1	2	1	2	8	10			9	38	
12		56	2	50	2	2	35	3	13	1	1	3	2		1			5	39	
4								9	24	1	2			4	6		3	7		
12		54	1	50	2	1	35	3	8	1		3	2					2	40	
14		51	4	47			34	8	33	2	4	2	6	2	3	2		12	41	
7							1	6	21	2	2	2	2	2	1	1		9	42	
7		51	4	47			33	2	12		2		4		2	1		3	43	
7							1	6	17	2	1	1	1	1	1	1		9		
6		50	3	47			33	2	5				1		1	1		2	44	
14		50	4	46			31	8	31	2	4	1	5	2	3	2		12	45	
7							1	6	20	2	2	1	2	2	1	1		9	46	
7		50	4	46			30	2	11		2	2	3		2	1		3	47	
7							1	6	17	2	1	1	1	1	1	1		9		
4		49	3	46			30	2	5				1		1	1		2	48	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

(See note at head of this table, p. 88.)

AREA AND BASIS OF DIAGNOSIS.		Aggre- gate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
REGISTRATION CITIES—Con.																
COLORADO—continued.																
1	Registration cities—Continued.															
2	Colored.		12						6	1		4	1			
3	Males.		2						1	1						
4	Females.		10						5			4	1			
5	Diagnosis reasonably certain. {M F		4													
6	Denver.		222	16	1	4	2	9	90	2	2	67	19	22	1	12
7	Males.		94	16	1	4	2	9	51	2	2	41	6	8		4
8	Females.		128						39			26	13	14	1	8
9	Diagnosis reasonably certain. {M F		55	16	1	4	2	9	18			14	4	6		2
10	Females.		92						13			6	7	10	1	5
11	Other cities.		71	1				1	28		2	15	11	10	1	4
12	Males.		29	1				1	15		2	9	4	4		1
13	Females.		42						13			6	7	6	1	3
14	Diagnosis reasonably certain. {M F		21	1				1	8		1	7	3	3		1
15	Females.		29						4			1	3	4	1	1
CONNECTICUT.																
16	Registration cities.		717	31	4	11	4	9	232		6	153	73	107	4	75
17	Males.		271	28	3	10	4	8	120		5	85	30	42	2	29
18	Females.		446	3	1	1		1	112		1	68	43	65	2	46
19	Diagnosis reasonably certain. {M F		138	28	3	10	4	8	38		3	28	7	21	1	9
20	Females.		290	3	1	1		1	32			18	14	28		11
21	White.		699	31	4	11	4	9	227		6	148	73	104	4	74
22	Males.		267	28	3	10	4	8	116		5	81	30	42	2	29
23	Females.		432	3	1	1		1	111		1	67	43	62	2	45
24	Diagnosis reasonably certain. {M F		135	28	3	10	4	8	37		3	27	7	21	1	9
25	Females.		278	3	1	1		1	32			18	14	26		11
26	Colored.		18						5			5		3		1
27	Males.		4						4			4				
28	Females.		14						1			1		3		1
29	Diagnosis reasonably certain. {M F		1						1			1		2		
30	Females.		12													
31	Bridgeport.		97	4		2		2	31		3	18	10	19	1	16
32	Males.		40	4		2		2	15		2	10	3	8		7
33	Females.		57						16		1	8	7	11	1	9
34	Diagnosis reasonably certain. {M F		19	4		2		2	3			2	1	2		1
35	Females.		27						3			2	1	2		1
36	Hartford.		132	9	1	3	1	3	39		1	20	8	19		14
37	Males.		56	9	1	3	1	3	22		1	18	3	8		6
38	Females.		76						17			12	5	11		8
39	Diagnosis reasonably certain. {M F		37	9	1	3	1	3	12		1	10	1	4		2
40	Females.		57						12			10	2	6		3
41	New Haven.		164	7	2	3		1	54		1	35	18	17	3	9
42	Males.		57	5	1	2		1	29		1	20	8	4	2	1
43	Females.		107	2	1	1			25			15	10	13	1	8
44	Diagnosis reasonably certain. {M F		30	5	1	2		1	12		1	3	3	3	1	1
45	Females.		73	2	1	1			9			3	6	5		1
46	Waterbury.		57	2			1	1	19			11	8	12		10
47	Males.		22	1			1		9			6	3	6		4
48	Females.		35	1				1	10			5	5	6		6
49	Diagnosis reasonably certain. {M F		8	1			1		1			1		4		2
50	Females.		21	1				1	1				1	1		1
51	Other cities.		267	9	1	3	2	2	89		1	59	29	40		26
52	Males.		96	9	1	3	2	2	45		1	31	13	16		11
53	Females.		171						44			28	16	24		15
54	Diagnosis reasonably certain. {M F		42	9	1	3	2	2	10		1	7	2	8		3
55	Females.		112						7			3	4	14		5
DELAWARE. ¹																
56	Wilmington.		81	4	1	1		2	29		1	19	9	14		9
57	Males.		33	4	1	1		2	16		1	12	3	8		5
58	Females.		48						13			7	6	6		4
59	Diagnosis reasonably certain. {M F		8	4	1	1		2	7			3	4	1		3
60	Females.		38											4		2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 83.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																	
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.								
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).
		1		1			3		2			1	1				
		1		1			3		1			1	1				
		1		1			3		1								
9		37	3	34			28	6	23	2	3	2	3	1	3	1	
4								4	15	2	2	2	1	1	1	1	
5		37	3	34			28	2	8		1		2		2		
4								4	11	2	1	1			1	1	
4		36	2	34			28	2	3						1		
5		14	1	13			6	2	10		1		3	1		1	
3							1	2	6				1	1			
2		14	1	13			5		4		1				1		
3							1	2	6				1	1			
2		14	1	13			5		2				1		1		
28		117	5	109	3		73	21	136	8	3	13	5	16	24	2	10
11							1	9	71	6	1	4	3	16	17		2
17		117	5	109	3		72	12	65	2	2	9	2		7	2	8
11							1	9	39	6	1	4	1	3			1
17		115	3	109	3		72	12	28	2	2	3			1	2	
26		111	5	108	3		70	20	136	8	3	13	5	16	24	2	10
11							1	9	71	6	1	4	3	16	17		2
15		111	5	108	3		69	11	65	2	2	9	2		7	2	8
11							1	9	39	6	1	4	1	3			1
15		109	3	103	3		69	11	28	2	2	3			1	2	
2		6		6			3	1									
2		6		6			3	1									
2		6		6			3	1									
2		9		8	1		8	3	23	2	1	2	1	1	4		3
1							1	1	11	1		1	1	1	3		
1		9		8	1		7	2	12	1	1	1			1		3
1							1	1	8	1		1			2		
1		9		8	1		7	2	4	1	1					1	
5		22		22			8	4	31	3	1	2	2	3	2		
2																	
3		22		22			8	3	15			1	1	3	1		
2								1	11	3	1	1	1		1		
3		22		22			8	3	6								
5		29	2	26	1		19	6	32		1	3	1	8	7	2	2
1																	
4		29	2	26	1		19	3	16		1	3	1	8	4		1
1									7					3	2		1
4		29	2	26	1		19	3	6		1	1				1	
2		13		13			2		9			1			2	4	1
2																	
2		13		13			2		3			1				1	
2									2								
14		44	3	40	1		36	8	41	3		5	1	2	10		4
5																	
9		44	3	40	1		36	4	22	2		2	1	2	8		1
5									19	1		3			2		4
9		42	1	40	1		36	4	11	2		2			2		1
9									9	1		1			1		1
5		17		16	1		7	3	7						3		
3																	
2		17		16	1		7	2	3						1		
1									2						2		
1		17		16	1		7	2	1								

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
DELAWARE ¹ —continued.																	
1	Wilmington—Continued.	75	4	1	1		2		27		1	17	9	13		8	
2	White.....																
3	Males.....	31	4	1	1		2		15		1	11	3	8		5	
4	Females.....	44							12			6	6	5		3	
5	Diagnosis reasonably certain. (M. F.)	7	4	1	1		2		7			3	4	1		3	
6	Colored.....	6							2			2		1		1	
7	Males.....	2							1			1					
8	Females.....	4							1			1		1		1	
9	Diagnosis reasonably certain. (M. F.)	1															
10	Diagnosis reasonably certain. (M. F.)	2															
DISTRICT OF COLUMBIA.																	
11	Washington.....	355	18	2	6	1	7	2	112		3	63	46	48	5	30	
12	Males.....	144	14	2	4	1	6	1	60		3	30	27	14	1	7	
13	Females.....	211	4		2		1	1	52			33	19	34	4	23	
14	Diagnosis reasonably certain. (M. F.)	73	14	2	4	1	6	1	16		1	8	7	6	1	2	
15	Diagnosis reasonably certain. (M. F.)	137	4		2		1	1	5			4	1	19	3	10	
16	White.....	271	14	2	6	1	3	2	79		3	43	33	39	4	27	
17	Males.....	112	11	2	4	1	3	1	43		3	20	20	9	1	6	
18	Females.....	159	3		2			1	36			23	13	30	3	21	
19	Diagnosis reasonably certain. (M. F.)	61	11	2	4	1	3	1	13		1	7	5	4	1	2	
20	Diagnosis reasonably certain. (M. F.)	104	3		2			1	3			3		18	3	10	
21	Colored.....	84	4				4		33			20	13	9	1	3	
22	Males.....	32	3				3		17			10	7	5		1	
23	Females.....	52	1				1		16			10	6	4	1	2	
24	Diagnosis reasonably certain. (M. F.)	12	3				3		3			1	2	2			
25	Diagnosis reasonably certain. (M. F.)	33	1				1		2			1	1	1			
FLORIDA. ²																	
26	Registration cities.....	72	4		2		1	1	15			11	4	4		2	
27	Males.....	26	3		2		1		8			6	2	2		1	
28	Females.....	46	1					1	7			5	2	2		1	
29	Diagnosis reasonably certain. (M. F.)	16	3		2		1		3			3		1		1	
30	Diagnosis reasonably certain. (M. F.)	38	1					1						2		1	
31	White.....	58	4		2		1	1	12			8	4	3		1	
32	Males.....	21	3		2		1		7			5	2	1			
33	Females.....	35	1					1	5			3	2	2		1	
34	Diagnosis reasonably certain. (M. F.)	16	3		2		1		3			3		1		1	
35	Diagnosis reasonably certain. (M. F.)	29	1					1				1	1	2		1	
36	Colored.....	14							3			3		1		1	
37	Males.....	3							1			1		1		1	
38	Females.....	11							2			2					
39	Diagnosis reasonably certain. (M. F.)	9															
GEORGIA. ¹																	
40	Registration cities.....	186	9	2	3	1	3		45		1	25	19	18		12	
41	Males.....	66	8	1	3	1	3		21		1	12	8	7		6	
42	Females.....	120	1	1					24			13	11	11		6	
43	Diagnosis reasonably certain. (M. F.)	41	8	1	3	1	3		6		1	2	3	4		3	
44	Diagnosis reasonably certain. (M. F.)	85	1	1					1				1	8		3	
45	White.....	139	7	2	3	1	1		37		1	19	17	13		11	
46	Males.....	52	6	1	3	1	1		17		1	9	7	6		6	
47	Females.....	87	1	1					20			10	10	7		5	
48	Diagnosis reasonably certain. (M. F.)	31	6	1	3	1	1		4		1	1	2	3		3	
49	Diagnosis reasonably certain. (M. F.)	58	1	1					1				1	5		3	
50	Colored.....	47	2				2		8			6	2	5		1	
51	Males.....	14	2				2		4			3	1	1			
52	Females.....	33							4			3	1	1		1	
53	Diagnosis reasonably certain. (M. F.)	10	2				2		2			1	1	1			
54	Diagnosis reasonably certain. (M. F.)	27												3			
55	Atlanta.....	106	4	2	2				26			16	10	11		9	
56	Males.....	36	3	1	2				15			11	4	5		4	
57	Females.....	70	1	1					11			5	6	6		5	
58	Diagnosis reasonably certain. (M. F.)	22	3	1	2				4			2	2	4		3	
59	Diagnosis reasonably certain. (M. F.)	54	1	1					1				1	3		2	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

113

[See note at head of this table, p. 88.]

* Nonregistration state; includes Jacksonville, Key West, and Pensacola.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
GEORGIA ¹ —continued.																	
1 Atlanta—Continued.																	
2 White.....	82	4	2	2					20			12	8	8		8	
3 Males.....	29	3	1	2					11			8	3	4		4	
4 Females.....	53	1	1						9			4	5	4		4	
5 Diagnosis reasonably certain. (M/F)	17	3	1	2					2			1	1	3		3	
6	40	1	1						1				1	2		2	
7 Colored.....	24								6			4	2	3		1	
8 Males.....	7								4			3	1	1			
9 Females.....	17								2			1	1	2		1	
10 Diagnosis reasonably certain. (M/F)	5								2			1	1	1			
11	14													1			
12 Other cities ¹	80	5		1	1	3			19		1	9	9	7		3	
13 Males.....	30	5		1	1	3			6		1	1	4	2		2	
14 Females.....	50								13			8	5	5		1	
15 Diagnosis reasonably certain. (M/F)	10	5		1	1	3			2		1			1			
16	31													5		1	
17 White.....	57	3		1	1	1			17		1	7	9	5		3	
18 Males.....	23	3		1	1	1			6		1	1	4	2		2	
19 Females.....	34								11			6	5	3		1	
20 Diagnosis reasonably certain. (M/F)	14	3		1	1	1			2		1		1	3		1	
21	18																
22 Colored.....	23	2				2			2			2		2			
23 Males.....	7	2				2											
24 Females.....	16								2			2		2			
25 Diagnosis reasonably certain. (M/F)	5	2				2								2			
26	13																
ILLINOIS. ¹																	
27 Registration cities.....	2,338	101	8	43	4	35	11		985	6	58	656	265	271	18	151	
28 Males.....	1,033	89	8	39	3	31	8		549	5	50	388	106	116	7	61	
29 Females.....	1,305	12		4	1	4	3		436	1	8	268	159	155	11	90	
30 Diagnosis reasonably certain. (M/F)	497	89	8	39	3	31	8		167	2	18	119	28	73	5	23	
31	826	12		4	1	4	3		93		1	54	38	96	5	40	
32 White.....	2,278	100	8	42	4	35	11		963	6	58	638	261	265	18	148	
33 Males.....	1,009	88	8	38	3	31	8		536	5	50	377	104	114	7	60	
34 Females.....	1,260	12		4	1	4	3		427	1	8	261	157	151	11	88	
35 Diagnosis reasonably certain. (M/F)	479	88	8	38	3	31	8		160	2	18	114	26	71	5	22	
36	799	12		4	1	4	3		90		1	52	37	93	5	39	
37 Colored.....	60	1		1					22			18	4	6		3	
38 Males.....	24	1		1					13			11	2	2		1	
39 Females.....	36								9			7	2	4		2	
40 Diagnosis reasonably certain. (M/F)	18	1		1					7			5	2	2		1	
41	27								3			2	1	3		1	
42 Chicago.....	2,137	93	8	42	4	29	10		901	6	57	600	238	239	17	130	
43 Males.....	918	82	8	38	3	26	7		506	5	49	356	96	104	7	55	
44 Females.....	1,159	11		4	1	3	3		395	1	8	244	142	135	10	75	
45 Diagnosis reasonably certain. (M/F)	452	82	8	38	3	26	7		154	2	18	108	26	64	5	20	
46	724	11		4	1	3	3		79		1	47	31	83	5	31	
47 White.....	2,059	92	8	41	4	29	10		881	6	57	584	234	235	17	128	
48 Males.....	926	81	8	37	3	26	7		494	5	49	346	94	103	7	54	
49 Females.....	1,133	11		4	1	3	3		387	1	8	238	140	122	10	74	
50 Diagnosis reasonably certain. (M/F)	435	81	8	37	3	26	7		147	2	18	103	24	63	5	19	
51	704	11		4	1	3	3		76		1	45	30	81	5	31	
52 Colored.....	48	1		1					20			16	4	4		2	
53 Males.....	22	1		1					12			10	2	1		1	
54 Females.....	26								8			6	2	3		1	
55 Diagnosis reasonably certain. (M/F)	17	1		1					7			5	2	1		1	
56	20								3			2	1	2			
57 Springfield.....	62	2				2			24			17	7	8		5	
58 Males.....	20	2				2			11			7	4	3			
59 Females.....	42								13			10	3	5		5	
60 Diagnosis reasonably certain. (M/F)	10	2				2			2			2		3			
61	26								3			2	1	4		4	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

115

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Tes-tes.	Others of this class.
		26	1	25			7	5	12		1	1	1	2	1		1		5
		26	1	25			7	4	7		1	1	1	2	1		1		2
		25		25			7	1	5					2	1				3
									5										2
									4			1							2
2		7		6	1		4		3				1						3
									4				1						5
1		7		6	1		4		2				1						1
1									2										2
1		7		6	1		4		4				1						1
1									2										2
4		20	2	18			4	3	22			2	4	1	2		3		10
																			9
4		20	2	18			4	3	14			2	2	1	1		2		6
									8				2				1		4
4		19	1	18			4	3	9			1	1	1	1		1		5
									8				1						2
2		10		10			3	2	17			2	4		2		2		7
																			13
2		10		10			3	2	10			2	2		1		1		4
									7				2		1		1		14
2		10		10			3	2	7			1	1		1		1		3
									2				1						15
2		10	2	8			1	1	5										4
																			16
2		10	2	8			1	1	4					1			1		3
									1										17
2		10	2	8			1	1	2					1					2
									1										18
2		9	1	8			1		1					1					1
									1										19
2									1										20
																			1
95	7	362	23	334	2	3	192	45	382	16	25	28	38	39	63	6	26	7	134
																			21
45	3	362	23	334	2	3	189	22	254	14	13	20	22	39	44	3	15	7	77
50	4						3	23	128	2	12	8	16		19	3	11		57
45	1	356	18	333	2	3	3	22	143	14	3	10	10	15	22	1	9	7	52
50							189	23	57	2	5	3	5		7	1	4		30
92	7	346	23	318	2	3	187	45	372	15	24	28	38	39	62	6	26	7	127
																			25
44	3	346	23	318	2	3	3	22	246	13	12	20	22	39	43	3	15	7	72
48	4						184	23	126	2	12	8	16		19	3	11		55
44		340	18	317	2	3	3	22	135	13	2	10	10	15	21	1	9	7	47
48	1						184	23	57	2	5	3	5		7	1	4		30
3		16		16			5		10	1	1				1				7
																			29
1		16		16			5		8	1	1				1				5
2									2										30
2		16		16			5		8	1	1				1				2
																			5
46	6	318	21	292	2	3	172	37	347	16	24	25	36	37	58	6	22	6	117
																			33
39	3	318	21	292	2	3	3	19	234	14	13	18	21	37	41	3	12	6	69
47	3						169	18	113	2	11	7	15		17	3	10		48
39		312	16	291	2	3	3	19	130	14	3	9	9	15	21	1	6	6	46
47							169	18	52	2	5	3	5		7	1	3		26
84	6	306	21	280	2	3	169	37	339	15	23	25	36	37	57	6	22	6	112
																			37
39	3	306	21	280	2	3	3	19	226	13	12	18	21	37	40	3	12	6	64
45	3						166	18	113	2	11	7	15		17	3	10		48
39		300	16	279	2	3	3	19	122	13	2	9	9	15	20	1	6	6	41
45							166	18	52	2	5	3	5		7	1	3		26
2		12		12			3		8	1	1				1				5
																			41
2		12		12			3		8	1	1				1				5
																			42
2		12		12			3		8	1	1				1				5
																			43
3		11		11			4	3	10				1	1	1		2		5
																			44
3		11		11			4	3	4				1	1	1		2		1
									6										46
3		11		11			4	3	3				1		1		2		4
									1										47
																			1
																			1

* Includes Augusta and Savannah.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																
AREA AND BASIS OF DIAGNOSIS.		Aggregate.	Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
ILLINOIS¹—continued.																
1	Other cities ²	169	6	1	4	1	60	1	39	20	24	1	16
2	Males.....	65	5	1	3	1	32	1	25	6	9	6
3	Females.....	104	1	1	28	14	14	15	1	10
4	Diagnosis reasonably certain. {M.....	35	5	1	3	1	11	9	2	6	3
	{F.....	76	1	1	11	5	6	9	5
INDIANA.																
5	Registration cities.....	765	24	3	8	4	9	270	7	162	101	94	8	50
6	Males.....	243	19	3	6	2	8	112	6	77	29	34	1	21
7	Females.....	522	5	2	2	1	158	1	85	72	60	7	38
8	Diagnosis reasonably certain. {M.....	130	19	3	6	2	8	30	1	21	8	24	1	11
	{F.....	330	5	2	2	1	25	12	13	29	2	12
9	White.....	739	23	3	7	4	9	261	7	157	97	92	7	50
10	Males.....	238	18	3	5	2	8	112	6	77	29	34	1	21
11	Females.....	501	5	2	2	1	149	1	80	68	58	6	38
12	Diagnosis reasonably certain. {M.....	128	18	3	5	2	8	30	1	21	8	24	1	11
	{F.....	319	5	2	2	1	25	12	13	28	2	12
13	Colored.....	26	1	1	9	5	4	2	1
14	Males.....	5	1	1
15	Females.....	21	9	5	4	2	1
16	Diagnosis reasonably certain. {M.....	2	1	1	1
	{F.....	11
17	Fort Wayne.....	69	1	1	24	16	8	13	1	6
18	Males.....	25	1	1	12	7	5	5	1	1
19	Females.....	44	12	9	3	8	5
20	Diagnosis reasonably certain. {M.....	16	1	1	4	3	1	5	1	1
	{F.....	21	1	1	3
21	Indianapolis.....	265	8	1	1	1	5	79	2	47	30	32	4	25
22	Males.....	84	6	1	1	4	31	1	22	8	12	10
23	Females.....	181	2	1	1	48						

¹ Nonregistration state; cities shown below only those with effective ordinances.

GENERAL TABLES.

117

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
6	1	33	2	31			16	5	25		1	3	1	1	4		2	1	12	1
3									16			2	1	1			1	1	7	2
3	1	33	2	31			16	2	9		1	1		1			1		5	3
3									10			1	1				1	1	5	4
3	1	33	2	31			16	2	4								1		3	
27		150	5	141	3	1	84	26	117	2	2	22	10	9	15		10	3	44	5
12							1	13	64	2	1	10		9	11		5	3	23	6
15		150	5	141	3	1	83	13	53		1	12	10		4		5		21	7
12							1	13	43	2		7		6	3		2	3	20	
15		148	3	141	3	1	83	13	27		1	6	4		1		2		13	8
26		144	5	135	3	1	81	25	113	2	2	21	10	9	14		9	3	43	9
12							1	13	60	2	1	9		9	10		4	3	22	10
14		144	5	135	3	1	80	12	53		1	12	10		4		5		21	11
12							1	13	42	2		7		6	3		2	3	19	
14		142	3	135	3	1	80	12	27		1	6	4		1		2		13	12
1		6		6			3	1	4			1			1		1		1	13
									4			1							1	14
1		6		6			3	1	1								1		1	15
1		6		6			3	1											1	16
6		9	1	8			3	2	17		1	1	3	3			2		7	17
3							3	1	6			1		3					2	18
3		9	1	8			3	1	11		1	1	3				2		5	19
3		8		8			3	1	5			1		3			1		1	20
3		54	1	53			32	10	50	2		9	4	1	7		6	2	19	21
2							32	5	30	2		3		1	5		5	2	12	22
1		54	1	53			32	5	20			6	4		2		1		7	23
2							32	5	23	2		2		1	3		2	2	11	
1		54	1	53			32	5	10			4	1				2		5	24
2		51	1	50			31	9	48	2		9	4	1	7		5	2	18	25
2							31	5	28	2		3		1	5		4	2	11	26
2		51	1	50			31	5	20			6	4		2		1		7	27
		51	1	50			31	4	22	2		2		1	3		2	2	10	28
1		3		3			1	1	10			4	1				2		5	
							1	1	2								1		1	29
1		3		3			1	1	2								1		1	30
1		3		3			1	1	1										1	31
1		12	1	11			9		4			1	1	1					1	32
1							9		1										1	33
1		12	1	11			9		3			1	1						1	34
1		11		11			9		1			1	1						1	35
17		75	2	69	3	1	40	14	46		1	11	2	4	8		2	1	17	36
6							1	7	27		1	6		4	6			1	9	37
11		75	2	69	3	1	39	7	19			5	2		2		2		8	38
6							1	7	15			4		2				1	8	39
11		75	2	69	3	1	39	7	9			1			1		1		6	40
9		47	3	43	1		25	10	48	1		9		7	3	2	1		25	41
3							25	7	31	1		4		7	1	1	1		16	42
6		47	3	43	1		25	3	17			5			2		1		9	43
3							25	7	23	1		4		5	1	1			11	44
6		45	1	43	1		25	3	6			1			1	1			3	
8		42	3	38	1		24	9	45	1		8		7	3	2	1		23	45
3							24	7	30	1		4		7	1	1	1		15	46
5		42	3	38	1		24	2	15			4			2	1			8	47
3							24	7	23	1		4		5	1	1			11	48
5		40	1	38	1		24	2	6			1			1	1			3	

* Includes Aurora, Bellefonte, Decatur, Evanston, Jacksonville, and Quincy.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con. KANSAS—continued.																
Registration cities—Continued.																
1	Colored.....	19	1				1		6			3	3	2		1
2	Males.....	3	1				1		1			1				
3	Females.....	16							5			2	3	2		1
4	Diagnosis reasonably certain. {M	1	1				1		1			1		1		
	Diagnosis reasonably certain. {F	9														
5	Kansas City.....	61	1		1				26			18	8	9	1	4
6	Males.....	28	1		1				15			9	6	3		1
7	Females.....	33							11			9	2	6	1	3
8	Diagnosis reasonably certain. {M	17	1		1				8			4	4	2		
	Diagnosis reasonably certain. {F	21							5			5		4	1	1
9	White.....	55	1		1				24			16	8	8	1	4
10	Males.....	26	1		1				14			8	6	3		1
11	Females.....	29							10			8	2	5	1	3
12	Diagnosis reasonably certain. {M	17	1		1				8			4	4	2		
	Diagnosis reasonably certain. {F	17							4			4		3	1	1
13	Colored.....	6							2			2		1		
14	Males.....	2							1			1				
15	Females.....	4							1			1		1		
16	Diagnosis reasonably certain. {M	4							1			1		1		
	Diagnosis reasonably certain. {F															
17	Topeka.....	52	2		1			1	15			11	4	7	1	5
18	Males.....	21	1		1				9			7	2	2	1	1
19	Females.....	31					1		6			4	2	5		4
20	Diagnosis reasonably certain. {M	12	1		1				2			1	1	2	1	1
	Diagnosis reasonably certain. {F	24					1		2			2		4		3
21	White.....	49	2		1			1	14			11	3	7	1	5
22	Males.....	21	1		1				9			7	2	2	1	1
23	Female.....	28					1		5			4	1	5		4
24	Diagnosis reasonably certain. {M	12	1		1				2			1	1	2	1	1
	Diagnosis reasonably certain. {F	23					1		2			2		4		3
25	Colored.....	3							1				1			
26	Males.....															
27	Females.....	3							1				1			
28	Diagnosis reasonably certain. {M															
	Diagnosis reasonably certain. {F	1														
29	Wichita.....	50							16			9	7	7	2	4
30	Males.....	25							9			7	2	5	2	2
31	Females.....	25							7			2	5	2		2
32	Diagnosis reasonably certain. {M	16							2			2		4	2	1
	Diagnosis reasonably certain. {F	21							5			1	4	2		2
33	Other cities.....	119	6	2				3	47		1	23	23	16		13
34	Males.....	37	6	2				3	18			11	7	4		4
35	Females.....	82						1	29		1	12	16	12		9
36	Diagnosis reasonably certain. {M	17	6	2				3	4			3	1	1		
	Diagnosis reasonably certain. {F	50						1	9			2	7	5		2
KENTUCKY.																
37	Registration cities.....	328	13		6	4		3	119		1	57	61	31	1	21
38	Males.....	109	9		4	2		3	65			32	32	10		7
39	Females.....	219	4		2	2			54		1	25	29	21	1	14
40	Diagnosis reasonably certain. {M	39	9		4	2		3	13			6	7	4		1
	Diagnosis reasonably certain. {F	152	4		2	2			11			4	7	13	1	6
41	White.....	291	11		5	4		2	107		1	49	57	31	1	21
42	Males.....	96	8		4	2		2	58			28	29	10		7
43	Females.....	195	3		1	2			49		1	21	28	21	1	14
44	Diagnosis reasonably certain. {M	36	8		4	2		2	13			6	7	4		1
	Diagnosis reasonably certain. {F	133	3		1	2			11			4	7	13	1	6
45	Colored.....	37	2		1			1	12			8	4			
46	Males.....	13	1					1	7			4	3			
47	Females.....	24			1				5			4	1			
48	Diagnosis reasonably certain. {M	3						1								
	Diagnosis reasonably certain. {F	19			1											

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Reo- turn.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pro- state.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
1		5		5			1	1	3			1						2	1
1		5		5			1	1	1			1						1	2
1		5		5			1	1	2									1	3
4		7		7			3	1	14			4		2		1		7	5
2		7		7			3	1	8			2		2				4	6
2		7		7			3	1	6			2		2		1		3	7
2		7		7			3	1	5			2		2		1		1	8
2		7		7			3	1	2						1			1	8
3		5		5			3	1	13			4		2		1		6	9
2		5		5			3	1	7			2		2				3	10
1		5		5			3	1	6			2		2		1		3	11
2		5		5			3	1	5			2		2				1	12
1		2		2					2						1			1	12
1		2		2					1									1	13
1		2		2					1									1	14
1		2		2					1									1	15
1		12	1	11			4	2	10			1		1				8	16
1		12	1	11			4	1	8					1				7	17
1		12	1	11			4	1	2			1						1	18
1		12	1	11			4	1	6									6	19
1		12	1	11			4	1	1			1		1				7	20
1		12	1	11			4	1	9									7	21
1		12	1	11			4	1	8					1				7	22
1		12	1	11			4	1	1			1						6	23
1		12	1	11			4	1	6									6	24
								1	1									1	25
								1	1									1	26
								1	1									1	27
1		10	1	9			4	3	10		1	1		3	2	1		2	28
1		10	1	9			4	3	10		1	1		3	2	1		2	29
1		9		9			4		8									2	30
1		9		9			4		2									2	31
3		18	1	16	1		14	4	7			1		1	1			8	32
3		18	1	16	1		14	2	1			3		1	1			3	33
3		17		16	1		14	2	2			2						5	34
3		17		16	1		14	2	5			1			1	1		2	35
3		17		16	1		14	2	3			1						2	36
9		73	5	67	1		34	12	46	1	3	4	3	2	6		2	2	37
3		73	5	67	1		34	3	22	1	1			2	3		1	2	38
6		73	5	67	1		34	9	24		2	4	3		3		1		11
3		73	5	67	1		34	3	10	1				1	1			2	39
6		73	5	67	1		34	9	8			2	2					5	40
9		60	5	54	1		30	10	42		2	4	3	2	6		2	2	41
3		60	5	54	1		30	2	18					2	3		1	2	42
6		60	5	54	1		30	8	24		2	4	3		3		1		11
3		60	5	54	1		30	2	9					1	1			2	43
6		60	5	54	1		30	8	8			2	2					5	44
		13		13			4	2	4	1	1							2	45
		13		13			4	1	4	1	1							2	46
		13		13			4	1	1	1	1							4	47
		13		13			4	1	1	1	1							4	48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
KENTUCKY—continued.																
1	Louisville.....	187	7	3	1	3	73	38	35	21	1	17
2	Males.....	64	6	2	1	3	41	24	17	7	7
3	Females.....	123	1	1	32	14	18	14	1	10
4	Diagnosis reasonably certain. {M.....	19	6	2	1	3	8	6	2	1	1
	{F.....	83	1	1	6	2	4	9	1	5
5	White.....	168	5	2	1	2	66	32	34	21	1	17
6	Males.....	59	5	2	1	2	38	22	16	7	7
7	Females.....	109	28	10	18	14	1	10
8	Diagnosis reasonably certain. {M.....	18	5	2	1	2	8	6	2	1	1
	{F.....	73	6	2	4	9	1	5
9	Colored.....	19	2	1	1	7	6	1
10	Males.....	5	1	1	3	2	1
11	Females.....	14	1	1	4	4
12	Diagnosis reasonably certain. {M.....	1	1	1
	{F.....	10	1	1
13	Other cities.....	141	6	3	3	46	1	19	26	10	4
14	Males.....	45	3	2	1	24	8	15	3
15	Females.....	96	3	1	2	22	1	11	11	7	4
16	Diagnosis reasonably certain. {M.....	20	3	2	1	5	5	3
	{F.....	69	3	1	2	5	2	3	4	1
17	White.....	123	6	3	3	41	1	17	23	10	4
18	Males.....	37	3	2	1	20	1	6	13	3
19	Females.....	86	3	1	2	21	11	10	7	4
20	Diagnosis reasonably certain. {M.....	18	3	2	1	5	5	3
	{F.....	60	3	1	2	5	2	3	4	1
21	Colored.....	18	5	2	3
22	Males.....	8	4	2	2
23	Females.....	10	1	1
24	Diagnosis reasonably certain. {M.....	2
	{F.....	9
LOUISIANA. ¹																
25	New Orleans.....	358	24	1	9	5	7	2	112	2	4	65	41	37	4	21
26	Males.....	154	19	1	8	5	5	68	4	42	22	11	3	5
27	Females.....	204	5	1	2	2	44	2	23	19	26	1	16
28	Diagnosis reasonably certain. {M.....	88	19	1	8	5	5	23	1	18	4	7	3	1
	{F.....	145	5	1	2	2	4	1	1	2	15	1	6
29	White.....	257	20	1	8	4	6	1	80	2	3	47	28	31	4	18
30	Males.....	114	17	1	8	4	4	45	3	28	14	10	3	5
31	Females.....	143	3	2	1	35	2	19	14	21	1	13
32	Diagnosis reasonably certain. {M.....	67	17	1	8	4	4	15	1	12	2	6	3	1
	{F.....	96	3	2	1	4	1	1	2	12	1	5
33	Colored.....	101	4	1	1	1	1	32	1	18	13	6	3
34	Males.....	40	2	1	1	23	14	8	1
35	Females.....	61	2	1	1	9	1	4	5	5	3
36	Diagnosis reasonably certain. {M.....	21	2	1	1	8	6	2	1
	{F.....	49	2	1	1	3	1
MAINE.																
37	Registration cities.....	212	4	1	3	75	2	46	27	33	2	20
38	Males.....	65	1	1	33	1	25	7	14	8
39	Females.....	147	3	3	42	1	21	20	19	2	12
40	Diagnosis reasonably certain. {M.....	26	1	1	8	5	3	7	1
	{F.....	96	3	3	8	1	3	4	8	1	2
41	White.....	212	4	1	3	75	2	46	27	33	2	20
42	Males.....	65	1	1	33	1	25	7	14	8
43	Females.....	147	3	3	42	1	21	20	19	2	12
44	Diagnosis reasonably certain. {M.....	26	1	1	8	5	3	7	1
	{F.....	96	3	3	8	1	3	4	8	1	2

¹ Nonregistration state; cities shown below only those with effective local ordinances.

121

[See note at head of this table, p. 88.]

Digitized by Google

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
MAINE—continued.																	
1	Portland.....	65	1		1				18		1	9	8	11	1	5	
2	Males.....	22	1		1				8			6	2	7		3	
3	Females.....	43							10		1	3	6	4	1	2	
4	Diagnosis reasonably certain. {M.....	9	1		1				3		1		2	1			
	{F.....	32															
5	Other cities.....	147	3				3		57		1	37	19	22	1	15	
6	Males.....	43							25		1	19	5	7		5	
7	Females.....	104	3				3		32			18	14	15	1	10	
8	Diagnosis reasonably certain. {M.....	17							8			5	3	3		1	
	{F.....	64	3				3		5			3	2	7	1	2	
MARYLAND.																	
9	Registration cities.....	653	23	5	11	1	4	2	238	1	9	133	95	78	7	44	
10	Males.....	241	22	5	10	1	4	2	109	1	7	75	26	34	3	17	
11	Females.....	412	1		1				129		2	58	69	44	4	27	
12	Diagnosis reasonably certain. {M.....	138	22	5	10	1	4	2	38	1	2	25	10	20	1	7	
	{F.....	271	1		1				26		1	8	17	29	2	14	
13	White.....	567	21	5	10	1	3	2	210		6	117	87	71	7	38	
14	Males.....	219	20	5	9	1	3	2	94		5	65	24	33	3	17	
15	Females.....	348	1		1				116		1	52	63	38	4	21	
16	Diagnosis reasonably certain. {M.....	127	20	5	9	1	3	2	34		2	23	9	19	1	7	
	{F.....	224	1		1				22		1	6	15	28	2	13	
17	Colored.....	86	2		1		1		28	1	3	16	8	7		6	
18	Males.....	22	2		1		1		15	1	2	10	2	1			
19	Females.....	64							13		1	6	6	6		6	
20	Diagnosis reasonably certain. {M.....	11	2		1		1		4	1		2	1	1		1	
	{F.....	47							4			2	2	1			
21	Baltimore.....	589	17	3	9	1	2	2	213	1	9	121	82	76	7	43	
22	Males.....	220	17	3	9	1	2	2	99	1	7	69	22	32	3	16	
23	Females.....	369							114		2	52	60	44	4	27	
24	Diagnosis reasonably certain. {M.....	126	17	3	9	1	2	2	35	1	2	22	10	19	1	7	
	{F.....	245							24		1	8	15	29	2	14	
25	White.....	510	17	3	9	1	2	2	185		6	105	74	70	7	37	
26	Males.....	201	17	3	9	1	2	2	84		5	59	20	32	3	16	
27	Females.....	309							101		1	46	54	38	4	21	
28	Diagnosis reasonably certain. {M.....	118	17	3	9	1	2	2	31		2	20	9	19	1	7	
	{F.....	200							20		1	6	13	28	2	13	
29	Colored.....	79							28	1	3	16	8	6		6	
30	Males.....	19							15	1	2	10	2				
31	Females.....	60							13		1	6	6	6		6	
32	Diagnosis reasonably certain. {M.....	8							4	1		2	1	1		1	
	{F.....	45							4			2	2				
33	Other cities.....	64	6	2	2		2		25			12	13	2		1	
34	Males.....	21	5	2	1		2		10			6	4	2		1	
35	Females.....	43	1		1				15			6	9	1			
36	Diagnosis reasonably certain. {M.....	12	5	2	1		2		3			3					
	{F.....	26	1		1				2				2				
37	White.....	57	4	2	1		1		25			12	13	1		1	
38	Males.....	18	3	2			1		10			6	4	1		1	
39	Females.....	39	1		1				15			6	9				
40	Diagnosis reasonably certain. {M.....	9	3	2			1		3			3					
	{F.....	24	1		1				2				2				
41	Colored.....	7	2		1		1							1			
42	Males.....	3	2		1		1							1			
43	Females.....	4															
44	Diagnosis reasonably certain. {M.....	3	2		1		1							1			
	{F.....	2															
MASSACHUSETTS.																	
45	Registration cities.....	2,781	116	19	36	12	41	8	862	4	39	536	283	518	24	364	
46	Males.....	1,006	94	17	31	8	30	8	400	3	26	264	107	198	6	134	
47	Females.....	1,775	22	2	5	4	11		462	1	13	272	176	320	18	230	
48	Diagnosis reasonably certain. {M.....	535	94	7	31	8	30	8	110	2	14	75	19	117	3	56	
	{F.....	1,144	22	2	5	4	11		90	1	2	43	44	164	5	89	

GENERAL TABLES.

123

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.
5		14		14			14	1	6		1	1			1	1		2
4		14		14			14	1	5		1	1			1	1		2
1		14		14			14	1	1		1	1						2
4		14		14			14	1	3			1						2
1		14		14			14	1										2
6		35	1	33	1		11	3	16	1	1	1	1	1	2		1	8
2		35	1	33	1		11	2	9	1	1	1		1	2		1	2
4		35	1	33	1		11	1	7			1	1					6
2		35	1	33	1		11	2	4	1		1					1	7
4		35	1	33	1		11	1	2									2
27		117	10	105	1	1	72	11	114	10	4	15	6	9	21	3	7	39
14		117	10	105	1	1	72	6	70	8	1	7	4	9	16	2	5	18
13		117	10	105	1	1	72	5	44	2	3	8	2		5	1	2	21
12		113	6	105	1	1	72	6	52	8	1	7	4	6	8		4	14
13		113	6	105	1	1	72	5	25	2		6	2		3		1	11
26		88	9	78		1	61	9	107	9	4	12	6	9	20	3	7	37
13		88	9	78		1	61	5	67	7	1	5	4	9	16	2	5	18
13		88	9	78		1	61	4	40	2	3	7	2		4	1	2	19
11		88	9	78		1	61	5	49	7	1	5	4	6	8		4	14
13		85	6	78		1	61	4	23	2		6	2		2		1	11
1		29	1	27	1		11	2	7	1		3			1			2
1		29	1	27	1		11	1	3	1		2						18
1		29	1	27	1		11	1	4			1			1			19
1		28		27	1		11	1	3	1		2			1			20
1		28		27	1		11	1	2			1						20
26		104	10	92	1	1	65	10	104	10	4	15	6	9	20	3	7	30
13		104	10	92	1	1	65	6	66	8	1	7	4	9	15	2	5	15
13		104	10	92	1	1	65	4	38	2	3	8	2		5	1	2	22
11		104	10	92	1	1	65	6	49	8	1	7	4	6	8		4	15
13		100	6	92	1	1	65	4	23	2		6	2		3		1	23
26		76	9	66		1	55	8	99	9	4	12	6	9	19	3	7	30
13		76	9	66		1	55	5	63	7	1	5	4	9	15	2	5	15
13		76	9	66		1	55	3	36	2	3	7	2		4	1	2	27
11		73	6	66		1	55	5	46	7	1	5	4	6	8		4	11
13		73	6	66		1	55	3	21	2		5	2		2		1	9
28		28	1	26	1		10	2	5	1		3			1			29
28		28	1	26	1		10	1	3	1		2						30
27		27		26	1		10	1	2			1			1			31
1		13		13			7	1	10			1						32
1		13		13			7	1	4						1			9
1		13		13			7	1	6									34
1		13		13			7	1	3									35
12		12		12			6	1	2									36
12		12		12			6	1	8						1			7
12		12		12			6	1	4						1			38
12		12		12			6	1	4									39
1		1		1			1		3									40
1		1		1			1		2									2
1		1		1			1		2									41
1		1		1			1		2									42
1		1		1			1		2									43
129	1	450	33	401	14	2	328	60	447	23	21	35	24	57	50	5	37	7
58		450	33	401	14	2	325	38	273	20	7	15	10	57	36	4	17	7
71	1	450	33	401	14	2	325	22	174	3	14	20	14	22	14	1	20	100
58		439	22	401	14	2	325	38	173	20	3	11	7	22	15	2	3	88
69	1	439	22	401	14	2	325	22	82	3	2	10	4		4		9	83
																		50

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—												Total.	Peritoneum and mesentery.	Intestines.	
			Buccal cavity.						Stomach and liver.					Total.				
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.					
REGISTRATION CITIES—Con.																		
MASSACHUSETTS—continued.																		
Registration cities—Continued.																		
1	White.....	2,749	114	19	34	12	41	8	850	4	38	529	279	515	24	362		
2	Males.....	994	93	17	30	8	30	8	392	3	25	258	106	197	6	133		
3	Females.....	1,755	21	2	4	4	11	8	458	1	13	271	173	318	18	229		
4	Diagnosis reasonably certain. {M.....	531	93	17	30	8	30	8	108	2	14	73	19	116	3	55		
	{F.....	1,128	21	2	4	4	11	8	89	1	2	43	43	162	5	88		
5	Colored.....	32	2		2				12		1	7	4	3		2		
6	Males.....	12	1		1				8		1	6	1	1		1		
7	Females.....	20	1		1				4			1	3	2		1		
8	Diagnosis reasonably certain. {M.....	4	1		1				2			2		1		1		
	{F.....	16	1		1				1				1	2		1		
9	Boston.....	871	33	3	10	3	12	5	255	1	15	149	90	169	7	120		
10	Males.....	347	30	2	10	3	10	5	136	1	11	84	40	71	1	53		
11	Females.....	524	3	1			2		119		4	65	50	98	6	67		
12	Diagnosis reasonably certain. {M.....	196	30	2	10	3	10	5	48	1	9	27	11	38		21		
	{F.....	377	3	1			2		32		1	15	16	61	3	35		
13	White.....	854	33	3	10	3	12	5	250	1	14	145	90	167	7	118		
14	Males.....	340	30	2	10	3	10	5	131	1	10	80	40	70	1	52		
15	Females.....	514	3	1			2		119		4	65	50	97	6	66		
16	Diagnosis reasonably certain. {M.....	193	30	2	10	3	10	5	46	1	9	25	11	37		20		
	{F.....	368	3	1			2		32		1	15	16	60	3	34		
17	Colored.....	17							5		1	4		2		2		
18	Males.....	7							5		1	4		1		1		
19	Females.....	10												1		1		
20	Diagnosis reasonably certain. {M.....	3							2			2		1		1		
	{F.....	9												1		1		
21	Brockton.....	55	1			1			19		1	13	5	12		6		
22	Males.....	15	1			1			4			3	1	5		2		
23	Females.....	40							15		1	10	4	7		4		
24	Diagnosis reasonably certain. {M.....	9	1			1			1			1		5		2		
	{F.....	19							2			1	1	3				
25	Cambridge.....	111	4		1		3		34		2	25	7	17	1	10		
26	Males.....	39	3		1		2		16		1	13	2	5		4		
27	Females.....	72	1				1		18		1	12	5	12	1	6		
28	Diagnosis reasonably certain. {M.....	27	3		1		2		7		1	5	1	3		2		
	{F.....	46	1				1		1			1		7		2		
29	Fall River.....	70	2			1		1	16			10	6	15	1	10		
30	Males.....	19	1					1	5			2	3	3		1		
31	Females.....	51	1			1			11			8	3	12	1	9		
32	Diagnosis reasonably certain. {M.....	11	1					1						2				
	{F.....	36	1			1			2			2		8		6		
33	Lawrence.....	60	6	1	2		2	1	27		2	17	8	12	1	7		
34	Males.....	17	4	1	2			1	11			10	1	2		1		
35	Females.....	43	2				2		16		2	7	7	10	1	6		
36	Diagnosis reasonably certain. {M.....	7	4	1	2			1	2			2		1				
	{F.....	24	2				2		4			2	2	4		1		
37	Lowell.....	98	2	1	1				43		2	23	18	12	1	6		
38	Males.....	34	2	1	1				19		1	11	7	5	1	2		
39	Females.....	64							24		1	12	11	7		4		
40	Diagnosis reasonably certain. {M.....	11	2	1	1				1			1		3	1			
	{F.....	34							1				1	4		1		
41	Lynn.....	91	7	2		2	2	1	29		2	20	7	10		9		
42	Males.....	28	5	2			2	1	13		2	10	1	2		2		
43	Females.....	63	2			2			16			10	6	8		7		
44	Diagnosis reasonably certain. {M.....	13	5	2			2	1	4		1	3		1		1		
	{F.....	40	2			2			1			1		2		1		
45	New Bedford.....	93	4		2		2		29			19	10	20	3	15		
46	Males.....	26	3		1		2		9			5	4	8	2	6		
47	Females.....	67	1		1				20			14	6	12	1	9		
48	Diagnosis reasonably certain. {M.....	15	3		1		2							6	1	5		
	{F.....	40	1		1				4			3	1	5	1	2		
49	Somerville.....	71	1				1		21			18	3	17	2	11		
50	Males.....	21	1				1		5			5		5		3		
51	Females.....	50							16			13	3	12	2	8		
52	Diagnosis reasonably certain. {M.....	8	1				1		2					2				
	{F.....	27										2		5		3		

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
128	1	443	33	396	12	2	324	60	443	23	21	35	24	56	50	5	37	7	185
58	1	443	33	396	12	2	321	38	271	20	7	15	10	56	36	4	17	7	99
70	1	443	33	396	12	2	321	22	173	3	14	20	14	14	14	1	20	7	86
58	1	432	22	396	12	2	321	38	173	20	3	11	7	22	15	2	3	7	83
68	1	432	22	396	12	2	321	22	81	3	2	10	4	4	4	2	9	7	49
1		7		5	2		4		4					1					3
1		7		5	2		4		2					1					1
1		7		5	2		4		2										2
1		7		5	2		4		1										1
42		144	14	127	3		108	14	148	12	9	12	8	19	15	2	7		64
17		144	14	127	3		108	10	100	11	4	6	5	19	12	2	3		38
25		144	14	127	3		108	4	48	1	5	6	3	3	3		4		26
17		141	11	127	3		108	10	70	11	1	6	3	8	6	1	1		33
23		141	11	127	3		108	4	28	1	1	4	1	1	1	1	1		19
42		139	14	123	2		106	14	145	12	9	12	8	18	15	2	7		62
17		139	14	123	2		106	10	99	11	4	6	5	18	12	2	3		38
25		139	14	123	2		106	4	46	1	5	6	3	3	3		4		24
17		136	11	123	2		106	10	70	11	1	6	3	8	6	1	1		33
23		136	11	123	2		106	4	27	1	1	4	1	1	1	1	1		18
		5		4	1		2		3					1					2
		5		4	1		2		1					1					1
		5		4	1		2		1										1
6		4		3	1		8		11			1		2	2		2	1	3
3		4		3	1		8		5					2	1		1		1
3		4		3	1		8		6			1			1		2		2
3		4		3	1		8		2								1		1
3		4		3	1		8		2								1		1
5	1	13	2	10		1	19	4	20		1	1	1	2	1		1		13
1		13	2	10		1	19	3	12		1		1	2					9
4		13	2	10		1	19	1	8			1	1		1		1		4
1		13	2	10		1	19	3	11		1		1	2					8
4	1	12	1	10	1		7	1	17	1	1	2	2		4				7
2		12	1	10	1		7	1	9	1	1	1	2		2				2
2		12	1	10	1		7	1	8			1	2		2				5
2		12	1	10	1		7	1	7	1	1		2		1				2
2		12	1	10	1		7	1	6				2		1				5
4		9		9			4		2				1				1		3
1		9		9			4		2				1				1		3
3		9		9			4		1										3
3		9		9			4		1										3
5		13	2	11			13	4	11					1	1		4		5
2		13	2	11			13	1	7					1	1		4		1
3		13	2	11			13	3	4										4
2		12	1	11			13	3	4					1			2		1
3		12	1	11			13	3	1										1
1		19	1	18			9	2	15	1		1		1	2		2		8
1		19	1	18			9	2	8	1		1		1	2		2		1
1		19	1	18			9	2	7	1				1					7
2		17	2	14	1		11	3	3										5
2		17	2	14	1		11	3	5										1
2		17	2	14	1		11	3	9	1			3	1	1		1		2
4		10	1	8	1		9		4	1				1	1		2		4
2		10	1	8	1		9		4	1				1	1		2		3
2		10	1	8	1		9		3					1	1		2		1
2		10	1	8	1		9		5	1				1	1		2		1
2		10	1	8	1		9		1					1	1		2		1

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN
[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
MASSACHUSETTS—continued.																
1	Springfield.....	92	3		2		1		33		1	19	13	20	1	17
2	Males.....	39	3		2		1		15		1	9	5	9	1	7
3	Females.....	53							18			10	8	11		10
4	Diagnosis reasonably certain. {M.....	24	3		2		1		6			5	1	5	1	3
	Diagnosis reasonably certain. {F.....	24							3				3	2		1
5	Worcester.....	176	8		3	2	3		57	1	1	41	14	32	2	22
6	Males.....	59	6		3	1	2		26	1	1	21	3	7		4
7	Females.....	117	2			1	1		31			20	11	25	2	18
8	Diagnosis reasonably certain. {M.....	30	6		3	1	2		5	1		4		5		2
	Diagnosis reasonably certain. {F.....	76	2			1	1		8			3	5	12	1	6
9	Other cities.....	993	45	12	15	3	15		299	2	13	182	102	182	5	131
10	Males.....	362	35	11	11	3	10		141	1	9	91	40	76	1	49
11	Females.....	631	10	1	4		5		158	1	4	91	62	106	4	82
12	Diagnosis reasonably certain. {M.....	184	35	11	11	3	10		36		3	27	6	46		20
	Diagnosis reasonably certain. {F.....	401	10	1	4		5		30	1	1	13	15	51		31
MICHIGAN.																
13	Registration cities.....	997	41	7	11	2	16	5	400		12	253	135	129	14	83
14	Males.....	413	33	7	9	2	11	4	205		10	145	50	66	4	40
15	Females.....	584	8		2		5	1	195		2	108	85	63	10	43
16	Diagnosis reasonably certain. {M.....	211	33	7	9	2	11	4	58		2	42	14	42	2	18
	Diagnosis reasonably certain. {F.....	366	8		2		5	1	37			17	20	30	6	14
17	White.....	988	41	7	11	2	16	5	397		12	250	135	127	14	81
18	Males.....	411	33	7	9	2	11	4	205		10	145	50	66	4	40
19	Females.....	577	8		2		5	1	192		2	105	85	61	10	41
20	Diagnosis reasonably certain. {M.....	209	33	7	9	2	11	4	58		2	42	14	42	2	18
	Diagnosis reasonably certain. {F.....	364	8		2		5	1	36			16	20	30	6	14
21	Colored.....	9							3			3		2		2
22	Males.....	2														
23	Females.....	7							3			3		2		2
24	Diagnosis reasonably certain. {M.....	2														
	Diagnosis reasonably certain. {F.....	2							1			1				
25	Detroit.....	424	20	5	8		5	2	179		6	116	57	54	5	33
26	Males.....	178	19	5	8		4	2	96		5	69	22	25	1	14
27	Females.....	246	1				1		83		1	47	35	29	4	19
28	Diagnosis reasonably certain. {M.....	91	19	5	8		4	2	27		1	20	6	18	1	7
	Diagnosis reasonably certain. {F.....	148	1				1		14			6	8	14	3	5
29	Grand Rapids.....	120	2		1		1		54		1	35	18	18	3	10
30	Males.....	43	1		1				22		1	16	5	7		4
31	Females.....	77	1				1		32			19	13	11	3	6
32	Diagnosis reasonably certain. {M.....	19	1		1				7			6	1	4		1
	Diagnosis reasonably certain. {F.....	46	1				1		7			3	4	5	2	1
33	Saginaw.....	50	3				3		21		1	11	9	7	2	5
34	Males.....	27	3				3		14		1	7	6	3	1	2
35	Females.....	23							7			4	3	4	1	3
36	Diagnosis reasonably certain. {M.....	14	3				3		5		1	3	1			
	Diagnosis reasonably certain. {F.....	17							1			1		4	1	3
37	Other cities.....	403	16	2	2	2	7	3	146		4	91	51	50	4	35
38	Males.....	165	10	2		2	4	2	73		3	53	17	31	2	20
39	Females.....	238	6		2		3	1	73		1	38	34	19	2	15
40	Diagnosis reasonably certain. {M.....	87	10	2		2	4	2	19			13	6	20	1	10
	Diagnosis reasonably certain. {F.....	155	6		2		3	1	15			7	8	7		5
MINNESOTA.																
41	Registration cities.....	605	32	4	9	2	15	2	250		8	179	63	79	8	45
42	Males.....	262	28	4	8	2	12	2	136		7	109	20	30	3	17
43	Females.....	343	4		1		3		114		1	70	43	49	5	28
44	Diagnosis reasonably certain. {M.....	150	28	4	8		12	2	48		5	39	4	25	2	13
	Diagnosis reasonably certain. {F.....	232	4		1		3		35			22	13	30	2	12
45	White.....	604	32	4	9	2	15	2	249		8	178	63	79	8	45
46	Males.....	262	28	4	8	2	12	2	136		7	109	20	30	3	17
47	Females.....	342	4		1		3		113		1	69	43	49	5	28
48	Diagnosis reasonably certain. {M.....	150	28	4	8	2	12	2	48		5	39	4	25	2	13
	Diagnosis reasonably certain. {F.....	232	4		1		3		35			22	13	30	2	12

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
2		11	3	7	1		6	1	18	1		2	1		2		2		10
1		11	3	7	1		6	1	11	1		2	1		2		1		5
1		11	3	7	1		6	1	7										5
1		10	2	7	1		6		9	1		2			1				5
1		10	2	7	1		6		3								1		2
8		27	2	23	2		20	4	28	3	1	3	1	7	4	1		2	6
3		27	2	23	2		20	2	18	1		1		7	3	1		2	3
5		27	2	23	2		20	2	10	2	1		1		1				7
3		25		23	2		20	2	12	1		1		2	2	1		2	3
5		25		23	2		20	2	7	2	1		1		1				8
46		171	5	161	4	1	114	27	155	3	7	13	6	23	16	2	15	4	66
26		171	5	161	4	1	111	18	89	3	1	4	2	23	10	1	5	4	36
20		171	5	161	4	1	111	9	66		6	9	4		6	1	10		30
26		167	1	161	4	1	111	18	46	3		2	1	6	3			4	27
20		167	1	161	4	1	111	9	23			3	1		1		4		14
32		166	5	160	1		84	30	147	4	4	18	6	19	12	4	10	2	68
22		166	5	160	1		84	19	90	3	2	8	4	19	6	3	3	2	40
10		166	5	160	1		84	11	57	1		2	10	2	6	1	7		28
22		166	5	160	1		84	19	59	3		10	4	12	2	1	2	2	32
10		166	5	160	1		84	11	30	1		5	2		2		3		17
32		165	5	159	1		84	30	144	4	4	18	6	19	12	4	10	2	65
22		165	5	159	1		84	19	88	3	2	8	4	19	6	3	3	2	38
10		165	5	159	1		84	11	56	1		10	2		6	1	7		27
22		165	5	159	1		84	19	57	3		4	1	12	2	1	2	2	30
10		165	5	159	1		84	11	30	1		5	2		2		3		17
		1		1					3										3
		1		1					2										2
		1		1					1										1
		1		1					2										2
16		78	2	75	1		30	6	57	1	2	4		8	5	1	5	1	30
10		78	2	75	1		30	4	34	1	1	2		8	1		1	1	19
6		78	2	75	1		30	2	23		1	2			4	1	4		11
10		78	2	75	1		30	4	23	1		2		4			1	1	14
6		78	2	75	1		30	2	9						1		2		6
5		15		15			14	5	12		1	1	2	1		2			5
3		15		15			14	3	10		1	1	2	1		2			3
2		15		15			14	2	2										2
3		15		15			14	3	4			1		1					2
2		8		8			2	2	2										2
		8		8			2	2	7	1		1		2	1				2
		8		8			2	2	5	1				2	1				1
		8		8			2	2	2	1				2					1
		8		8			2	2	4										1
11		65	3	62			38	17	71	2	1	12	4	8	6	1	5	1	31
9		65	3	62			38	10	41	1		5	2	8	4	1	2	1	17
2		65	3	62			38	7	30	1	1	7	2	2	2	3	3		14
9		65	3	62			38	10	28	1		1	1	5	2	1	1	1	15
2		65	3	62			38	7	17	1		4	2		1		1		8
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32
10		89	6	82	1		52	10	57	2	3	6	5	9	9	1	4	1	17
16		89	6	82	1		52	5	30	1		4	3		3	1	3		15
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14
16		88	5	82	1		52	5	18	1		1	1		2		1		12
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32
10		89	6	82	1		52	10	57	2	3	6	5	9	9	1	4	1	17
16		89	6	82	1		52	5	30	1		4	3		3	1	3		15
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14
16		88	5	82	1		52	5	18	1		1	1		2		1		12
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32
10		89	6	82	1		52	10	57	2	3	6	5	9	9	1	4	1	17
16		89	6	82	1		52	5	30	1		4	3		3	1	3		15
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14
16		88	5	82	1		52	5	18	1		1	1		2		1		12
26		89	6	82	1		53	15	87	3	3	10	8	9	12	2	7	1	32
10		89	6	82	1		52	10	57	2	3	6	5	9	9	1	4	1	17
16		89	6	82	1		52	5	30	1		4	3		3	1	3		15
10		88	5	82	1		52	10	38	2	2	4	3	3	7		2	1	14
16		88	5	82	1		52	5	18	1		1	1		2		1		12

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
MINNESOTA—continued.																
Registration cities—Continued.																
1	Colored.....	1						1			1					
2	Males.....															
3	Females.....	1						1			1					
4	Diagnosis reasonably certain. {M F															
5	Duluth.....	68	2			2		38			27	11	9	2	4	
6	Males.....	31	1			1		22			16	6	3	1	1	
7	Females.....	37	1			1		16			11	5	6	1	3	
8	Diagnosis reasonably certain. {M F	18 24	1 1			1 1		10 5			7 3	3 2	3 5	1 1	1 2	
9	Minneapolis.....	313	15		4	2	7	2	116		3	88	25	48	6	30
10	Males.....	138	13		3	2	6	2	68		2	58	8	18	2	12
11	Females.....	175	2		1		1		48		1	30	17	30	4	18
12	Diagnosis reasonably certain. {M F	76 121	13 2		3 1	2	6 1	2	22 15		2	19 8	1 7	13 18	1 1	8 9
13	St. Paul.....	166	10	2	5		3		75		5	51	19	17		7
14	Males.....	69	9	2	5		2		33		5	25	3	7		3
15	Females.....	97	1				1		42			26	16	10		4
16	Diagnosis reasonably certain. {M F	46 63	9 1	2	5		2 1		15 14		3	12 10	7 4	7 6		3
17	Other cities.....	58	5	2			3		21			13	8	5		4
18	Males.....	21	5	2			3		13			10	3	2		1
19	Females.....	34							8			3	5	3		3
20	Diagnosis reasonably certain. {M F	10 21	5	2			3		1 1			1		2 1		1 1
MISSOURI.																
21	Registration cities.....	1,171	62	8	25	6	18	5	402	3	21	264	114	132	10	67
22	Males.....	489	56	8	22	6	16	4	217	3	17	151	46	60	7	27
23	Females.....	682	6		3		2	1	185		4	113	68	72	3	40
24	Diagnosis reasonably certain. {M F	295 491	56 6	8	22 3	6	16 2	4 1	74 39	1	5	53 23	15 16	44 51	2 3	16 21
25	White.....	1,121	60	8	25	6	17	4	387	3	20	251	113	127	9	63
26	Males.....	472	55	8	22	6	15	4	208	3	17	142	46	58	6	26
27	Females.....	619	5		3		2		179		3	109	67	69	3	37
28	Diagnosis reasonably certain. {M F	286 467	55 5	8	22 3	6	15 2	4 1	72 39	1	5	51 23	15 16	43 51	2 3	15 21
29	Colored.....	50	2				1	1	15		1	13	1	5	1	4
30	Males.....	17	1				1		9			9		2	1	1
31	Females.....	33	1					1	6		1	4	1	3		3
32	Diagnosis reasonably certain. {M F	9 24	1 1				1 1		2			2		1		1
33	Kansas City.....	254	20	5	9	3	3		72		2	51	19	31	1	16
34	Males.....	110	19	5	9	3	2		42		2	31	9	14	1	4
35	Females.....	144	1				1		30			20	10	17		12
36	Diagnosis reasonably certain. {M F	78 115	19 1	5	9	3	2 1		15 10			13 6	2 4	14 10	1	4 5
37	White.....	240	20	5	9	3	3		65		2	45	18	30	1	15
38	Males.....	105	19	5	9	3	2		38		2	27	9	13	1	3
39	Females.....	135	1				1		27			18	9	17		12
40	Diagnosis reasonably certain. {M F	77 109	19 1	5	9	3	2 1		15 10			13 6	2 4	13 10	1	3 5
41	Colored.....	14							7			6	1	1		1
42	Males.....	5							4			4		1		1
43	Females.....	9							3			2	1			
44	Diagnosis reasonably certain. {M F	1 6												1		1
45	St. Joseph.....	97	3		1	1	1		32			23	9	13	1	7
46	Males.....	37	3		1	1	1		19			15	4	6		3
47	Females.....	60							13			8	5	7	1	4
48	Diagnosis reasonably certain. {M F	21 45	3		1	1	1		4 2			4 2		5 5		2

GENERAL TABLES.

129

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																	
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.								
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).
3		7	1	6			4	3	5				1		2		2
1								2	3						2		1
2		7	1	6			4	1	2				1				1
1								2	2						2		
2		7	1	6			4	1	1								1
12		47	2	45			31	6	50		2	5	5	5	9	2	4
4							1	4	34		2	3	3	5	7	1	2
8		47	2	45			30	2	16			2	2		2	1	2
4							1	4	23		1	2	3	1	5		1
8		47	2	45			30	2	7			1	1		1		1
10		25	1	24			10	5	24	2	1	4	1	3	1		2
4								4	16	1	1		3				2
6		25	1	24			10	1	8	1		1	1	3	1		2
4								4	11	1	1	2		2			1
6		24		24			10	1	7	1					1		1
1		10	2	7	1		8	1	8	1		1	1	1			1
1									4	1			1	1			
1		10	2	7	1		8	1	4			1					1
		10	2	7	1		8	1	2	1							1
		10	2	7	1		8	1	3								2
54	1	238	14	219	5		109	45	183	7	4	17	19	15	31	11	4
26							6	30	120	7	3	13	10	15	25	5	2
28	1	238	14	219	5		103	15	63		1	4	9		6	2	4
26							6	30	85	7	3	8	6	9	13	3	4
27		233	9	219	5		103	15	44		1	3	7		4	2	2
54	1	219	14	200	5		106	45	177	7	4	17	18	14	31	11	4
26							6	30	115	7	3	13	9	14	25	5	2
28	1	219	14	200	5		100	15	62		1	4	9		6	2	4
26							6	30	80	7	3	8	5	8	13	3	4
27		214	9	200	5		100	15	43		1	3	7		4	2	2
		19		19			3		6				1	1			
		19		19			3		5				1	1			
		19		19			3		1				1	1			
14		51	2	48	1		29	17	34	3		2	4		6	2	2
9							1	12	22	3		1	1		6	1	2
5		51	2	48	1		28	5	12			1	3		4		2
9							1	12	17	3							2
5		51	2	48	1		28	5	10			1	3				2
14		46	2	43	1		28	17	34	3		2	4		6	2	2
9							1	12	22	3		1	1		6	1	2
5		46	2	43	1		27	5	12			1	3		4		2
9							1	12	17	3							2
5		46	2	43	1		27	5	10			1	3				2
		5		5			1										
		5		5			1										
		5		5			1										
5		20	1	19			16	2	11		2	1		1	2	1	
3							1	2	6		2	1		1	1	1	
2		20	1	19			15		5					1	1		
3							1	2	6		2	1		1	1	1	
2		19		19			15		4								

35030°—16—9

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
MISSOURI—continued.																
1	St. Louis.....	701	33	1	14	2	12	4	262	3	18	168	73	80	6	10
2	Males.....	302	28	1	11	2	11	3	141	3	14	95	29	37	5	19
3	Females.....	399	5		3		1	1	121		4	73	44	43	1	21
4	Diagnosis reasonably certain. (M. F.)	179 274	28 5	1	11 3	2	11 1	3 1	53 25	1	5	35 13	12 12	24 32	1 1	10 12
5	White.....	671	31	1	14	2	11	3	255	3	17	162	73	76	5	37
6	Males.....	291	27	1	11	2	10	3	137	3	14	91	29	36	4	19
7	Females.....	380	4		3		1	1	118		3	71	44	40	1	18
8	Diagnosis reasonably certain. (M. F.)	171 261	27 4	1	11 3	2	10 1	3 1	51 25	1	5	33 13	12 12	24 32	1 1	10 12
9	Colored.....	30	2				1	1	7		1	6		4	1	3
10	Males.....	11	1				1		4			4		1	1	
11	Females.....	19	1					1	3		1	2		3		3
12	Diagnosis reasonably certain. (M. F.)	8 13	1 1				1 1		2 2			2 2				
13	Other cities.....	119	6	2	1		2	1	36		1	22	13	8	2	4
14	Males.....	40	6	2	1		2	1	15		1	10	4	3	1	1
15	Females.....	79							21			12	9	5	1	3
16	Diagnosis reasonably certain. (M. F.)	17 57	6	2	1		2 1		2 2			1 2	1	4	1	2
MONTANA.																
17	Registration cities.....	82	5		3		2		32		1	25	6	11	3	5
18	Males.....	39	5		3		2		17			15	2	7	2	3
19	Females.....	43							15		1	10	4	4	1	2
20	Diagnosis reasonably certain. (M. F.)	22 26	5		3		2		5 1			5 1		6 4	2 1	2 2
21	White.....	81	5		3		2		32		1	25	6	11	3	5
22	Males.....	39	5		3		2		17			15	2	7	2	3
23	Females.....	42							15		1	10	4	4	1	2
24	Diagnosis reasonably certain. (M. F.)	22 25	5		3		2		5 1			5 1		6 4	2 1	2 2
25	Colored.....	1														
26	Males.....															
27	Females.....	1														
28	Diagnosis reasonably certain. (M. F.)															
NEBRASKA. ¹																
29	Registration cities.....	187	3	1	1		1		66			44	22	23	3	16
30	Males.....	81	3	1	1		1		38			29	9	13	3	7
31	Females.....	106							28			15	13	10		9
32	Diagnosis reasonably certain. (M. F.)	51 75	3	1	1		1		18 8			15 3	3 5	8 5	3	2 4
33	White.....	185	3	1	1		1		66			44	22	22	3	15
34	Males.....	80	3	1	1		1		38			29	9	12	3	6
35	Females.....	105							28			15	13	10		9
36	Diagnosis reasonably certain. (M. F.)	51 74	3	1	1		1		18 8			15 3	3 5	8 5	3	2 4
37	Colored.....	2												1		1
38	Males.....	1												1		1
39	Females.....	1														
40	Diagnosis reasonably certain. (M. F.)															
41	Omaha.....	140	1	1					46			32	14	14	3	7
42	Males.....	62	1	1					30			23	7	8	3	2
43	Females.....	78							16			9	7	6		5
44	Diagnosis reasonably certain. (M. F.)	38 60	1	1					12 4			10 1	2 3	7 5	3	1 4
45	Lincoln ²	47	2		1		1		20			12	8	9		9
46	Males.....	19	2		1		1		8			6	2	5		5
47	Females.....	28							12			6	6	4		4
48	Diagnosis reasonably certain. (M. F.)	13 15	2		1		1		6 4			5 2	1 2	1		1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

GENERAL TABLES.

131

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renal.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
33	1	130	7	120	3	54	23	119	4	2	14	13	12	20	8	3	2	41
13	1	130	7	120	3	4	15	77	4	1	11	7	12	15	3	1	2	21
20	1	130	7	120	3	50	8	42	1	3	6	5	5	2	20
13	128	5	120	3	4	15	55	4	1	7	5	8	7	2	2	19
19	128	5	120	3	50	8	26	1	2	4	3	2	2	12
33	1	120	7	110	3	53	23	113	4	2	14	12	11	20	8	3	2	37
13	120	7	110	3	4	15	72	4	1	11	6	11	15	3	1	2	18
20	1	120	7	110	3	49	8	41	1	3	6	5	5	2	19
13	118	5	110	3	4	15	50	4	1	7	4	7	7	2	2	16
19	118	5	110	3	49	8	25	1	2	4	3	2	2	11
.....	10	10	1	6	1	1	4
.....	10	10	1	5	1	1	3
.....	10	10	1	5	1	1	1
.....	10	10	1	1	3
2	37	4	32	1	10	3	19	2	2	3	1	11
1	37	4	32	1	10	2	15	2	2	3	1	7
1	37	4	32	1	10	2	4	1	1	4
1	35	2	32	1	10	2	7	5
1	35	2	32	1	10	2	4	4
3	13	12	1	5	1	15	1	3	1	1	2	1	6
2	13	12	1	5	1	9	1	1	1	1	1	4
1	13	12	1	5	1	6	1	2	1	1	2
1	12	12	5	1	5	1	1	1	2
1	12	12	5	1	4	1	1	1	2
3	13	12	1	5	1	14	1	3	1	1	2	1	5
2	13	12	1	5	1	9	1	1	1	1	1	4
1	13	12	1	5	1	5	1	2	1	1	1	1
1	12	12	5	1	5	1	1	1	1	2
1	12	12	5	1	3	1	1	1
.....	1	1
.....	1	1
.....	1	1
4	38	3	34	1	18	5	34	4	2	1	1	5	2	1	18
3	38	3	34	1	18	5	22	3	1	1	1	4	1	11
1	38	3	34	1	18	5	12	1	1	1	1	1	2	7
3	37	2	34	1	18	5	17	1	1	1	1	2	1	31
1	37	2	34	1	18	5	7	1	1	10
4	38	3	34	1	18	5	33	4	2	1	1	5	2	1	5
3	38	3	34	1	18	5	22	3	1	1	1	4	1	17
1	38	3	34	1	18	5	11	1	1	1	1	1	2	11
3	37	2	34	1	18	5	17	1	1	1	1	2	1	6
1	37	2	34	1	18	5	6	1	1	10
.....	1	4
.....	1	1
.....	1	1
.....	1	1
4	33	3	29	1	13	5	28	4	2	1	1	4	1	15
3	33	3	29	1	13	5	18	3	1	1	1	3	1	9
1	33	3	29	1	13	5	10	1	1	1	1	1	1	43
3	32	2	29	1	13	5	13	1	1	1	1	1	1	8
1	32	2	29	1	13	5	6	4
.....	5	5	5	6	1	1	1	3
.....	4	1	1	2
.....	2	1	1	1
.....	4	1
.....	1	1

*The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
NEW HAMPSHIRE.																
1	Registration cities.....	173	2				2		48		1	29	18	38		27
2	Males.....	54	2				2		27		1	17	9	13		8
3	Females.....	119							21			12	9	25		19
4	Diagnosis reasonably certain. {M. F.}	27	2				2		8			5	3	8		3
		82							2				2	14		8
5	White.....	172	2				2		47		1	29	17	38		27
6	Males.....	53	2				2		26		1	17	8	13		8
7	Females.....	119							21			12	9	25		19
8	Diagnosis reasonably certain. {M. F.}	26	2				2		7			5	2	8		3
		82							2				2	14		8
9	Colored.....	1							1				1			
10	Males.....	1							1				1			
11	Females.....															
12	Diagnosis reasonably certain. {M. F.}	1							1				1			
13	Manchester.....	56	2				2		12			10	2	13		10
14	Males.....	13	2				2		4			3	1	4		3
15	Females.....	43							8			7	1	9		7
16	Diagnosis reasonably certain. {M. F.}	7	2				2		1				1	1		
		30												7		5
17	Other cities.....	117							36		1	19	16	25		17
18	Males.....	41							23		1	14	8	9		5
19	Females.....	76							13			5	8	16		12
20	Diagnosis reasonably certain. {M. F.}	20							7			5	2	7		3
		52							2				2	7		3
NEW JERSEY.																
21	Registration cities.....	1,426	52	8	21	8	14	1	547	4	14	353	176	218	20	128
22	Males.....	545	42	7	19	5	10	1	255	3	13	177	62	85	4	50
23	Females.....	881	10	1	2	3	4		292	1	1	176	114	133	16	78
24	Diagnosis reasonably certain. {M. F.}	243	42	7	19	5	10	1	53		3	39	11	45	2	12
		529	10	1	2	3	4		51		1	31	19	74	8	27
25	White.....	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26	Males.....	537	42	7	19	5	10	1	249	2	13	172	62	84	4	50
27	Females.....	847	10	1	2	3	4		285	1	1	170	113	128	16	76
28	Diagnosis reasonably certain. {M. F.}	241	42	7	19	5	10	1	53		3	39	11	44	2	12
		502	10	1	2	3	4		50		1	30	19	70	8	26
29	Colored.....	42							13	1		11	1	6		2
30	Males.....	8							6	1		5		1		
31	Females.....	34							7			6	1	5		2
32	Diagnosis reasonably certain. {M. F.}	2												1		
		27							1			1		4		1
33	Camden.....	74	1			1			26		1	20	5	12	1	3
34	Males.....	27							11		1	9	1	4	1	
35	Females.....	47	1			1			15			11	4	8		3
36	Diagnosis reasonably certain. {M. F.}	17							4			3	1	4	1	
		30	1			1			2			1	1	6		1
37	Elizabeth.....	76	4		2	1	1		33		1	21	11	8	2	4
38	Males.....	36	3		1	1	1		15		1	10	4	5	1	2
39	Females.....	40	1		1				18			11	7	3	1	2
40	Diagnosis reasonably certain. {M. F.}	12	3		1	1	1		1			1		2		
		19	1		1				2			1	1	1		1
41	Jersey City.....	217	7	2	2	1	2		97		1	63	33	28	3	19
42	Males.....	82	5	1	2	1	1		43		1	33	9	12		10
43	Females.....	135	2	1			1		54			30	24	16	3	9
44	Diagnosis reasonably certain. {M. F.}	37	5	1	2	1	1		8			7	1	6		4
		72	2	1			1		5			2	3	9	2	3
45	Newark.....	340	12	2	6		4		135	2	8	85	40	54	5	29
46	Males.....	132	10	2	6		2		68	1	8	45	14	25	1	13
47	Females.....	208	2				2		67	1		40	26	29	4	16
48	Diagnosis reasonably certain. {M. F.}	54	10	2	6		2		15		3	10	2	13		2
		129	2				2		16			10	6	18	4	5

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Teeth.	Others of this class.
11		33		32		1	26	5	21	1		1	2	3	2		1	11	1
5							1	3	8	1		1		3			1	2	2
6		33		32		1	25	2	13				2		2			9	3
5							1	3	5	1		1					1	2	4
6		33		32		1	25	2	6				1					5	
11		33		32		1	26	5	21	1		1	2	3	2		1	11	5
5							1	3	8	1		1		3			1	2	6
6		33		32		1	25	2	13				2		2		1	9	7
5							1	3	5	1		1					1	2	8
6		33		32		1	25	2	6				1				1	5	
																			9
																			10
																			11
																			12
3		13		13			8	3	5	1								4	13
1								2	1	1									14
2		13		13			8	1	4									4	15
1								2	1	1									
2		13		13			8	1	1									1	16
8		20		19		1	18	2	16			1	2	3	2		1	7	17
4							1	1	7			1		3			1	2	18
4		20		19		1	17	1	9				2		2			5	19
4							1	1	4			1					1	2	
4		20		19		1	17	1	5				1					4	20
70		214	12	197	5		136	31	228	14	17	18	17	17	27	3	17	2	96
31							2	21	140	12	9	11	6	17	17	1	8	2	57
39		214	12	197	5		134	10	88	2	8	7	11		10	2	9		39
31							2	21	80	12	2	4	1	6	7		2	2	44
39		207	6	196	5		134	10	43	2	1	3	4		5		3		25
66		199	12	183	4		131	31	225	14	17	18	17	17	26	3	17	2	94
30							2	21	139	12	9	11	6	17	17	1	8	2	56
36		199	12	183	4		129	10	86	2	8	7	11		9	2	9		38
30							2	21	79	12	2	4	1	6	7		2	2	43
36		192	6	182	4		129	10	41	2	1	3	4		4		3		24
4		15		14	1		5		3						1				2
1									1										1
3		15		14	1		5		2						1				31
1									1										1
3		15		14	1		5		2						1				32
8		12		12			5	5	13	1		1	1	2	4				4
3		12		12			5	4	8		1		1	2	3				3
5								1	5						1				35
3								4	5						1				
5		12		12			5	1	3	1		1			1				36
2		7		7			5	1	18	2	1	1	2		2		2		8
2									13	2	1				2		1		7
		7		7			5	1	5			1	2				1		38
2									6	2									39
		7		7			5	1	2			1						1	40
6		28	2	25	1		18	5	34	1	2	2	1	2	2		1		23
2		28	2	25	1		18	3	20	1		1	1	2	2				14
2									14		2						1		43
4		28	2	25	1		18	3	7	1					1				44
20		54	7	46	1		31	9	45	3	6	4	5		7	3	3		14
11								7	22	3	4	3	2		3	1	1		46
9		54	7	46	1		31	2	23		2	1	3		4	2	2		9
11								7	9	3		2			1				47
9		49	3	45	1		31	2	11		1	1	2		2				48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
NEW JERSEY—continued.																
1	Paterson.....	124	2	1			1		51	1	1	38	11	19	1	16
2	Males.....	50	2	1			1		30	1		25	4	5	1	4
3	Females.....	74							21		1	13	7	14		12
4	Diagnosis reasonably certain. {M.....	18	2	1			1		5			5		2	1	1
	{F.....	45							2		1	1		8		6
5	Trenton.....	98	9	2	3	1	3		35		1	20	14	15	2	8
6	Males.....	42	7	2	2	1	2		17		1	10	6	5		3
7	Females.....	56	2		1		1		18			10	8	10	2	5
8	Diagnosis reasonably certain. {M.....	26	7	2	2	1	2		4			4		4		2
	{F.....	34	2		1		1		5			3	2	5		2
9	Other cities.....	497	17	1	8	4	3	1	170	1	1	106	62	82	6	49
10	Males.....	176	15	1	8	2	3	1	71	1	1	45	24	29		18
11	Females.....	321	2			2	3		99			61	38	53	6	31
12	Diagnosis reasonably certain. {M.....	79	15	1	8	2	3	1	16			9	7	14		3
	{F.....	200	2			2			19			13	6	27	2	9
NEW YORK.																
13	Registration cities.....	6,621	243	18	97	24	80	24	2,418	17	139	1,532	730	1,032	87	614
14	Males.....	2,685	204	17	86	22	60	19	1,223	15	111	801	296	448	34	256
15	Females.....	3,936	39	1	11	2	20	5	1,195	2	28	731	434	584	53	358
16	Diagnosis reasonably certain. {M.....	1,425	204	17	86	22	60	19	348	7	50	224	67	316	21	142
	{F.....	2,489	39	1	11	2	20	5	219	1	7	119	92	335	20	148
17	White.....	6,528	242	18	96	24	80	24	2,390	16	137	1,517	720	1,022	87	608
18	Males.....	2,663	204	17	86	22	60	19	1,211	14	109	795	293	445	34	254
19	Females.....	3,865	38	1	10	2	20	5	1,179	2	28	722	427	577	53	354
20	Diagnosis reasonably certain. {M.....	1,417	204	17	86	22	60	19	347	7	50	223	67	314	21	141
	{F.....	2,435	38	1	10	2	20	5	217	1	7	118	91	330	20	145
21	Colored.....	93	1		1				28	1	2	15	10	10		6
22	Males.....	22							12	1	2	6	3	3		2
23	Females.....	71	1		1				16			9	7	7		4
24	Diagnosis reasonably certain. {M.....	8							1			1		2		1
	{F.....	54	1		1				2			1	1	5		3
25	Albany.....	151	3	1	2				46	2	1	32	11	19	2	12
26	Males.....	48	3	1	2				16	1	1	11	3	5	1	2
27	Females.....	103							30			21	8	14	1	10
28	Diagnosis reasonably certain. {M.....	23	3	1	2				3			2	1	3	1	
	{F.....	64							6			3	3	4		2
29	Buffalo.....	435	16	2	5		8	1	102		9	106	47	56	6	32
30	Males.....	192	16	2	5		8	1	81		8	56	17	28	2	16
31	Females.....	243							81		1	50	30	28	4	16
32	Diagnosis reasonably certain. {M.....	94	16	2	5		8	1	19		4	11	4	15	1	4
	{F.....	153							13			8	5	19	2	9
33	New York.....	4,452	166	7	70	18	51	20	1,735	12	117	1,100	506	705	62	415
34	Males.....	1,908	142	7	63	18	38	16	908	11	95	594	208	319	24	181
35	Females.....	2,544	24		7		13	4	827	1	22	506	298	387	38	234
36	Diagnosis reasonably cer-M.....	1,004	142	7	63	18	38	16	261	6	44	170	41	231	14	106
	tain..... {F.....	1,558	24		7		13	4	153	1	7	86	59	221	15	94
37	White.....	4,369	165	7	69	18	51	20	1,713	12	116	1,089	496	696	62	410
38	Males.....	1,889	142	7	63	18	38	16	899	11	94	589	205	315	24	179
39	Females.....	2,490	23		6		13	4	814	1	22	500	231	381	38	231
40	Diagnosis reasonably cer-M.....	998	142	7	63	18	38	16	260	6	44	169	41	229	14	105
	tain..... {F.....	1,508	23		6		13	4	151	1	7	85	58	217	15	92
41	Colored.....	83	1		1				22		1	11	10	9		5
42	Males.....	19							9			5	3	3		2
43	Females.....	64	1		1				13			6	7	6		3
44	Diagnosis reasonably cer-M.....	8							1			1		2		1
	tain..... {F.....	50	1		1				2			1	1	4		2
45	Bronx Borough.....	516	19	1	9	3	2	4	187	1	10	124	52	104	8	63
46	Males.....	209	17	1	8	3	2	3	92	1	9	62	20	42	5	24
47	Females.....	307	2		1			1	95		1	62	32	62	3	39
48	Diagnosis reasonably certain. {M.....	110	17	1	8	3	2	3	22		3	18	1	33	5	15
	{F.....	193	2		1			1	24		1	16	7	37	1	17

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
2		21	1	20			12		19	1	1	2	3	2	3		1		6
2		21	1	20			12		13	1		2	1	2	2		1		4
2		20		20			12		6		1				1				3
5		9		9			11	2	9	1		1	2	1	1				4
2							1	2	17	2	2	2				3			5
3		9		9			10		10	2	1	1		2		1			6
2							1	2	7		1	1				2			7
3		9		9			10		8	2	1	1		1		1			8
27		83	2	78	3		54	9	3							1			2
11							1		82							7	2		35
16		83	2	78	3		53	6	54	3	3	4	3	9	5	4	2		21
11							53	3	28	1	2	2	2		4	3			10
16		82	1	78	3		53	6	27	3	1			2	3	1	2		11
16								3	14	1			1			2			12
318	13	961	82	851	25	3	725	121	1,121	65	84	86	75	93	184	9	70	16	439
153	5						15	75	720	58	53	40	45	93	123	3	34	16	255
165	8	961	82	851	25	3	710	46	401	7	31	46	30		61	6	36		184
152	1						15	75	467	58	23	15	24	39	68	2	16	16	206
163	4	932	56	848	25	3	708	46	210	7	9	17	18		22	4	10		123
314	13	930	79	824	24	3	711	121	1,112	65	84	85	73	91	183	9	70	16	436
152	5						15	75	713	58	53	39	44	91	122	3	34	16	253
162	8	930	79	824	24	3	696	46	399	7	31	46	29		61	6	36		183
151	1						15	75	462	58	23	15	23	38	67	2	16	16	204
161	4	901	53	821	24	3	694	46	209	7	9	17	17		22	4	10		123
4		31	3	27	1		14		9			1	2	2	1				3
1									7										
3		31	3	27	1		14		2			1	1	1					2
1									5										23
2		31	3	27	1		14		1			1							24
4	1	31	3	27		1	20	2	30		2		1	7	6		2		12
2								2	22				1	7	5		1		8
2	1	31	3	27		1	20		8		2				1				27
2								2	12					2	3				7
2		30	3	26		1	20		4						1		1		2
18		64	6	56	2		46	8	83	4	6	5	2	16	12		3	2	33
10							1	4	62	4	3	3	2	16	6		2	2	24
8		64	6	56	2		45	4	21		3	2			6		1		31
10							1	4	39	4	1	2	1	8	3			2	19
8		61	3	56	2		44	4	12		1	1			3				32
221	7	587	49	517	20	1	449	68	742	47	71	55	53	41	125	8	50	10	282
111	2						10	41	489	43	47	26	34	41	86	3	26		33
110	5	587	49	517	20	1	439	27	253	4	24	29	19		39	5	24	10	173
110	1						10	41	319	43	20	9	19		47	2	13		35
109	3	572	36	515	20	1	439	27	122	4	8	9	11	14	10	4	6	10	109
217	7	558	46	491	20	1	436	68	733	47	71	54	51	39	124	8	50	10	142
110	2						10	41	482	43	47	25	33	39	85	3	26		36
107	5	558	46	491	20	1	426	27	251	4	24	29	18		39	5	24		37
109	1						10	41	314	43	20	9	18		46	2	13		38
107	3	543	33	489	20	1	426	27	121	4	8	9	10		10	4	6		39
4		29	3	26			13		9			1	2	2	1				40
1									7										41
3		29	3	26			13		2			1	1	2	1				42
1									5					1					43
2		29	3	26			13		1				1						44
32	1	64	4	57	3		55	8	79	1	7	4	3	8	14		8	1	33
13							2	3	53	1	4	1	2	8	9		6	1	46
19	1	64	4	57	3		53	5	26		3	3	1		5		2		21
13							2	3	33	1				3	7		3	1	47
19		61	2	56	3		53	5	11		1				1				48

MORTALITY FROM CANCER.

BLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.	Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																								
		Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.													
		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.											
REGISTRATION CITIES—Con.																										
NEW YORK—continued.																										
Bronx Borough—Continued.																										
White.....	511	19	1	9	3	2	4	186	1	10	123	52	104	8	63											
Males.....	207	17	1	8	3	2	3	91	1	9	61	20	42	5	24											
Females.....	304	2		1			1	95		1	62	32	62	3	39											
Diagnosis reasonably certain. {M.....	110	17	1	8	3	2	3	22		3	18	1	33	5	15											
Diagnosis reasonably certain. {F.....	190	2		1			1	24		1	16	7	37	1	17											
Colored.....	5							1			1															
Males.....	2							1			1															
Females.....	3																									
Diagnosis reasonably certain. {M.....																										
Diagnosis reasonably certain. {F.....	3																									
Brooklyn Borough.....	1,439	53	2	24	6	19	2	570	4	29	364	173	223	16	136											
Males.....	583	42	2	22	6	10	2	290	4	24	186	76	100	6	55											
Females.....	856	11		2		9		280		5	178	97	123	10	81											
Diagnosis reasonably certain. {M.....	304	42	2	22	6	10	2	85	2	14	53	16	72	3	31											
Diagnosis reasonably certain. {F.....	530	11		2		9		49		1	27	21	66	3	34											
White.....	1,410	53	2	24	6	19	2	561	4	29	360	168	218	16	131											
Males.....	578	42	2	22	6	10	2	288	4	24	185	75	98	6	53											
Females.....	832	11		2		9		273		5	175	93	120	10	78											
Diagnosis reasonably certain. {M.....	302	42	2	22	6	10	2	85	2	14	53	16	71	3	30											
Diagnosis reasonably certain. {F.....	514	11		2		9		48		1	27	20	67	3	32											
Colored.....	29							9			4	5	5		5											
Males.....	5							2			1	1	2		2											
Females.....	24							7			3	4	3		3											
Diagnosis reasonably certain. {M.....	2												1		1											
Diagnosis reasonably certain. {F.....	16							1			1	2	2		2											
Manhattan Borough.....	2,124	77	4	34	7	23	9	826	6	67	519	234	328	34	191											
Males.....	955	68	4	30	7	20	7	455	5	53	297	100	148	12	88											
Females.....	1,169	9		4		3	2	371	1	14	222	134	180	22	103											
Diagnosis reasonably certain. {M.....	506	68	4	30	7	20	7	139	4	24	88	23	104	6	50											
Diagnosis reasonably certain. {F.....	722	9		4		3	2	73	1	5	41	26	101	9	38											
White.....	2,079	76	4	33	7	23	9	815	6	66	513	230	324	34	191											
Males.....	944	68	4	30	7	20	7	449	5	52	294	98	147	12	88											
Females.....	1,135	8		3		3	2	366	1	14	219	132	177	22	103											
Diagnosis reasonably certain. {M.....	500	68	4	30	7	20	7	138	4	24	87	23	103	6	50											
Diagnosis reasonably certain. {F.....	693	8		3		3	2	72	1	5	40	26	99	9	38											
Colored.....	45	1		1				11		1	6	4	4													
Males.....	11							6		1	3	2	1													
Females.....	34	1		1				5			3	2	3													
Diagnosis reasonably certain. {M.....	6							1			1		1													
Diagnosis reasonably certain. {F.....	29	1		1				1			1	2	2													
Queens Borough.....	277	12		3	2	4	3	111	1	9	66	32	41	3	19											
Males.....	115	11		3	2	4	2	51	1	7	35	8	23		11											
Females.....	162	1				1		60		2	34	24	18	3	8											
Diagnosis reasonably certain. {M.....	60	11		3	2	4	2	10		2	8	4	18		7											
Diagnosis reasonably certain. {F.....	89	1				1		6			2	4	12	2	4											
White.....	276	12		3	2	4	3	111	1	9	66	32	41	3	19											
Males.....	115	11		3	2	4	2	51	1	7	35	8	23		11											
Females.....	161	1				1		60		2	34	24	18	3	8											
Diagnosis reasonably certain. {M.....	60	11		3	2	4	2	10		2	8	4	18		7											
Diagnosis reasonably certain. {F.....	88	1				1		6			2	4	12	2	4											
Colored.....	1																									
Males.....																										
Females.....	1																									
Diagnosis reasonably certain. {M.....																										
Diagnosis reasonably certain. {F.....	1																									
Richmond Borough.....	96	5				3	2	41		2	24	15	9	1	6											
Males.....	46	4				2	2	20		2	14	4	5	1	3											
Females.....	50	1				1		21			10	11	4		3											
Diagnosis reasonably certain. {M.....	24	4				2	2	5		1	3	1	4		3											
Diagnosis reasonably certain. {F.....	24	1				1		1				1	2		1											
White.....	93	5				3	2	40		2	24	14	9	1	6											
Males.....	45	4				2	2	20		2	14	4	5	1	3											
Females.....	48	1				1		20			10	10	4		3											
Diagnosis reasonably certain. {M.....	24	4				2	2	5		1	3	1	4		3											
Diagnosis reasonably certain. {F.....	23	1				1		1				1	2		1											

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
32	1	61	4	54	3	55	8	78	1	7	3	3	8	14	8	1	33
13	1	61	4	54	3	52	3	52	1	4	3	2	8	9	6	1	21
19	1	58	2	53	3	53	5	53	1	3	3	1	3	5	2	1	12
13	3	3	2	3	33	7	3	18
19	53	5	11	1	1	9
.....	1	1
.....	3	3
.....
.....	3	3
.....	3	3
68	3	197	11	177	9	154	30	212	13	16	14	11	8	37	2	12	2	97
38	1	197	11	177	9	154	20	131	13	11	6	8	8	22	2	5	2	54
30	2	10	81	5	8	3	15	7	43
38	20	85	13	5	1	3	3	8	1	2	2	47
30	2	195	9	177	9	154	10	42	2	3	2	4	2	29
68	3	190	9	172	9	148	30	210	13	16	14	11	7	37	2	12	2	96
.....
38	1	190	9	172	9	148	20	130	13	11	6	8	7	22	2	5	2	54
30	2	10	80	5	8	3	15	7	42
38	20	84	13	5	1	3	2	8	1	2	2	47
30	2	188	7	172	9	148	10	42	2	3	2	4	2	29
.....	7	2	5	6	2	1	1
.....	1
.....	7	2	5	6	1	1
.....	7	2	5	6	1	1
101	2	281	33	241	6	1	203	26	383	27	41	33	37	23	59	6	26	6	125
47	1	281	33	241	6	1	8	15	261	24	27	17	22	23	45	1	13	6	83
54	1	195	11	122	3	14	16	15	14	5	13	42
47	1	272	25	240	6	1	8	15	172	24	11	8	14	7	28	1	7	6	66
53	1	195	11	61	3	5	6	9	4	4	4	26
97	2	263	32	224	6	1	197	26	378	27	41	33	35	23	58	6	26	6	123
.....
46	1	263	32	224	6	1	8	15	257	24	27	17	21	23	44	1	13	6	81
51	1	189	11	121	3	14	16	14	14	5	13	42
46	1	254	24	223	6	1	8	15	168	24	11	8	13	7	27	1	7	6	64
51	1	189	11	60	3	5	6	8	4	4	4	26
4	18	1	17	6	5	2	1	2
.....
1	18	1	17	6	4	1	1	2
3	1
1	18	1	17	6	4
2	1
18	1	32	1	29	2	32	4	45	4	7	2	2	1	12	1	16
.....
12	1	32	1	29	2	32	3	27	3	5	1	2	1	8	7
6	1	18	1	2	1	4	1	9
11	31	29	2	32	3	18	3	4	2	1	3	5
6	1	6	1	5
18	1	32	1	29	2	31	4	45	4	7	2	2	1	12	1	16
.....
12	1	32	1	29	2	31	3	27	3	5	1	2	1	8	7
6	1	18	1	2	1	4	1	9
11	31	29	2	31	3	18	3	4	2	1	3	5
6	1	6	1	5
.....	1
.....
.....
.....
2	13	13	5	23	2	2	1	3	3	1	11
.....
1	13	13	5	17	2	1	1	2	2	1	8
1	6	1	1	3
1	13	13	5	11	2	1	1	6
1	2	1	1	1
2	12	12	5	22	2	2	3	3	1	11
.....
1	12	12	5	16	2	1	2	2	1	8
1	6	1	1	3
1	12	12	11	2	1	1	6
1

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
NEW YORK—continued.																
1	Richmond Borough—Continued.	3						1				1				
2	Colored.															
3	Males	1														
4	Females	2						1				1				
5	Diagnosis reasonably certain.	M														
		F														
6	Rochester	261	10		5	2	2	1	79		3	44	32	51	8	28
7	Males	95	8		5	2		1	30		1	19	10	23	5	10
8	Females	166	2				2		49		2	25	22	28	3	18
9	Diagnosis reasonably certain.	M			5	2		1	15			11	4	18	4	6
		F				2			16			6	10	20	1	12
10	Syracuse	126	3	1			2		33	1	1	17	14	11		6
11	Males	38	1	1					17	1	1	7	8	3		2
12	Females	88	2				2		16			10	6	8		4
13	Diagnosis reasonably certain.	M		1			2		7	1		3	3	1		1
		F					2		2			2		5		
14	Troy	136	9	2	3	1	3		41	1	1	27	12	16		9
15	Males	52	8	2	3		3		24	1	1	13	9	6		4
16	Females	84	1			1			17			14	3	10		5
17	Diagnosis reasonably certain.	M		2	3		3		5			3	2	3		2
		F				1			3			3		5		1
18	Utica	82	2	2					30			20	10	17		8
19	Males	25	1	1					14			9	5	6		2
20	Females	57	1	1					16			11	5	11		6
21	Diagnosis reasonably certain.	M		1					3			1	2	4		3
		F		1					2			2		8		
22	Yonkers	65	2		2				26	1		17	8	11	1	8
23	Males	29	2		2				15	1		10	4	7		6
24	Females	36							11			7	4	4	1	2
25	Diagnosis reasonably certain.	M			2				1			1		3		2
		F							1				1	1		
26	Other cities	913	32	3	10	3	14	2	266		7	169	90	146	8	96
27	Males	298	23	3	6	2	11	1	118		4	82	32	52	2	33
28	Females	615	9		4	1	3	1	148		3	87	58	94	6	63
29	Diagnosis reasonably certain.	M		3	6	2	11	1	34		2	22	10	38	1	22
		F			4	1	3	1	23			9	14	52	2	26
NORTH CAROLINA.																
30	Registration cities	124	1		1				37		1	19	17	9	2	4
31	Males	34	1		1				16			9	7	2		1
32	Females	90							21		1	10	10	7	2	3
33	Diagnosis reasonably certain.	M			1				4			3	1	1		
		F							6			1	5	4	1	1
34	White	76	1		1				27		1	12	14	8	2	4
35	Males	26	1		1				11			6	5	2		1
36	Females	50							16		1	6	9	6	2	3
37	Diagnosis reasonably certain.	M			1				1			1		1		
		F							6			1	5	3	1	1
38	Colored	48							10			7	3	1		
39	Males	8							5			3	2			
40	Females	40							5			4	1	1		
	Diagnosis reasonably certain.	M							3			2	1			
		F												1		
OHIO.																
41	Registration cities	2,104	76	3	20	10	35	8	802	3	34	478	287	260	20	141
42	Males	789	65	3	18	7	30	7	386	3	29	240	114	106	8	60
43	Females	1,315	11		2	3	5	1	416		5	238	173	154	12	81
44	Diagnosis reasonably certain.	M		3	18	7	30	7	107	1	14	69	23	62	3	22
		F			2	3	5	1	104		3	56	45	97	3	35
45	White	2,041	76	3	20	10	35	8	780	3	33	464	280	256	20	140
46	Males	732	65	3	18	7	30	7	376	3	29	235	109	104	8	69
47	Females	1,369	11		2	3	5	1	404		4	229	171	152	12	81
48	Diagnosis reasonably certain.	M		3	18	7	30	7	106	1	14	68	23	61	3	22
		F			2	3	5	1	101		2	55	44	96	3	35

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
		1		1					1					1					1
		1		1					1					1					2
		1		1															3
15		38	1	36		1	30	6	47	3		3	10	6	7		2	1	15
8		38	1	36		1	28	4	28	3		1	4	6	4		1	1	8
7		37		36		1	28	4	23			2	6	3	3		1		7
8		37		36		1	28	2	13			1	4	6	2		1	1	8
7		27	4	23			20	4	28	1		4	2	4	4		2		5
5		27		23			20	4	28				2	4	4				11
		27	4	23			20	2	15	1			2	4	2				6
1		27		23			20	2	13			4	1	3	2		2		11
4		25	2	23			20	2	9	1					1				5
4		25		23			20	2	8			2			1				3
6	1	22		21	1		22	3	23			2	2	2	6				5
		22		21	1		22	2	12			2	2	2	5				11
1	1	22		21	1		22	1	11			2	2	2	1				6
5		22		21	1		22	2	11			1	1	1	3				5
4		22		21	1		22	1	7										3
9		14	1	13			11		8			1			1		1		5
		14	1	13			11		4			1			1		1		3
4		14		13			11		4										2
5		14	1	13			11		3										3
5		14		13			11		3										2
2		6		6			12		1		2	1			1				1
		6		6			11		4										4
1		6		6			11		4		2				1				2
1		6		6			11		4										2
1		6		6			11		2										1
1		6		6			11		1										1
38	4	172	18	152	2		115	30	152	10	3	15	5	17	22	1	10	3	66
15	2	172	18	152	2		114	20	84	7	3	9	2	17	13		4	3	26
23	2	172		152			114	10	68	3		6	3		9	1	6		40
15		165	11	152	2		113	20	53	7	2	4	1	5	8		2	3	21
23	1	165		152			113	10	44	3		3	2		5		2		29
		43	3	37	2	1	10	7	17				4	1	1		2		9
3		43		37			10	7	17										2
		43	3	37	2	1	9	5	9				3	1	1		1		4
1		43		37			9	2	8				1				1		5
2		43	3	37	2	1	9	5	4				2		1		1		2
2		15	1	13		1	7	7	5										3
		15	1	13		1	7	2	7				3	1	1		1		2
1		15		13			7	5	4				1				1		1
1		15	1	13		1	7	2	2				2		1		1		3
1		15		13			7	2	3										1
1		28	2	24	2		3		6										6
		28	2	24	2		1		2										2
1		28		24			2		4										4
		28	2	24	2		1		2										2
1		28		24			2		2										2
		28		24			2		2										2
97	2	375	23	347	2	3	206	66	319	21	28	26	26	29	37	5	18	2	127
		375	23	347	2	3	204	30	200	16	17	16	13	29	26	2	7	2	72
38	2	375		347			204	36	119	5	11	10	13		11	3	11		55
37		367	16	347	2	2	204	36	127	16	4	12	10	11	9		2	2	61
59		367		347			204	36	63	5	2	2	5		2		5		40
95	1	354	22	327	2	3	200	66	309	20	27	25	25	28	37	5	17	2	123
		354	22	327	2	3	198	30	195	16	16	15	13	28	26	2	6	2	71
37	1	354		327			198	36	114	4	11	10	12		11	3	11		52
58		347	16	327	2	2	198	30	125	16	4	11	10		9		2	2	60
		347		327			198	36	60	4	2	2	5		2		5		88

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
OHIO—continued.																
Registration cities—Continued.																
1	Colored.	63						22		1	14	7	4			1
2	Males.	17						10			5	5	2			1
3	Females.	46						12		1	9	2	2			
4	Diagnosis reasonably certain.	4						1			1		1			
		33						3		1	1	1	1			
5	Akron.	62						25	1		15	9	7			5
6	Males.	20						10	1		4	5	3			3
7	Females.	42						15			11	4	4			2
8	Diagnosis reasonably certain.	7						3				3				
		28						5			3	2	2			
9	Cincinnati.	419	16	2	5	2	6	1	166	1	7	91	67	36	2	14
10	Males.	153	15	2	4	2	6	1	73	1	5	40	27	10		5
11	Females.	266	1		1				93		2	51	40	26	2	9
12	Diagnosis reasonably certain.	76	15	2	4	2	6	1	18	1	2	12	3	7		2
		169	1		1				21		2	10	9	16		1
13	White.	400	16	2	5	2	6	1	159	1	6	87	65	36	2	14
14	Males.	150	15	2	4	2	6	1	72	1	5	40	26	10		5
15	Females.	250	1		1				87		1	47	39	26	2	9
16	Diagnosis reasonably certain.	76	15	2	4	2	6	1	18	1	2	12	3	7		2
		159	1		1				19		1	10	8	16		1
17	Colored.	19							7		1	4	2			
18	Males.	3							1				1			
19	Females.	16							6		1	4	1			
20	Diagnosis reasonably certain.															
		10							2		1		1			
21	Cleveland.	483	16	1	4	1	8	2	207		12	139	56	66	5	37
22	Males.	214	15	1	4	1	8	1	120		11	87	22	31	3	17
23	Females.	269	1		1				87		1	52	34	35	2	20
24	Diagnosis reasonably certain.	105	15	1	4	1	8	1	39		6	27	6	18	1	6
		183	1						26			14	12	26	1	12
25	Columbus.	220	6		2		4		73	1	2	38	32	20	2	13
26	Males.	78	6		2		4		37	1	2	22	12	11	2	7
27	Females.	142							36			16	20	9		6
28	Diagnosis reasonably certain.	44	6		2		4		15		1	12	2	5	1	2
		110							13			5	8	6		3
29	White.	208	6		2		4		69	1	2	34	32	18	2	12
30	Males.	74	6		2		4		34	1	2	19	12	10	2	6
31	Females.	134							35			15	20	8		6
32	Diagnosis reasonably certain.	43	6		2		4		14		1	11	2	5	1	2
		103							13			5	8	5		3
33	Colored.	12							4			4		2		1
34	Males.	4							3			3		1		1
35	Females.	8							1			1		1		
36	Diagnosis reasonably certain.	1							1			1				
		7												1		
37	Dayton.	133	5		2		1	2	43		3	23	17	18	1	8
38	Males.	43	4		2			2	23		3	15	5	6		1
39	Females.	90	1				1		20			8	12	12	1	7
40	Diagnosis reasonably certain.	17	4		2			2	4		1	3		5		
		62	1				1		3			2	1	7		3
41	Toledo.	184	6		1		5		76		5	52	19	20	1	10
42	Males.	77	5		1		4		33		4	25	4	12		8
43	Females.	107	1				1		43		1	27	15	8	1	2
44	Diagnosis reasonably certain.	40	5		1		4		9		2	5	2	6		2
		67	1				1		9			6	3	7	1	1
45	Youngstown.	66	2			1	1		23		1	12	10	12	2	5
46	Males.	24	1				1		12		1	5	6	1		1
47	Females.	42	1			1			11			7	4	11	2	4
48	Diagnosis reasonably certain.	10	1			1			2		1	1				
		27	1			1			1			1		6		2
49	Other cities.	537	25		6	6	10	3	189		4	108	77	81	7	49
50	Males.	180	19		5	4	7	3	78		3	42	33	32	3	18
51	Females.	357	6		1	2	3		111		1	66	44	49	4	31
52	Diagnosis reasonably certain.	94	19		5	4	7	3	17		1	9	7	21	1	10
		236	6		1	2	3		26		1	15	10	27	1	10

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
2	1	21	1	20			6		10	1	1	1	1	1		1		4	1	
1	1	21	1	20			6		5		1	1	1	1		1		1	2	
1	1	21	1	20			6		2									3	3	
1	1	20		20			6		3	1		1						1	4	
2		10		10			10	1	9				2	1	2			4	5	
2		10		10			10	1	6				1	1	1			3	6	
2		10		10			10	1	3				1		1			1	7	
20		80	7	72	1		36	15	1									2	8	
5																				
15		80	7	72	1		36	9	49	4		3	9	9		4	1	16	10	
5								6	21		4	1	4	1		3		8	11	
15		77	4	72	1		36	9	30			3	3	3		1	1	14	12	
20		73	6	66	1		35	15	9			1				1		7		
5									66	4	4	4	7	8	10		6	1	22	
15		73	6	66	1		35	6	47	4		3	8	9		3	1	16	14	
5								9	19		4	1	4	1		3		6	15	
15		71	4	66	1		35	6	80			3	3	3		1	1	14	16	
								9	8			1				1		6		
		7	1	6			1		4							1		2	17	
									2										18	
		7	1	6			1		2				1			1		2	19	
		6		6			1		1									1	20	
24		67	6	60		1	42	10	75	6	10	3	7	5	4	1	4	35	21	
11							1	5	42	6	7	2	3	5	3			16	22	
13		67	6	60		1	41	5	33		3	1	4		1	1	4	19	23	
11							1	5	27	6	1	2	2	3	1			12	24	
13		65	4	60		1	41	5	19		1		2			3		13		
5		56	1	54		1	24	8	33	3	4	3	3	3	2	1		13	25	
2								5	19	1	2	2	2	3	2			6	26	
3		56	1	54		1	24	3	14	2	2	1	1			1		7	27	
2								5	13	1	2	2	2					5	28	
3		55	1	54			24	3	9	2	1		1			1		4		
4		54	1	52		1	21	8	32	3	4	3	3	3	2	1		1	12	
2								5	19	1	2	2	2	3	2			6	30	
2		54	1	52		1	21	3	13	2	2	1	1			1		6	31	
2		53	1	52			21	3	8	1	2	2	2					5	32	
1		2		2			3		1	2	1		1					8		
																		1	33	
1		2		2			3		1									1	34	
1		2		2			3		1									1	35	
9		31	1	30			14	7	15			4	3	3	3			2	36	
5								1	9			3	1	3	2				37	
4		31	1	30			14	6	6			1	2		1			2	38	
5								1	3			1	1	1					39	
4		30		30			14	6	1				1						40	
9		27	1	25		1	15	8	32	1	2	3	1	4	4	1	2	14	41	
4								6	21		2	2	1	4	3	1		8	42	
5		27	1	25		1	15	2	11	1		1	1					6	43	
4								6	14			2	1	3	2		2	6	44	
5		27	1	25		1	15	2	6	1								5		
4	1	11	2	9			4	3	11		2	1	1		1			6	45	
									10			1	1					5	46	
4	1	11	2	9			4	3	7					1				1	47	
4		11	2	9			4	3	1		1		1					5	48	
24	1	93	5	87	1		61	14	74	7	6	8	2	4	11	2	5	29	49	
11							1	6	44	5	4	3	1	4	5	1	3	18	50	
13	1	93	5	87	1		60	8	30	2	2	5	1		6	1	2	11	51	
10							1	6	30	5		2	1	1	3		1	17	52	
13		92	4	87	1		60	8	17	2		2			1	1	1	10		

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
OREGON. ¹																	
1	Portland.....	229	12	3	3	5	1	84	2	56	26	39	2	20	
2	Males.....	107	9	3	2	3	1	56	2	43	11	14	5	
3	Females.....	122	3	1	2	28	13	15	25	2	15	
4	Diagnosis reasonably certain. {M.....	63	9	3	2	3	1	23	17	6	10	2	
 {F.....	87	3	1	2	9	4	5	15	1	6	
5	White.....	222	11	3	3	4	1	79	2	53	24	39	2	20	
6	Males.....	101	8	3	2	2	1	51	2	40	9	14	5	
7	Females.....	121	3	1	2	28	13	15	25	2	15	
8	Diagnosis reasonably certain. {M.....	58	8	3	2	2	1	19	15	4	10	2	
 {F.....	86	3	1	2	9	4	5	15	1	6	
9	Colored. ²	7	1	1	5	3	2	
10	Males.....	6	1	1	5	3	2	
11	Females.....	1	
12	Diagnosis reasonably certain. {M.....	5	1	1	4	2	2	
 {F.....	1	
PENNSYLVANIA.																	
13	Registration cities.....	3,245	139	8	38	13	65	15	1,204	4	43	767	390	392	35	231	
14	Males.....	1,204	113	8	34	12	49	10	558	3	34	362	159	165	13	94	
15	Females.....	2,041	26	4	1	16	5	646	1	9	405	231	227	22	137	
16	Diagnosis reasonably certain. {M.....	610	113	8	34	12	49	10	125	1	9	87	28	97	5	34	
 {F.....	1,343	25	4	1	15	5	134	5	75	54	137	12	57	
17	White.....	3,104	135	8	36	13	63	15	1,152	4	40	729	379	375	34	222	
18	Males.....	1,158	109	8	32	12	47	10	536	3	33	347	153	158	13	92	
19	Females.....	1,946	26	4	1	16	5	616	1	7	382	226	217	21	130	
20	Diagnosis reasonably certain. {M.....	592	109	8	32	12	47	10	124	1	9	86	28	92	5	34	
 {F.....	1,278	25	4	1	15	5	129	4	72	53	130	11	53	
21	Colored.....	141	4	2	2	52	3	38	11	17	1	9	
22	Males.....	46	4	2	2	22	1	15	6	7	2	
23	Females.....	95	30	2	23	5	10	1	7	
24	Diagnosis reasonably certain. {M.....	18	4	2	2	1	1	5	
 {F.....	65	7	5	1	3	1	7	1	4	
25	Allentown.....	59	14	1	11	2	9	1	7	
26	Males.....	13	6	5	1	2	2	
27	Females.....	46	8	1	6	1	7	1	5	
28	Diagnosis reasonably certain. {M.....	8	3	2	1	
 {F.....	32	1	1	1	
29	Erie.....	55	3	1	1	1	20	14	6	8	2	4	
30	Males.....	22	3	1	1	1	11	9	2	2	1	
31	Females.....	33	9	5	4	6	2	3	
32	Diagnosis reasonably certain. {M.....	11	3	1	1	1	1	1	2	1	
 {F.....	21	2	2	3	1	1	
33	Harrisburg.....	57	2	2	12	5	7	11	1	8	
34	Males.....	16	2	2	4	2	2	4	1	3	
35	Females.....	41	8	3	5	7	5	
36	Diagnosis reasonably certain. {M.....	7	2	2	2	2	2	
 {F.....	32	2	5	3	
37	Lancaster.....	55	2	2	20	1	12	7	7	2	
38	Males.....	23	2	2	12	1	9	2	3	1	
39	Females.....	32	8	3	5	4	1	
40	Diagnosis reasonably certain. {M.....	10	2	2	2	1	1	3	1	
 {F.....	20	2	2	3	
41	Philadelphia.....	1,541	76	2	25	11	30	8	547	3	25	349	170	170	15	105	
42	Males.....	591	62	2	22	11	23	4	256	2	22	163	69	71	5	42	
43	Females.....	950	14	3	7	4	291	1	3	186	101	99	10	63	
44	Diagnosis reasonably certain. {M.....	323	62	2	22	11	23	4	64	1	6	47	10	48	5	19	
 {F.....	631	14	3	7	4	62	1	33	28	56	6	24	
45	White.....	1,455	74	2	24	11	29	8	514	3	22	325	164	159	14	100	
46	Males.....	564	60	2	21	11	22	4	243	2	21	154	66	68	5	42	
47	Females.....	891	14	3	7	4	271	1	1	171	98	91	9	58	
48	Diagnosis reasonably certain. {M.....	311	60	2	21	11	22	4	63	1	6	46	10	45	5	19	
 {F.....	591	14	3	7	4	59	32	27	50	5	21	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
17		35	3	31	1		17	4	38		3	5	3	3	6	4	3		11	
9								3	25		3	3	2	3	4	2	1		7	
8		35	3	31	1		17	1	13			2	1	2	2	2		4		
8								3	18		3	1	2		1	1		6		
8		34	2	31	1		17	1	8			1	1	1	1	1		3		
17		34	3	30	1		17	4	38		3	5	3	3	6	4	3		11	
9								3	25		3	3	2	3	4	2	1		7	
8		34	3	30	1		17	1	13			2	1	2	2	2		4		
8								3	18		3	1	2		3	1		6		
8		33	2	30	1		17	1	8			1	1	1	1	1		3		
		1		1															9	
																			10	
		1		1															11	
		1		1															12	
125	1	572	32	527	12	1	369	80	489	26	20	57	34	47	73	14	38	4	181	
58							8	47	313	24	7	24	14	47	58	7	21	4	107	
67	1	572	32	527	12	1	361	33	176	2	13	33	20		15	7	12		74	
58							8	47	220	24	3	14	11	20	41	4	9	4	90	
67	1	561	21	527	12	1	361	33	92	2	3	10	10		8	2	7		50	
119		539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173	
53							8	47	300	24	7	23	14	45	54	7	19	4	103	
66		539	32	494	12	1	348	31	169	2	12	33	19		15	7	11		70	
53							8	47	212	24	3	13	11	19	38	4	9	4	87	
66		528	21	494	12	1	348	31	87	2	3	10	10		8	2	6		46	
6	1	33		33			13	2	20		1	1	1	2	4		3		8	
5									13			1	1	2	4		2		4	
1	1	33		33			13	2	7		1		1				1		23	
5									8			1		1	3				3	
1	1	33		33			13	2	5								1		4	
1		13		13			11	3	9		1		2	2					4	
									5					2					3	
1		13		13			11	3	4		1		2						1	
									5					2					3	
1		13		13			11	3	3		1		1						1	
2		6		6			7	2	9				2	1	2				4	
1							1	1	4				1	1					2	
1		6		6			6	1	5				1		2				2	
1							1	1	3										1	
2		14	1	13			8	4	6					1	1		2		2	
2		14	1	13			8	2	2					1	1		2		2	
2		14	1	13			8	2	1								1		1	
5		6	1	5			8	1	11			3		1	2				5	
2								1	5					1	1				3	
3		6	1	5			8		6			3			1				2	
2								1	2						1				1	
3		5		5			8		2						1				1	
49	1	268	13	247	7	1	186	33	261	13	12	37	17	20	40	9	17	2	94	
24							5	20	177	12	5	20	9	20	31	6	12	2	60	
25	1	268	13	247	7	1	181	13	84	1	7	17	8		9	3	5		34	
24							5	20	124	12	3	11	8	8	22	3	5	2	50	
25	1	264	9	247	7	1	181	13	41	1	1	8	3		3		2		23	
45		248	13	227	7	1	178	33	249	13	12	36	17	20	37	9	15	2	88	
21							5	20	168	12	5	19	9	20	28	6	10	2	57	
24		248	13	227	7	1	173	13	81	1	7	17	8		9	3	5		31	
21							5	20	118	12	3	10	8	8	19	3	5	2	48	
24		244	9	227	7	1	173	13	88	1	1	8	3		3		2		20	

* Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

(See note at head of this table, p. 88.)

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
PENNSYLVANIA—continued.																
1	Philadelphia—Continued.															
	Colored.....	86	2		1		1		33		3	24	6	11	1	5
2	Males.....	27	2		1		1		13		1	9	3	3		
3	Females.....	59							20		2	15	3	8	1	5
4	Diagnosis reasonably certain. (M. F.).....	12	2		1		1		1			1		3		
		40							3		1	1	1	6	1	3
5	Pittsburgh.....	481	20	2	6		9	3	198	1	6	129	62	51	6	25
6	Males.....	177	18	2	5		8	3	81	1	4	53	23	26	2	15
7	Females.....	304	2		1		1		117		2	76	39	25	4	10
8	Diagnosis reasonably certain. (M. F.).....	95	18	2	5		8	3	21		1	16	4	13		4
		194	2		1		1		26		2	17	7	18	3	4
9	White.....	460	19	2	6		8	3	190	1	6	122	61	51	6	25
10	Males.....	173	17	2	5		7	3	79	1	4	51	23	26	2	15
11	Females.....	287	2		1		1		111		2	71	38	25	4	10
12	Diagnosis reasonably certain. (M. F.).....	93	17	2	5		7	3	21		1	16	4	13		4
		183	2		1		1		25		2	16	7	18	3	4
13	Colored.....	21	1				1		8			7	1			
14	Males.....	4	1				1		2			2				
15	Females.....	17							6			5	1			
16	Diagnosis reasonably certain. (M. F.).....	2	1				1									
		11							1			1				
17	Reading.....	86	4		2	1	1		30			16	11	14	3	7
18	Males.....	36	3		2		1		20		3	8	9	7	1	3
19	Females.....	50	1			1			10			8	2	7	2	4
20	Diagnosis reasonably certain. (M. F.).....	11	3		2		1		1				1	4		1
		33	1			1			1				1	4	2	1
21	Scranton.....	85	5	1			2	2	28			23	5	16	1	14
22	Males.....	35	4	1			1	2	15			11	4	9		8
23	Females.....	50	1				1		13			12	1	7	1	6
24	Diagnosis reasonably certain. (M. F.).....	15	4	1			1	2	2			2		3		2
		34	1				1		2			2		4		4
25	Williamsport.....	50							24			18	6	9		3
26	Males.....	19							12			9	3	3		
27	Females.....	31							12			9	3	6		3
28	Diagnosis reasonably certain. (M. F.).....	7												3		
		19							4			3	1	5		2
29	Other cities.....	776	27	3	4	1	18	1	311		7	190	114	97	6	56
30	Males.....	272	19	3	4	1	11		141		4	93	44	38	4	19
31	Females.....	504	8				7	1	170		3	97	70	59	2	37
32	Diagnosis reasonably certain. (M. F.).....	123	19	3	4	1	11		31		2	18	11	19		4
		327	7				6	1	32		2	17	13	38		18
RHODE ISLAND.																
33	Registration cities.....	426	23	4	5	3	8	3	125		3	80	42	65	3	44
34	Males.....	155	20	4	5	3	7	1	55		2	40	13	30	2	20
35	Females.....	271	3				1	2	70		1	40	29	35	1	24
36	Diagnosis reasonably certain. (M. F.).....	86	20	4	5	3	7	1	13		2	10	1	18	1	9
		175	3				1	2	7			2	5	17		7
37	White.....	419	23	4	5	3	8	3	122		2	78	42	64	3	43
38	Males.....	153	20	4	5	3	7	1	55		2	40	13	29	2	19
39	Females.....	266	3				1	2	67			38	29	35	1	24
40	Diagnosis reasonably certain. (M. F.).....	85	20	4	5	3	7	1	13		2	10	1	18	1	9
		173	3				1	2	7			2	5	17		7
41	Colored.....	7							3		1	2		1		1
42	Males.....	2														
43	Females.....	5							3		1	2		1		1
44	Diagnosis reasonably certain. (M. F.).....	1														
		2														
45	Providence.....	227	8	4	1	1	2		67		3	40	24	39	2	28
46	Males.....	82	8	4	1	1	2		28		2	16	10	18	1	15
47	Females.....	145							39		1	24	14	21	1	13
48	Diagnosis reasonably certain. (M. F.).....	46	8	4	1	1	2		9		2	6	1	8		6
		94							5			2	3	13		6

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 83.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
4	1	20		20			8		12		1			3		2		6		
3									9		1			3		2		3		
1	1	20		20			8		3									3		
1	1	20		20			8		6		1			3				2		
20		92	9	82	1		41	9	70	10	8	4	6	10	2	6		24		
9									47	9	1	1	6	10	1	4		15		
11		92	9	82	1		41	5	23	1	7	3			1	2		9		
9									38	9	1	1	4	7	1	2		13		
11		89	6	82	1		41	4	14	1	2	2			1	2		6		
20		86	9	76	1		39	8	67	10	8	3	5	10	2	5		24		
9									46	9	1	1	5	10	1	4		15		
11		86	9	76	1		39	3	21	1	7	2			1	1		9		
9									37	9	1	1	3	7	1	2		13		
11		83	6	76	1		39	3	13	1	2	2			1	1		6		
		6		6			2	1	3			1	1			1		1		
									1				1					1		
		6		6			2	1	2							1		1		
		6		6			2	1	1				1					1		
4		14		13	1		10	1	13		1	1	2	1	1	2		5		
3								1	5			1	1			2		1		
1		14		13	1		10	1	8		1				1		4			
3									2							1		1		
1		13	1	12			13	1	9	1			2	2	1		3			
1									6	1			2	2			1			
1		13	1	12			12	1	3				1	2	1		2			
		12		12			1		5	1							1			
6		7	2	5			4	1	2			1	1	1			2			
3								1	3				1	1			1			
3		7	2	5			4		2			1					1			
3								1	3				1	1			1			
3		6	1	5			4													
35		139	5	131	3		81	25	96	2	6	8	6	12	15	1	6	2		
15							1	16	57	2	2	3	2	12	12		3	19		
20		139	5	131	3		80	9	39		4	5	4		3	1	3	19		
15							1	16	37	2		2	1	4	8		1	17		
20		138	4	131	3		80	9	23		1		3	2	1	2		14		
18		80	4	73	3		54	12	67	5	1	5	1	8	10	2	3	32		
8								8	42	4		4	1	8	7		2	16		
10		80	4	73	3		54	4	25	1	1	1			3	2	1	16		
8									27	4		3	1	3	3			13		
10		80	4	73	3		54	4	10			1			1	1		7		
18		79	4	72	3		53	12	66	5	1	5	1	8	10	2	3	31		
8								8	41	4		4	1	8	7		2	15		
10		79	4	72	3		53	4	25	1	1	1			3	2	1	16		
8									26	4		3	1	3	3			12		
10		79	4	72	3		53	4	10			1			1	1		7		
		1		1			1		1									1		
		1		1			1		1									1		
		1		1			1		1									1		
9		39	4	35			26	5	43	3		2		7	8	1	1	21		
2								2	26	3		1		7	6			9		
7		39	4	35			26	3	17			1			2	1	1	12		
2								2	19	3		1		3	3			9		
7		39	4	35			26	3	8			1			1	1		5		

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
RHODE ISLAND—continued.																
1	Other cities.....	199	15	4	2	6	3	58	40	18	26	1	16
2	Males.....	73	12	4	2	5	1	27	24	3	12	1	5
3	Females.....	126	3	1	2	31	16	15	14	11
4	Diagnosis reasonably certain. {M. F.}	40 81	12 3	4	2	5 1	1 2	4 2	4	2	10 4	1	3 1
SOUTH CAROLINA. ¹																
5	Charleston ²	35	6	3	3	2
6	Males.....	10	2	1	1	2
7	Females.....	25	4	2	2	2
8	Diagnosis reasonably certain. {M. F.}	7 19	2
9	White.....	23	5	3	2	2
10	Males.....	7	1	1	2
11	Females.....	16	4	2	2	2
12	Diagnosis reasonably certain. {M. F.}	6 10	2
13	Colored.....	12	1	1
14	Males.....	3	1	1
15	Females.....	9
16	Diagnosis reasonably certain. {M. F.}	1 9
TENNESSEE. ¹																
17	Registration cities.....	289	11	3	1	2	5	76	48	28	30	2	15
18	Males.....	85	7	2	1	2	2	44	29	15	10	8
19	Females.....	204	4	1	3	32	19	13	20	2	7
20	Diagnosis reasonably certain. {M. F.}	37 160	7 4	2 1	2	2	3	10 8	8 5	2 3	4 14	1	2 2
21	White.....	209	9	3	1	2	3	59	35	24	21	1	13
22	Males.....	72	6	2	1	2	1	36	23	13	8	7
23	Females.....	137	3	1	2	23	12	11	13	1	6
24	Diagnosis reasonably certain. {M. F.}	32 102	6 3	2 1	2	1	2	8 7	7 4	3 3	3 7	2 1
25	Colored.....	80	2	2	17	13	4	9	1	2
26	Males.....	13	1	1	8	6	2	2	1
27	Females.....	67	1	1	9	7	2	7	1	1
28	Diagnosis reasonably certain. {M. F.}	5 58	1 1	1 1	2 1	1 1	1	1 7	1	1
29	Memphis.....	114	6	1	1	4	36	23	13	12	1	6
30	Males.....	37	3	1	1	1	24	14	10	3	3
31	Females.....	77	3	3	12	9	3	9	1	3
32	Diagnosis reasonably certain. {M. F.}	10 60	3 3	1	1	3 3	3 4	3 4	1 6	1 1
33	White.....	86	4	1	1	2	32	19	13	10	1	6
34	Males.....	34	2	1	1	22	12	10	3	3
35	Females.....	52	2	2	10	7	3	7	1	3
36	Diagnosis reasonably certain. {M. F.}	9 37	2 2	1	1	2	3 3	3 3	1 4	1 1
37	Colored.....	28	2	2	4	4	2
38	Males.....	3	1	1	2	2
39	Females.....	25	1	1	2	2	2
40	Diagnosis reasonably certain. {M. F.}	1 23	1 1	1 1	1	1	2
41	Nashville.....	98	2	1	1	21	12	9	11	7
42	Males.....	30	2	1	1	12	9	3	4	3
43	Females.....	68	9	3	6	7	4
44	Diagnosis reasonably certain. {M. F.}	18 55	2	1	1	4 3	2 1	2 4	2 4	1 1
45	White.....	68	2	1	1	15	7	8	7	6
46	Males.....	22	2	1	1	7	5	2	3	3
47	Females.....	46	8	2	6	4	3
48	Diagnosis reasonably certain. {M. F.}	14 34	2 3	1	1	2 3	1 1	1 2	1 1	1 1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

³ The only registration unit in the state.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
TENNESSEE ¹ —continued.																
1	Nashville—Continued.															
2	Colored	30						6			5	1	4			1
3	Males	8						5			4	1	1			
4	Females	22						1			1		3			1
5	Diagnosis reasonably certain. {M	4						2			1	1	1			1
6	Other cities ²	77	3	1		1	1	19			13	6	7	1		2
7	Males	18	2			1	1	8			6	2	3			2
8	Females	59	1	1				11			7	4	4	1		
9	Diagnosis reasonably certain. {M	9	2			1	1	3			3		1			
10	White	45	1	1				1				1	4	1		
11	Males	55	3	1		1	1	12			9	3	4			1
12	Females	16	2			1	1	7			6	1	2			1
13	Diagnosis reasonably certain. {M	39	1	1				5			3	2	2			
14	Colored	9	2			1	1	3			3		1			
15	Males	31	1	1				1				1	2			
16	Females	22						7			4	3	3	1		1
17	Diagnosis reasonably certain. {M	2						1				1	1			1
18	TEXAS. ¹	20						6			4	2	2	1		
19	Registration cities	14											2	1		
20	Males	181	7		1	2	4	52		1	20	22	22	4		9
21	Females	74	6		1	2	3	29		1	16	12	9	2		3
22	Diagnosis reasonably certain. {M	107	1				1	23			13	10	13	3		6
23	White	46	6		1	2	3	9			4	5	7	1		2
24	Males	74	1				1	3			1	2	7	2		
25	Females	170	7		1	2	4	49		1	27	21	22	4		9
26	Diagnosis reasonably certain. {M	70	6		1	2	3	28		1	16	11	9	2		3
27	Colored	100	1				1	21			11	10	13	2		6
28	Males	44	6		1	2	3	9			4	5	7	1		2
29	Females	68	1				1	2				2	7	2		
30	Diagnosis reasonably certain. {M	11						3			2	1				
31	White	4						1				1				
32	Males	7						2			2					
33	Females	2														
34	Diagnosis reasonably certain. {M	6						1			1					
35	Galveston	52	3			2	1	15		1	5	9	4	1		
36	Males	28	3			2	1	8		1	3	4	2	1		
37	Females	24						7			2	5	2			
38	Diagnosis reasonably certain. {M	17	3			2	1	2				2	1			
39	White	45	3			2	1	14		1	5	8	4	1		
40	Males	24	3			2	1	7		1	3	3	2	1		
41	Females	21						7			2	5	2			
42	Diagnosis reasonably certain. {M	15	3			2	1	2				2	2			
43	Colored	14						2				2	2			
44	Males	7						1				1				
45	Females	4						1				1				
46	Diagnosis reasonably certain. {M	3														
47	San Antonio	81	3				3	23			16	7	11	3		4
48	Males	29	2				2	12			8	4	4	1		1
49	Females	52	1				1	11			8	3	7	2		3
50	Diagnosis reasonably certain. {M	19	2				2	3			1	2	4	1		1
51	White	36	1				1	1			1		4	2		
52	Males	77	3				3	21			14	7	11	3		4
53	Females	29	2				2	12			8	4	4	1		1
54	Diagnosis reasonably certain. {M	48	1				1	9			6	3	7	2		3
55	Colored	19	2				2	3			1	2	4	1		1
56	Males	33	1				1						4	2		

¹ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
3		11	1	9	1		5	1	3						1			2		
1		11	1	9	1		5	1	2						1			1		
2		11	1	9	1		5	1	1									1		
2		11	1	9	1		5	1	1									1		
4		32		32			5	2	9		4		1			1		3		
1		32		32			5	1	4		1		1					2		
3		32		32			5	1	5		3					1		7		
1		32		32			5	1	2		1							1		
3		21		21			4	2	9		4		1			1		3		
1		21		21			4	1	4		1		1					2		
2		21		21			4	1	5		3					1		1		
2		21		21			4	1	2		1							1		
1		11		11			1													
1		11		11			1													
9		41	2	37	2		13	6	40	2	1	4	6	4	4		1	18		
4		41	2	37	2		13	2	28	1	1	1	3	4	3		1	14		
5		41	2	37	2		13	4	12	1		3	3		1			4		
4		39		37	2		13	4	22	1	1	1	2	2	3		1	11		
5		39		37	2		13	4	7	1		2	1					3		
9		37	2	33	2		13	5	37	2	1	3	6	3	4		1	17		
4		37	2	33	2		13	1	26	1	1	1	3	3	3		1	13		
5		37	2	33	2		13	4	11	1		2	3	2	1			4		
4		35		33	2		13	4	21	1	1	1	2	2	3		1	10		
5		35		33	2		13	4	6	1		1	1					3		
		4		4				1	3			1		1				1		
		4		4				1	2					1				1		
		4		4				1	1			1						1		
		4		4				1	1			1						1		
3		8	1	6	1		5	3	14	1		1	2	2	1		1	6		
1		8	1	6	1		5	2	13	1		1	1	2	1		1	6		
2		8	1	6	1		5	1	1			1	1					31		
1		7		6	1		5	1	9	1		1	1		1		1	4		
2		7		6	1		5	1	9	1		1	1		1		1	4		
3		5	1	3	1		5	2	12	1		1	2	1	1		1	5		
1		5	1	3	1		5	1	11	1		1	1	1	1		1	5		
2		5	1	3	1		5	1	1	1		1	1					35		
1		4		3	1		5	1	8	1		1	1		1		1	3		
2		4		3	1		5	1	1			1						3		
		3		3				1	2					1				1		
		3		3				1	2					1				1		
		3		3				1	1									1		
4		19	1	17	1		5	2	18			3	3	1	2			9		
2		19	1	17	1		5	2	11				1	1	2			7		
2		19	1	17	1		5	2	7			3	2		2			2		
2		18		17	1		5	2	10			2	1	1				6		
2		18		17	1		5	2	5			2	1					2		
4		18	1	16	1		5	2	17			2	3	1	2			9		
2		18	1	16	1		5	2	11				1	1	2			7		
2		18	1	16	1		5	2	6			2	2					2		
2		17		16	1		5	2	10			1	1	1	2			6		
2		17		16	1		5	2	4			1	1					2		

* Includes Chattanooga, Jackson, and Knoxville.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
TEXAS ¹ —continued.																
1	San Antonio—Continued.															
2	Colored.....	4							2			2				
3	Males.....															
4	Females.....	4							2			2				
5	Diagnosis reasonably certain. {M.....															
6	F.....	3							1			1				
7	El Paso ²	48	1		1				14			8	6	7		5
8	Males.....	17	1		1				9			5	4	3		2
9	Females.....	31							5			3	2	4		3
10	Diagnosis reasonably certain. {M.....								4			3	1	2		1
11	F.....	21												1		
UTAH.																
12	Registration cities.....	93	2				2		45		1	39	5	8		4
13	Males.....	45	2				2		26		1	21	1	3		2
14	Females.....	48							19			18	1	5		2
15	Diagnosis reasonably certain. {M.....						2		12			10	2	1		
16	F.....	32							5			5		4		1
17	White.....	88	2				2		40			35	5	8		4
18	Males.....	42	2				2		23			19	4	3		2
19	Females.....	46							17			16	1	5		2
20	Diagnosis reasonably certain. {M.....						2		11			9	2	1		
21	F.....	32							5			5		4		1
22	Colored.....	5							5		1	4				
23	Males.....	3							3			2				
24	Females.....	2							2			2				
25	Diagnosis reasonably certain. {M.....								1			1				
26	F.....	1														
27	Salt Lake City.....	71	2				2		31			26	5	7		4
28	Males.....	32	2				2		17			13	4	2		2
29	Females.....	39							14			13	1	5		2
30	Diagnosis reasonably certain. {M.....						2		8			6	2			
31	F.....	27							4			4		4		1
32	Ogden ²	22							14		1	13		1		
33	Males.....	13							9		1	8		1		
34	Females.....	9							5			5				
35	Diagnosis reasonably certain. {M.....								4			4		1		
36	F.....	8							1			1				
VERMONT.																
37	Registration cities.....	73	3	2			1		28			23	5	12		6
38	Males.....	29	2	1			1		11			9	2	8		5
39	Females.....	44	1	1					17			14	3	4		1
40	Diagnosis reasonably certain. {M.....						1		4			4		6		3
41	F.....	25	1	1					1			1		3		
42	White.....	72	3	2			1		28			23	5	12		6
43	Males.....	23	2	1			1		11			9	2	8		5
44	Females.....	44	1	1					17			14	3	4		1
45	Diagnosis reasonably certain. {M.....						1		4			4		6		3
46	F.....	18	2	1					1			1		3		
47	Colored.....	1														
48	Males.....	1														
49	Females.....	1														
50	Diagnosis reasonably certain. {M.....															
51	F.....	1														
VIRGINIA.																
52	Registration cities.....	304	7	2	2			2	78		2	47	29	29		21
53	Males.....	101	4	2			1	1	42		1	24	17	11		8
54	Females.....	203	3		2				36		1	23	12	18		13
55	Diagnosis reasonably certain. {M.....						1	1	12			7	5	10		7
56	F.....	62	4	2					4			3	1	8		3

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only other registration unit; shown in order to complete the state.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kidneys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
		1		1					1		1							1	
		1		1					1		1							2	
		1		1					1		1							3	
2		14		14			3	1	8	1	1	1	1	1				3	
1		14		14			3	1	4		1		1					1	
1		14		14			3	1	4		1		1					2	
1		14		14			3	1	3		1							1	
4		15		14	1		5	5	13			1	1	1		3	1	6	
1		15		14	1		5	3	11			1	1		2	1	1	5	
3		15		14	1		5	3	11			1	1		2	1	1	11	
3		15		14	1		5	2	1									12	
4		15		14	1		5	5	13			1	1	1	3	1	6	13	
1		15		14	1		5	3	11			1	1		2	1	5	14	
3		15		14	1		5	2	2						1	1	1	15	
1		15		14	1		5	3	11			1	1	1	2	1	5	16	
3																		17	
																		18	
																		19	
																		20	
3		13		12	1		4	4	10			1		1	2	1	5	21	
																		22	
3		13		12	1		4	2	9			1		1	1	1	5	23	
3		13		12	1		4	2	9			1		1	1	1	5	24	
1		2		2			1	1	3			1				1	1	25	
1		2		2			1	1	2			1				1	1	26	
1		2		2			1	1	1			1				1	1	27	
																		28	
6		10		8	2		7	1	12	1	1	2		1				29	
3		10		8	2		7	1	8	1	1	1		1			3	30	
3		10		8	2		7	1	4		1	1			1		3	31	
3		10		8	2		7	1	2			1					3	32	
6		10		8	2		7	1	11	1	1	1		1			6	33	
3		10		8	2		7	1	7	1	1			1			3	34	
3		10		8	2		7	1	4		1				1		3	35	
3		10		8	2		7	1	6		1						3	36	
									1			1						37	
									1			1						38	
									1			1						39	
																		40	
8		91	3	86	1	1	28	9	62	4	1	8	4	7	6	1	1	30	
3		91	3	86	1	1	28	7	37	2		5	1	7	3		1	18	
5								2	25	2	1	3	3			1		42	
3		90	2	86	1	1	28	7	29	2		3	1	4	1		1	12	
5								2	8	2			1					43	
																		44	

* The only other city of 10,000 inhabitants or over in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 83.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
REGISTRATION CITIES—Con.																
VIRGINIA—continued.																
Registration cities—Continued.																
1	White.....	216	7	2	2		2	1	61		2	35	24	24		17
2	Males.....	86	4	2			1	1	36		1	20	15	10		7
3	Females.....	130	3		2				25		1	15	9	14		10
4	Diagnosis reasonably certain. {M.....	53	4	2			1	1	11			7	4	10		7
 {F.....	90	3		2				3			3		7		3
5	Colored.....	88							17			12	5	5		4
6	Males.....	15							6			4	2	1		1
7	Females.....	73							11			8	3	4		3
8	Diagnosis reasonably certain. {M.....	9							1				1			
 {F.....	53							1				1	1		
9	Richmond.....	127	3		1		1	1	35			22	13	13		9
10	Males.....	48	1					1	19			13	6	6		5
11	Females.....	79	2		1		1		16			9	7	7		4
12	Diagnosis reasonably certain. {M.....	31	1					1	4			3	1	5		4
 {F.....	55	2		1		1		3			2	1	4		1
13	White.....	89	3		1		1	1	26			16	10	10		6
14	Males.....	40	1					1	16			11	5	5		4
15	Females.....	49	2		1		1		10			5	5	5		2
16	Diagnosis reasonably certain. {M.....	27	1					1	4			3	1	5		4
 {F.....	37	2		1		1		2			2		4		1
17	Colored.....	38							9			6	3	3		3
18	Males.....	8							3			2	1	1		1
19	Females.....	30							6			4	2	2		2
20	Diagnosis reasonably certain. {M.....	4							1				1			
 {F.....	18														
21	Other cities.....	177	4	2	1		1		43		2	26	16	16		12
22	Males.....	53	3	2			1		23		1	11	11	5		3
23	Females.....	124	1		1				20		1	14	5	11		9
24	Diagnosis reasonably certain. {M.....	31	3	2			1		8			4	4	5		3
 {F.....	88	1		1				1			1		4		2
25	White.....	127	4	2	1		1		35		2	19	14	14		11
26	Males.....	46	3	2			1		20		1	9	10	5		3
27	Females.....	81	1		1				15		1	10	4	9		8
28	Diagnosis reasonably certain. {M.....	26	3	2			1		7			4	3	5		3
 {F.....	53	1		1				1			1		3		2
29	Colored.....	50							8			6	2	2		1
30	Males.....	7							3			2	1			
31	Females.....	43							5			4	1	2		1
32	Diagnosis reasonably certain. {M.....	5							1				1			
 {F.....	35												1		
WASHINGTON.																
33	Registration cities.....	499	13	4	4		5		212		5	162	45	65	6	39
34	Males.....	251	13	4	4		5		140		4	108	28	31	2	18
35	Females.....	248							72		1	54	17	34	4	21
36	Diagnosis reasonably certain. {M.....	148	13	4	4		5		59		2	47	10	26	2	13
 {F.....	183							28		1	20	7	25	3	13
37	White.....	497	12	4	3		5		211		5	161	45	65	6	39
38	Males.....	249	12	4	3		5		139		4	107	28	31	2	18
39	Females.....	248							72		1	54	17	34	4	21
40	Diagnosis reasonably certain. {M.....	147	12	4	3		5		59		2	47	10	26	2	13
 {F.....	183							28		1	20	7	25	3	13
41	Colored.....	2	1		1				1			1				
42	Males.....	2	1		1				1			1				
43	Females.....															
44	Diagnosis reasonably certain. {M.....	1	1		1											
 {F.....															
45	Seattle.....	221	10	2	4		4		90		2	67	21	28	3	15
46	Males.....	115							63			48	13	16	2	7
47	Females.....	106	10	2	4		4		27		2	19	8	12	1	8
48	Diagnosis reasonably certain. {M.....	74							31		1	25	5	15	2	6
 {F.....	78	10	2	4		4		8			5	3	9	1	5

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
7		49	3	44	1	1	20	6	49	4		5	3	6	4		1	26	1
3								5	31	2		4		6	2			16	2
4		49	3	44	1	1	20	1	18	1		1	3		2			10	3
3								5	23	2		2		3			1	15	3
4		48	2	44	1	1	20	1	8	2			1					5	4
1		42		42			8	3	13		1	3	1	1	2		1	4	5
								2	6										
1		42		42			8	1	7		1	1	1	1	1		1	2	6
1		42		42			8	2	6			2						2	7
								1				1		1				2	8
4		28	3	25			14	5	29	3	1	3		5	2		1	14	9
1								5	17	2									
3		28	3	25			14		12	1		1		5	1		1	7	10
1								5	16	2		2			1			11	
3		27	2	25			14		5	1		1		4	1		1	7	12
4		13	3	10			12	3	22	3		1		4	1			4	
																			13
1		13	3	10			12	3	15	2		1		4			1	7	14
3									7	1					1			5	15
1		12	2	10			12	3	14	2		1		3			1	7	
3									5	1								4	16
		15		15			2	2	7		1	2		1	1			2	17
		15		15			2	2	2					1	1			2	18
									5		1	2						19	
		15		15			2	2	2					1	1			20	
4		63		61	1	1	14	4	33	1		5	4	2	4		1	16	21
2								2	20				1	2	2			11	22
2		63		61	1	1	14	2	13	1		4	3		2		1	5	23
2								2	13			2	1					10	
2		63		61	1	1	14	2	3	1			1					1	24
3		36		34	1	1	8	3	27	1		4	3	2	3			14	25
2		36		34	1	1	8	2	16			3		2				9	26
1								1	11	1		1	3		1			5	27
2		36		34	1	1	8	1	9			1						8	28
1									3	1			1				1	1	
1		27		27			6	1	6			1	1		1			2	29
1		27		27			6	1	4			1	1					2	30
1									4			1	1		1			31	
		27		27			6	1										2	32
20		68	9	59			42	11	88	5	1	6	9	10	14	1	6	36	33
11		68	9	59			42	8	59	4	1	5	6	10	8		3	22	34
9								3	29	1		1	3			1	3	14	35
11		68	9	59			42	8	42	4		5		6	6		2	19	36
9		67	8	59			42	3	18	1			2		5	1	1	8	
20		68	9	59			42	11	88	5	1	6	9	10	14	1	6	36	37
11		68	9	59			42	8	59	4	1	5	6	10	8		3	22	38
9								3	29	1		1	3			1	3	14	39
11		68	9	59			42	8	42	4		5		6	6		2	19	40
9		67	8	59			42	3	18	1			2		5	1	1	8	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

(See note at head of this table, p. 88.)

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
REGISTRATION CITIES—Con.																	
WASHINGTON—continued.																	
1	Spokane.....	102	1				1		44		2	33	9	9		7	
2	Males.....	43	1				1		24		1	18	5	4		3	
3	Females.....	59							20		1	15	4	5		4	
4	Diagnosis reasonably certain. {M	24	1				1		10		1	6	3	3		2	
	Diagnosis reasonably certain. {F	49							14		1	10	3	3		2	
5	Tacoma.....	84	1	1					37			31	6	17	3	10	
6	Males.....	45	1	1					22			20	2	8		5	
7	Females.....	39							15			11	4	9	3	5	
8	Diagnosis reasonably certain. {M	23	1	1					5			4	1	6		3	
	Diagnosis reasonably certain. {F	23							4			3	1	6	2	3	
9	Other cities.....	92	1	1					41		1	31	9	11		7	
10	Males.....	48	1	1					31		1	22	8	3		3	
11	Females.....	44							10			9	1	8		4	
12	Diagnosis reasonably certain. {M	27	1	1					13			12	1	2		2	
	Diagnosis reasonably certain. {F	33							2			2		7		3	
WEST VIRGINIA. ¹																	
13	Wheeling ²	46	1				1		13		1	7	5	8	1	6	
14	Males.....	14	1				1		5		1	4		3		2	
15	Females.....	32							8			3	5	5	1	4	
16	Diagnosis reasonably certain. {M	9	1				1		2		1	1		3		2	
	Diagnosis reasonably certain. {F	23							3			1	2	2	1	1	
17	White.....	45	1				1		13		1	7	5	8	1	6	
18	Males.....	14	1				1		5		1	4		3		2	
19	Females.....	31							8			3	5	5	1	4	
20	Diagnosis reasonably certain. {M	9	1				1		2		1	1		3		2	
	Diagnosis reasonably certain. {F	22							3			1	2	2	1	1	
21	Colored ²	1															
22	Males.....																
23	Females.....	1															
24	Diagnosis reasonably certain. {M																
	Diagnosis reasonably certain. {F	1															
WISCONSIN.																	
25	Registration cities.....	712	27	3	9	1	11	3	321		12	206	103	90	1	61	
26	Males.....	315	25	2	9	1	10	3	165		8	116	41	43	1	23	
27	Females.....	397	2	1			1		156		4	90	62	47		38	
28	Diagnosis reasonably certain. {M	151	25	2	9	1	10	3	37		1	30	6	31		12	
	Diagnosis reasonably certain. {F	244	2	1			1		39		2	16	21	24		15	
29	White.....	710	27	3	9	1	11	3	321		12	206	103	90	1	61	
30	Males.....	315	25	2	9	1	10	3	165		8	116	41	43	1	23	
31	Females.....	395	2	1			1		156		4	90	62	47		38	
32	Diagnosis reasonably certain. {M	151	25	2	9	1	10	3	37		1	30	6	31		12	
	Diagnosis reasonably certain. {F	243	2	1			1		39		2	16	21	24		15	
33	Colored.....	2															
34	Males.....																
35	Females.....	2															
36	Diagnosis reasonably certain. {M																
	Diagnosis reasonably certain. {F	1															
37	Milwaukee.....	291	10	1	5		3	1	136		5	80	51	35		21	
38	Males.....	133	8		5		2	1	75		4	49	22	22		12	
39	Females.....	158	2	1			1		61		1	31	29	13		9	
40	Diagnosis reasonably certain. {M	55	8		5		2	1	14		1	10	3	15		5	
	Diagnosis reasonably certain. {F	96	2	1			1		9		1	3	5	9		5	
41	Other cities.....	421	17	2	4	1	8	2	185		7	126	52	55	1	40	
42	Males.....	182	17	2	4	1	8	2	90		4	67	19	21	1	11	
43	Females.....	239							95		3	59	33	34		29	
44	Diagnosis reasonably certain. {M	96	17	2	4	1	8	2	23			20	3	16		7	
	Diagnosis reasonably certain. {F	148							30		1	13	16	15		10	

¹ Nonregistration state; cities shown below only those with effective local ordinances.² The only registration unit in the state.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.							Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
2		18	2	16			9	2	19			1	1	5	4		3		5
1								1	13			1	1	5	1		1		4
1		18	2	16			9	1	6								2		3
1								1	9			1		4	1				1
1		18	2	16			9	1	4						3		1		3
4		3		3			8	1	17	1	1	1	3	2					9
3								1	13	1	1	1	2	2					6
1		3		3			8		4				1						3
3								1	10	1		1	1	1					7
1		3		3			8		2										2
4		17	3	14			4	4	14	1			1	1	2	1	1		7
								4	9	1				1	2		1		4
4		17	3	14			4	4	5				1			1			3
									7	1					2		1		11
4		17	3	14			4		3	1			1			1			3
																			1
1		9	1	8			7	1	7			1		2					4
1							1		4			1		2					1
1		9	1	8			6	1	3										3
1		9	1	8			6	1	2					1					1
1		8	1	7			7	1	7			1		2					2
1							1		4			1		2					1
1		8	1	7			6	1	3										3
							1		2					1					1
		8	1	7			6	1	2										2
		1		1															
		1		1															
		1		1															
28		100	11	83	6		60	15	99	4	5	6	12	11	16		6	3	36
19							1	10	71	4	3	4	7	11	13		4	3	22
9		100	11	83	6		59	5	28		2	2	5		3		2		14
19							1	10	47	4	1	3	3	6	7		3	3	17
9		97	8	83	6		59	5	18			1	4		1		2		10
28		99	11	82	6		60	15	98	4	4	6	12	11	16		6	3	36
19							1	10	71	4	3	4	7	11	13		4	3	22
9		99	11	82	6		59	5	27		1	2	5		3		2		14
19							1	10	47	4	1	3	3	6	7		3	3	17
9		96	8	82	6		59	5	18			1	4		1		2		10
		1		1					1		1								
		1		1					1		1								
		1		1															
14		38	8	29	1		30	4	38	1	3	2	3	3	8		2	2	14
10								3	25	1	2	1	2	3	5		2	2	7
4		38	8	29	1		30	1	13		1	1	1		3				7
10								3	15	1	1		1	1	2		1	2	6
4		36	6	29	1		30	1	9			1	1		1				6
14		62	3	54	5		30	11	61	3	2	4	9	8	8		4	1	22
9							1	7	46	3	1	3	5	8	8		2	1	15
5		62	3	54	5		29	4	15		1	1	4				2		7
9							1	7	32	3		3	2	5	5		2	1	11
5		61	2	54	5		29	4	9				3				2		4

* Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES. ¹																
CALIFORNIA.																
1	Total.....	947	56	8	11		29	8	382		9	276	97	117	5	69
2	Males.....	496	48	8	9		25	6	243		8	185	50	69	3	38
3	Females.....	451	8		2		4	2	139		1	91	47	48	2	31
4	Diagnosis reasonably certain. (M. F.)	267 320	48 8	8 2	9 2		25 4	6 2	66 36		3 1	47 19	16 16	44 30	3 2	13 14
5	White.....	929	55	8	11		29	7	369		8	268	93	117	5	69
6	Males.....	483	47	8	9		25	5	233		7	179	47	69	3	38
7	Females.....	446	8		2		4	2	136		1	89	46	48	2	31
8	Diagnosis reasonably certain. (M. F.)	259 317	47 8	8 2	9 2		25 4	5 2	61 35		2 1	45 19	14 15	44 30	3 2	13 14
9	Colored.....	18	1					1	13		1	8	4			
10	Males.....	13	1					1	10		1	6	3			
11	Females.....	5							3			2	1			
12	Diagnosis reasonably certain. (M. F.)	8 3	1 1					1	5 1		1 1	2 2	2 1			
13	Los Angeles County.....	161	11		2		7	2	68		3	41	24	20	1	12
14	Males.....	69	8		1		5	2	37		2	21	14	9	1	6
15	Females.....	92	3		1		2		31		1	20	10	11		6
16	Diagnosis reasonably certain. (M. F.)	32 60	8 3		1 1		5 2	2	7 7		1 1	4 3	2 3	7 6	1 2	4 2
17	Santa Clara County.....	78	7	1	2		3	1	29		3	17	9	11	2	7
18	Males.....	39	6	1	2		3		18		3	12	3	6		4
19	Females.....	39	1					1	11			5	6	5	2	3
20	Diagnosis reasonably certain. (M. F.)	19 26	6 1	1	2		3	1	5 1		1	4	1	3 4	2	1 2
21	Sonoma County.....	63	1				1		28			21	7	6		5
22	Males.....	29	1				1		18			14	4	6		5
23	Females.....	34							10			7	3			
24	Diagnosis reasonably certain. (M. F.)	12 24	1 1				1		3 1			1 1	2	4		3
25	Other rural districts.....	645	37	7	7		18	5	257		3	197	57	80	2	45
26	Males.....	359	33	7	6		16	4	170		3	138	29	48	2	23
27	Females.....	286	4		1		2	1	87			59	28	32		22
28	Diagnosis reasonably certain. (M. F.)	204 210	33 4	7	6 1		16 2	4 1	51 27		1	38 15	12 12	30 20	2	5 10
COLORADO.																
29	Total.....	237	5	2	1		2		127			82	45	26	2	13
30	Males.....	109	5	2	1		2		72			51	21	12	2	5
31	Females.....	128							55			31	24	14		8
32	Diagnosis reasonably certain. (M. F.)	57 78	5 2	2 1			2		26 14			20 6	6 8	8 9		3 3
33	White.....	236	5	2	1		2		127			82	45	26	2	13
34	Males.....	109	5	2	1		2		72			51	21	12	2	5
35	Females.....	127							55			31	24	14		8
36	Diagnosis reasonably certain. (M. F.)	57 77	5 2	2 1			2		26 14			20 6	6 8	8 9		3 3
37	Colored.....	1														
38	Males.....	1														
39	Females.....	1														
40	Diagnosis reasonably certain. (M. F.)	1														
CONNECTICUT.																
41	Total.....	323	17	1	6	1	9		99		2	61	36	51	3	37
42	Males.....	123	12		4	1	7		44			33	11	22	1	14
43	Females.....	200	5	1	2		2		55		2	28	25	29	2	23
44	Diagnosis reasonably certain. (M. F.)	63 122	12 5		4 2	1	7 2		8 5			7 1	1 4	10 12		3 7
45	White.....	323	17	1	6	1	9		99		2	61	36	51	3	37
46	Males.....	123	12		4	1	7		44			33	11	22	1	14
47	Females.....	200	5	1	2		2		55		2	28	25	29	2	23
48	Diagnosis reasonably certain. (M. F.)	63 122	12 5		4 2	1	7 2		8 5			7 1	1 4	10 12		3 7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
42	1	114	4	106	3	1	99	49	130	6	3	11	7	16	13	2	3	2	67
28	1	114	4	106	3	1	96	41	92	5	3	6	2	16	9	2	2	2	47
14	1	114	4	106	3	1	96	41	92	5	3	6	2	16	9	2	2	2	47
28	1	114	4	106	3	1	96	41	92	5	3	6	2	16	9	2	2	2	47
14	1	113	3	106	3	1	96	41	92	5	3	6	2	16	9	2	2	2	47
42	1	114	4	106	3	1	97	49	128	5	3	10	7	16	13	2	3	2	67
28	1	114	4	106	3	1	94	41	90	4	3	5	2	16	9	2	2	2	47
14	1	114	4	106	3	1	94	41	90	4	3	5	2	16	9	2	2	2	47
28	1	114	4	106	3	1	94	41	90	4	3	5	2	16	9	2	2	2	47
14	1	113	3	106	3	1	94	41	90	4	3	5	2	16	9	2	2	2	47
							2		2	1		1							9
							2		2	1		1							10
							2		2	1		1							11
							2		2	1		1							12
6	1	20		19	1		18	4	20				3	5	3	1			8
2	1	20		19	1		17	3	11				1	5	2	1			3
4	1	20		19	1		17	3	11				1	5	2	1			5
2	1	20		19	1		17	3	11				1	5	2	1			5
4	1	20		19	1		17	3	11				1	5	2	1			5
2	1	10		9		1	7	1	13	2	1	2	1	2	1				4
2		10		9		1	6	1	8	1	1	1	1	2	1				3
2		10		9		1	6	1	8	1	1	1	1	2	1				3
2		10		9		1	6	1	8	1	1	1	1	2	1				3
1		9		9			12	1	6										6
1		9		9			12	1	4										4
1		9		9			12	1	4										2
33		75	4	69	2		62	43	91	4	2	9	3	9	9	1	3	2	49
23		75	4	69	2		61	38	69	4	2	5	1	9	7	2	2	2	37
10		75	4	69	2		61	38	69	4	2	5	1	9	7	2	2	2	12
23		74	3	69	2		61	38	51	4	1	5	2	4	2	1	1	2	32
10		74	3	69	2		61	38	51	4	1	5	2	4	2	1	1	2	12
11		30		27	3		19	6	24	1	2	3	1	4			1	1	11
5		30		27	3		18	4	15	1		3		4			1	1	5
6		30		27	3		18	4	15	1		3		4			1	1	6
5		30		27	3		18	4	13	1		2		4			1	1	5
6		30		27	3		18	4	13	1		2		4			1	1	6
11		30		27	3		19	5	24	1	2	3	1	4			1	1	11
5		30		27	3		18	4	15	1		3		4			1	1	5
6		30		27	3		18	4	15	1		3		4			1	1	6
5		30		27	3		18	4	13	1		2		4			1	1	5
6		30		27	3		18	4	13	1		2		4			1	1	6
							1												3
							1												
							1												
11		41	2	36	2	1	48	12	55	3	2	3	2	7	8		1		29
7		41	2	36	2	1	48	10	35	2		1	1	7	4		1		19
4		41	2	36	2	1	48	10	35	2		1	1	7	4		1		10
7		40	2	36	2		48	10	23	2		1	1	2	2		1		15
4		40	2	36	2		48	10	23	2		1	1	2	2		1		6
11		41	2	36	2	1	48	12	55	3	2	3	2	7	8		1		29
7		41	2	36	2	1	48	10	35	2		1	1	7	4		1		19
4		41	2	36	2	1	48	10	35	2		1	1	7	4		1		10
7		40	2	36	2		48	10	23	2		1	1	2	2		1		15
4		40	2	36	2		48	10	23	2		1	1	2	2		1		6

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
CONNECTICUT—continued.																	
1	Hartford County.....	76	5		1		4		26		1	14	11	11		9	
2	Males.....	27	4		1		3		11			6	5	3		2	
3	Females.....	49	1				1		15		1	8	6	8		7	
4	Diagnosis reasonably certain. {M.....	16	4		1		3		3			2	1	2		1	
	{F.....	31	1				1		3				3	5		4	
5	Other rural districts.....	247	12	1	5	1	5		73		1	47	25	40	3	28	
6	Males.....	96	8		3	1	4		33			27	6	19	1	12	
7	Females.....	151	4	1	2		1		40		1	20	19	21	2	16	
8	Diagnosis reasonably certain. {M.....	47	8		3	1	4		5			5		8	2	2	
	{F.....	91	4	1	2		1		2			1	1	7	1	3	
INDIANA.																	
9	Total.....	1,434	74	19	8	11	31	5	594	2	4	351	237	132	7	79	
10	Males.....	578	60	17	7	7	25	4	270	2	3	172	93	63	3	29	
11	Females.....	856	14	2	1	4	6	1	324		1	179	144	69	4	50	
12	Diagnosis reasonably certain. {M.....	303	60	17	7	7	25	4	50	1		28	21	49	3	15	
	{F.....	517	14	2	1	4	6	1	57		1	30	26	30	2	13	
13	White.....	1,423	74	19	8	11	31	5	593	2	4	350	237	130	7	79	
14	Males.....	574	60	17	7	7	25	4	270	2	3	172	93	63	3	29	
15	Females.....	849	14	2	1	4	6	1	323		1	178	144	67	4	50	
16	Diagnosis reasonably certain. {M.....	301	60	17	7	7	25	4	50	1		28	21	49	3	15	
	{F.....	511	14	2	1	4	6	1	57		1	30	26	28	2	13	
17	Colored.....	11							1			1		2			
18	Males.....	4															
19	Females.....	7							1			1		2			
20	Diagnosis reasonably certain. {M.....	2															
	{F.....	6												2			
KANSAS.																	
21	Total.....	813	50	24	5	1	16	4	338		4	214	120	78	6	56	
22	Males.....	393	45	23	4	1	14	3	190		4	133	53	45	3	32	
23	Females.....	420	5	1	1		2	1	148			81	67	33	3	24	
24	Diagnosis reasonably certain. {M.....	195	45	23	4	1	14	3	51		2	38	11	22	2	10	
	{F.....	248	5	1	1		2	1	24			8	16	14	3	5	
25	White.....	801	50	24	5	1	16	4	333		4	210	119	78	6	56	
26	Males.....	388	45	23	4	1	14	3	186		4	130	52	45	3	32	
27	Females.....	413	5	1	1		2	1	147			80	67	33	3	24	
28	Diagnosis reasonably certain. {M.....	193	45	23	4	1	14	3	50		2	37	11	22	2	10	
	{F.....	242	5	1	1		2	1	24			8	16	14	3	5	
29	Colored.....	12							5			4	1				
30	Males.....	5							4			3	1				
31	Females.....	7							1			1					
32	Diagnosis reasonably certain. {M.....	2							1			1					
	{F.....	6															
KENTUCKY.																	
33	Total.....	753	45	10	5	17	9	4	247			152	95	70	2	43	
34	Males.....	279	37	9	4	13	7	4	118			73	45	32		17	
35	Females.....	474	8	1	1	4	2	1	129			79	50	38	2	26	
36	Diagnosis reasonably certain. {M.....	123	37	9	4	13	7	4	13			6	7	14			
	{F.....	294	8	1	1	4	2		12			6	6	14		4	
37	White.....	668	44	10	5	16	9	4	221			139	82	62	2	37	
38	Males.....	260	37	9	4	13	7	4	107			66	41	30		15	
39	Females.....	408	7	1	1	3	2	1	114			73	41	32	2	22	
40	Diagnosis reasonably certain. {M.....	119	37	9	4	13	7	4	12			5	7	14			
	{F.....	249	7	1	1	3	2		10			6	4	12		4	
41	Colored.....	85	1			1			26			13	13	8		6	
42	Males.....	19							11			7	4	2		2	
43	Females.....	66	1			1			15			6	9	6		4	
44	Diagnosis reasonably certain. {M.....	4							1			1					
	{F.....	45	1			1			2				2	2			

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

159

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.						Breast.	Skin.	Other organs or of organs not specified.									
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.	Total.			Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
2		6		5	1		13	4	11		2	1		1				6	
1								3	6									5	
1		6		5	1		13	1	5		2	1	1	1				1	
1								3	4									1	
1		6		5	1		13	1	2		1		1					4	
9		35	2	31	1	1	35	8	44	3		2	2	6	7		1	23	
6								7	29	2		1	1	6	4	1		14	
3		35	2	31	1	1	35	1	15	1		1		3			9		
6								7	19	2		1		2	2	1		11	
3		34	2	31	1		35	1	8	1				1			6		
45	1	205	10	190	3	2	145	112	172	6	5	17	14	11	26	2	4	86	
31							2	81	102	4	2	8	8	11	14	1	3	50	
14	1	205	10	190	3	2	143	31	70	2	3	9	6		12	1	1	36	
31							2	81	61	4	2	2	4	5	4		1	38	
14	1	202	8	190	3	1	143	31	40	2	1	3	2		3		1	29	
43	1	202	10	187	3	2	145	112	167	6	5	16	13	11	26	2	3	84	
31							2	81	98	4	2	8	7	11	14	1	2	48	
12	1	202	10	187	3	2	143	31	60	2	3	8	6		12	1	1	36	
31							2	81	59	4	2	2	3	5	4			38	
12	1	190	8	187	3	1	143	31	39	2	1	2	2		3		1	29	
2		3		3					5			1	1			1		2	
2		3		3					4				1					18	
2		3		3					1				1			1		19	
16		95	7	86	2		85	36	131		1	5	6	12	12	1	12	79	
10							2	29	82		1	3	3	12	10	1	9	40	
6		95	7	86	2		83	7	49			2	3		2		3	23	
10							2	29	46		1	2	2	3	6		3	39	
6		93	6	85	2		83	7	22			2	2		1		2	26	
16		91	7	82	2		83	36	130		1	5	6	12	12	1	12	15	
10							2	29	81		1	3	3	12	10	1	9	78	
6		91	7	82	2		81	7	49			2	3		2		3	26	
10							2	29	45		1	2	2	3	6		3	27	
6		89	6	81	2		81	7	22			2	2		1		2	25	
		4		4			2		1									15	
		4		4			2		1									1	
		4		4			2		1									1	
25		143	5	129	8	1	82	46	120	2	1	7	12	6	7	3	5	75	
15							2	30	60	1		4	5	6	5		2	37	
10		143	5	129	8	1	80	16	60	1	1	3	7		2	3	5	34	
14							2	30	27			1		1	1		2	38	
10		140	3	129	8		80	16	24	1		1	3				3	21	
23		114	4	102	7	1	76	44	107	1	1	7	10	5	7	3	4	16	
15							2	29	55	1		4	4	5	5		2	67	
8		114	4	102	7	1	74	15	52		1	3	6		2	3	4	34	
14							2	29	25			1		1	1		2	33	
8		111	2	102	7		74	15	20			1	2				3	19	
2		29	1	27	1		6	2	13	1				2	1		1	14	
2		29	1	27	1		6	1	5				1	1				8	
2		29	1	27	1		6	1	8	1						1		3	
2		29	1	27	1		6	1	2	1								5	
2		29	1	27	1		6	1	4	1			1					43	
																		2	
																		2	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
MAINE.																	
1	Total.....	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66	
2	Males.....	228	24	11	5	1	6	1	99	1	3	54	41	43	2	29	
3	Females.....	381	5		1	2	2		126			80	46	53	2	37	
4	Diagnosis reasonably certain. (M.....)	96	24	11	5	1	6	1	12		1	9	2	17		5	
	Diagnosis reasonably certain. (F.....)	212	5		1	2	2		8			3	5	22		8	
5	White.....	607	29	11	6	3	8	1	224	1	3	133	87	95	4	65	
6	Males.....	227	24	11	5	1	6	1	98	1	3	53	41	43	2	29	
7	Females.....	380	5		1	2	2		126			80	46	52	2	36	
8	Diagnosis reasonably certain. (M.....)	96	24	11	5	1	6	1	12		1	9	2	17		5	
	Diagnosis reasonably certain. (F.....)	212	5		1	2	2		8			3	5	22		8	
9	Colored.....	2							1			1		1		1	
10	Males.....	1							1			1					
11	Females.....	1												1		1	
12	Cumberland County.....	60	4			1	3		22		1	14	7	7	1	4	
13	Males.....	25	3			1	2		10		1	5	4	3		2	
14	Females.....	35	1			1	1		12			9	3	4	1	2	
15	Diagnosis reasonably certain. (M.....)	11	3			1	2		2		1		1	2		1	
	Diagnosis reasonably certain. (F.....)	20	1				1		1			1		1			
16	Kennebec County.....	55	5	3			1	1	14	1	1	5	7	11	1	7	
17	Males.....	29	5	3			1	1	10	1	1	3	5	8		1	
18	Females.....	26							4			2	2	3	1	6	
19	Diagnosis reasonably certain. (M.....)	17	5	3			1	1						2			
	Diagnosis reasonably certain. (F.....)	14												3		2	
20	Penobscot County.....	54	3	1		2			23			11	12	8		5	
21	Males.....	17	1	1					10			5	5	4		3	
22	Females.....	37	2			2			13			6	7	4		2	
23	Diagnosis reasonably certain. (M.....)	6	1	1					3			2	1	1			
	Diagnosis reasonably certain. (F.....)	23	2			2			1				1	2			
24	Washington County.....	54	4	2	2				23			14	9	5		3	
25	Males.....	19	3	2	1				12			6	6	1		1	
26	Females.....	35	1		1				11			8	3	4		2	
27	Diagnosis reasonably certain. (M.....)	7	3	2	1				2			2					
	Diagnosis reasonably certain. (F.....)	23	1		1									4		2	
28	York County.....	60	3	2	1				20			14	6	11		7	
29	Males.....	21	3	2	1				7			5	2	6		4	
30	Females.....	39							13			9	4	5		3	
31	Diagnosis reasonably certain. (M.....)	10	3	2	1									3		1	
	Diagnosis reasonably certain. (F.....)	22							1			1		2			
32	Other rural districts.....	326	10	3	3		4		123		1	76	46	54	2	40	
33	Males.....	117	9	3	3		3		50		1	30	19	26	2	18	
34	Females.....	209	1				1		73			46	27	28		22	
35	Diagnosis reasonably certain. (M.....)	45	9	3	3		3		5			5		9		3	
	Diagnosis reasonably certain. (F.....)	110	1				1		5			1	4	10		4	
MARYLAND.																	
36	Total.....	439	21	2	4	2	10	3	151		1	92	58	51	2	33	
37	Males.....	160	13	2	4	1	5	1	76		1	50	25	21	1	12	
38	Females.....	279	8			1	5	2	75			42	33	30	1	21	
39	Diagnosis reasonably certain. (M.....)	77	13	2	4	1	5	1	13		1	10	2	13	1	4	
	Diagnosis reasonably certain. (F.....)	186	8			1	5	2	13			6	7	14	1	5	
40	White.....	380	19	2	3	2	9	3	132		1	83	48	49	2	31	
41	Males.....	146	11	2	3	1	4	1	69		1	46	22	20	1	11	
42	Females.....	234	8			1	5	2	63			37	26	29	1	20	
43	Diagnosis reasonably certain. (M.....)	72	11	2	3	1	4	1	13		1	10	2	13	1	4	
	Diagnosis reasonably certain. (F.....)	154	8			1	5	2	12			6	6	13	1	4	
44	Colored.....	59	2		1		1		19			9	10	2		2	
45	Males.....	14	2		1		1		7			4	3	1		1	
46	Females.....	45							12			5	7	1		1	
47	Diagnosis reasonably certain. (M.....)	5	2		1		1										
	Diagnosis reasonably certain. (F.....)	32							1				1	1		1	
48	Baltimore County.....	111	5		1	1	3		35		1	18	16	14		10	
49	Males.....	38	4		1	1	2		22		1	12	9	3		1	
50	Females.....	73	1			1	1		13			6	7	11		9	
51	Diagnosis reasonably certain. (M.....)	22	4		1	1	2		7		1	4	2	3		1	
	Diagnosis reasonably certain. (F.....)	53	1			1	1		3				3	6		4	

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
26		93		91	2		68	24	74	1	2	6	1	5	10	1	3	1	44
12								18	44				4	1	5	7	1	2	23
14		93		91	2		68	6	30	1	2	2			3		1	1	21
12								18	25			1		2	2			1	19
14		93		91	2		68	6	10	1	1								8
26		93		91	2		68	24	74	1	2	6	1	5	10	1	3	1	44
12								18	44				4	1	5	7	1	2	23
14		93		91	2		68	6	30	1	2	2			3		1	1	21
12								18	25			1		2	2			1	19
14		93		91	2		68	6	10	1	1								8
2		8		8			8	3	8			1		1	3				3
1								2	7			1		1	2				3
1		8		8			8	1	1						1				1
1		8		8			8	1	2						1				1
3		6		6			3	6	10					2					8
2								5	6					2					4
1		6		6			3	1	4										4
2								5	5					2					3
1		6		6			3	1	1										1
3		9		8	1		8	1	2						1				1
1								1	1						1				1
2		9		8	1		8	1	1										1
1		9		8	1		8	1	1										1
2		13		13			3	2	4	1			1		1				1
2		13		13			3	2	1				1		1				1
2		13		13			3	2	3	1									1
4		4		4			15	1	6			2							4
2								1	4			2							2
2		4		4			15	1	2										2
2		4		4			15	1	3			1							2
12		53		52	1		31	11	44		2	3		2	5	1	3	1	27
6								7	25			1		2	4	1	2	1	14
6		53		52	1		31	4	19		2	2			1		1		13
6								7	15									1	13
6		53		52	1		31	4	6		1								5
16		69	1	66	2		60	24	63	1	2	2	4	3	5	2	6	1	37
8							1	13	36		1	1	1	3	5	1	3	1	21
8		69	1	66	2		59	11	27		1	1	2	3	1	1	3	1	16
8							1	13	24					1	3			1	19
8		68		66	2		59	11	13	1		1	1				1		9
16		49	1	46	2		52	24	55		2	2	3	3	5	2	5	1	32
8							1	13	32		1		1	3	5	1	3	1	17
8		49	1	46	2		51	11	23		1	2	2		1	2		1	15
8							1	13	21					1	3			1	16
8		48		46	2		51	11	11			1	1				1		8
		20		20			8		8	1			1				1		5
		20		20			8		4		1		1				1		4
									4										1
		20		20			8		3		1								3
									2										1
4		16	1	15			21	4	16		1	2			1		1		11
2							1	1	7		1				1				5
2		16	1	15			20	3	9			2					1		6
2							1	1	6						1				5
2		15		15			20	3	5			1							4

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
MARYLAND—continued.																	
Baltimore County—Continued.																	
1	White	104	5	1	1	3	34	1	17	16	13	9	
2	Males	87	4	1	1	2	21	1	11	9	3	1	
3	Females	67	1	1	13	6	7	10	8	
4	Diagnosis reasonably certain.	22	4	1	1	2	7	1	4	2	3	1	
		47	1	1	3	3	5	3	
5	Colored	7	1	1	1	1	
6	Males	1	1	1	
7	Females	6	1	1	
8	Diagnosis reasonably certain.	1	1	
		6	
9	Other rural districts	328	16	2	3	1	7	3	116	74	42	37	2	23	
10	Males	122	9	2	3	8	1	54	38	16	18	1	11	
11	Females	206	7	1	4	2	62	36	26	19	1	12	
12	Diagnosis reasonably certain.	55	9	2	3	3	1	6	6	10	1	3	
		133	7	1	4	2	10	6	4	8	1	1	
13	White	276	14	2	2	1	6	3	98	66	32	36	2	22	
14	Males	109	7	2	2	2	1	48	35	13	17	1	10	
15	Females	167	7	1	4	2	50	31	19	19	1	12	
16	Diagnosis reasonably certain.	60	7	2	2	2	1	6	6	10	1	3	
		107	7	1	4	2	9	6	3	8	1	1	
17	Colored	52	2	1	1	18	8	10	1	1	
18	Males	13	2	1	1	6	3	3	1	1	
19	Females	39	12	5	7	
20	Diagnosis reasonably certain.	5	2	1	1	
		26	1	1	
MASSACHUSETTS.																	
21	Total	868	34	5	16	3	7	3	289	11	186	92	148	8	96	
22	Males	318	33	5	15	3	7	3	142	7	101	34	42	2	26	
23	Females	550	1	1	147	4	85	58	106	6	70	
24	Diagnosis reasonably certain.	148	33	5	15	3	7	3	26	3	16	7	22	8	
		331	1	1	16	2	9	5	49	1	18	
25	White	864	34	5	16	3	7	3	288	11	185	92	148	8	96	
26	Males	316	33	5	15	3	7	3	141	7	100	34	42	2	26	
27	Females	548	1	1	147	4	85	58	106	6	70	
28	Diagnosis reasonably certain.	147	33	5	15	3	7	3	26	3	16	7	22	8	
		329	1	1	16	2	9	5	49	1	18	
29	Colored	4	1	1	
30	Males	2	1	1	
31	Females	2	
32	Diagnosis reasonably certain.	1	
		2	
33	Bristol County	56	20	13	7	11	5	
34	Males	21	10	9	1	4	2	
35	Females	35	10	4	6	7	3	
36	Diagnosis reasonably certain.	11	3	3	2	
		20	4	
37	Essex County	106	2	1	1	40	2	27	11	21	14	
38	Males	41	2	1	1	21	1	16	4	6	4	
39	Females	64	19	1	11	7	15	10	
40	Diagnosis reasonably certain.	10	2	1	1	2	1	1	3	1	
		35	2	1	1	10	5	
41	Middlesex County	173	15	4	8	3	61	4	41	16	20	3	12	
42	Males	68	15	4	8	3	30	3	23	4	6	4	
43	Females	105	31	1	18	12	14	3	8	
44	Diagnosis reasonably certain.	32	15	4	8	3	3	1	1	1	2	
		68	8	5	3	6	1	3	
45	Norfolk County	99	4	2	1	1	35	2	22	11	21	1	19	
46	Males	35	3	1	1	1	17	2	11	4	7	5	
47	Females	64	1	18	11	7	17	1	14	
48	Diagnosis reasonably certain.	18	3	1	1	1	5	2	2	1	4	2	
		32	1	1	2	2	4	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Recum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
4		13	1	12			19	4	16		1	2			1		1		11
2		13	1	12			1	1	7		1				1				5
2		13		12			18	3	9			2				1			3
2		12		12			1	1	6					1					5
2		12		12			18	3	5			1							4
		3		3			2												5
		3		3			2												6
		3		3			2												7
		3		3			2												8
12		53		51	2		39	20	47	1	1		4	3	4	2	5	1	26
6		53		51	2		39	12	29				1	3	4	1	3	1	16
6		53		51	2		39	8	18	1	1		3		1	1	2		10
6		53		51	2		39	8	18				1	1	2		1		11
12		36		34	2		33	20	39		1					1			14
6		36		34	2		33	12	25				1	3	4	1	3	1	12
6		36		34	2		33	8	14		1		2			1	1		9
6		36		34	2		33	12	15				1	1	2		1		16
		17		17			6		8	1			1				1		4
		17		17			6		4				1						5
		17		17			6		4	1			1				1		1
		17		17			6		3	1									3
		17		17			6		2										1
43	1	126	6	117	2	1	108	34	129	7	12	1	6	11	18		7	2	65
14		126	6	117	2	1	1	17	83	6	6	1	2	11	16		2	2	37
29	1	126	6	117	2	1	107	17	46	1	6		4		2		5		28
14		123	3	117	2	1	1	17	49	6	2	1	1	4	6		2	2	25
29	1	123	3	117	2	1	107	17	18	1	2		1		1				13
43	1	126	6	117	2	1	106	34	128	7	12	1	6	11	18		7	2	64
14		126	6	117	2	1	1	17	82	6	6	1	2	11	16		2	2	36
29	1	126	6	117	2	1	105	17	46	1	6		4		2		5		27
14		123	3	117	2	1	1	17	48	6	2	1	1	4	6		2	2	24
29	1	123	3	117	2	1	105	17	18	1	2		1		1				13
							2		1										1
							2		1										1
							2		1										1
5	1	8		8			6	1	10	2	1		1				1		5
2		8		8			6	1	7	2			1				1		4
3	1	8		8			6	1	3		1		1						1
2		8		8			6	1	6	2			1				1		3
3	1	8		8			6	1	1				1						3
7		13	1	12			8	2	19		1	1	1	2	5		2		7
2		13	1	12			8	1	11			1	1	2	4		2		4
5		13	1	12			8	1	8		1		1		1				3
2		13	1	12			8	1	2			1							4
5		13	1	12			8	1	1					1					3
5		31	1	29	1		19	6	21	1	4		2	4					10
2		31	1	29	1		1	4	12		2		1	4					5
3		31	1	29	1		18	2	9	1	2		1						4
2		30		29	1		1	4	7		1		1						5
3		30		29	1		18	2	4	1									3
4		12		11	1		10	2	12		1		1	2	2		1		5
2		12		11	1		10	2	8		1		1	2	2				2
2		12		11	1		10	2	4		1			1	2		1		3
2		12		11	1		10	2	6		1			1	2				2
2		12		11	1		10	2	1										1

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pros-tate.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
5		8		8			17	5	19	2	3			1	2				11	1
1									15	2	3			1	2				7	2
4		8		8			17	2	4										4	3
1									9	2				1					6	4
4		8		8			17	2	3										3	
4		20	3	17			21	6	22	2	1		1	1	4				13	5
1									14	2									8	6
3		20	3	17			21	4	8		1		1	3					5	7
1									10	2				1					6	8
3		19	2	17			21	4	4		1								3	
13		34	1	32		1	27	12	26		1			1	5		3	2	14	9
4									16										7	10
9		34	1	32		1	27	5	10		1			1	5		1	2	7	11
4									9								2		7	
9		33		32		1	27	5	4		1				3		1	2	3	12
																			3	
48		194	9	181	2	2	130	84	196	5	6	16	7	19	24	1	14	2	102	13
24							4	56	120	2	5	8	5	19	20		9	2	50	14
24		194	9	181	2	2	126	28	76	3	1	8	2		4	1	5		52	15
24							4	56	64	2	3	4	1	6	10		2	2	34	16
24		190	5	181	2	2	126	28	38	3		8	1		2		3		26	
48		193	9	180	2	2	129	84	195	5	6	16	7	19	24	1	14	2	101	17
24							4	56	119	2	5	8	5	19	20		9	2	49	18
24		193	9	180	2	2	125	28	76	3	1	8	2		4	1	5		52	19
24							4	56	64	2	3	4	1	6	10		2	2	34	
24		189	5	180	2	2	125	28	38	3		8	1		2		3		26	20
		1		1			1		1										1	21
		1		1			1		1										1	22
		1		1			1													23
3		10		10			5	5	4					1	2				1	24
2																				
1		10		10			5	4	3					1	1				1	25
2								1	1											26
1		10		10			5	4	1										1	27
1		10		10			5	1												28
1		10		10			3	7	8	1		1					1		5	29
1																				
1		10		10			3	7	4			1					1		3	30
1		10		10			3	7	3								1		2	31
2		10	1	9			6	6	7	1							1		3	32
																			1	
1		10		10			3	7	4								1		3	33
1																				
1		10		10			3	7	3								1		3	34
1		10		10			3	7	3								1		2	35
42		164	8	152	2	2	116	66	177	4	6	14	7	18	20	1	12	2	93	36
20																				
22		164	8	152	2	2	112	40	108	2	5	6	5	18	17		8	2	45	37
20									69		1	8	2		3	1	4		48	38
22		160	4	152	2	2	112	40	56	2	3	4	1	6	8		1	2	29	39
									35	2		3	1		2		2		25	40
47		104	10	92	2		66	42	158	6	12	8	15	16	17	4	15	4	61	41
23																				
19		104	10	92	2		63	33	107	6	5	5	10	16	14	2	12	4	33	42
28							9	9	51		7	3	5		3	2	3		28	43
19		103	9	92	2		63	33	87	6	1	4	5	5	9	2	7	4	24	44
47		104	10	92	2		66	42	156	6	12	8	15	15	17	4	15	4	60	45
23																				
19		104	10	92	2		63	33	106	6	5	5	10	15	14	2	12	4	33	46
28									50		7	3	5		3	2	3		27	47
19		103	9	92	2		63	33	67	6	1	4	5	5	9	2	7	4	24	48
19									30		1	2	3		1		1		22	

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
MINNESOTA—continued.																	
Total—Continued.																	
1	Colored.....	4							2				2				
2	Males.....	1															
3	Females.....	3							2				2				
4	Diagnosis reasonably certain. (M.....)																
5	Olmsted County.....	99	1	1					40		1	34	5	24		16	
6	Males.....	62	1	1					27		1	23	3	15		8	
7	Females.....	37							13			11	2	9		8	
8	Diagnosis reasonably certain. (M.....)	52	1	1					20		1	17	2	13		6	
		28							6			5	1	8		7	
9	Other rural districts.....	997	37	11	5	1	16	4	514		11	398	105	110	5	66	
10	Males.....	505	30	9	4	1	14	2	289		9	244	36	62	4	37	
11	Females.....	492	7	2	1		2	2	225		2	154	69	48	1	29	
12	Diagnosis reasonably certain. (M.....)	204	30	9	4	1	14	2	57			52	5	32	2	9	
		259	7	2	1		2	2	30			17	13	31		13	
MISSOURI.																	
13	Total.....	1,155	58	17	7	10	19	5	480		6	297	177	96	5	62	
14	Males.....	489	48	17	5	7	16	3	221		2	150	69	42	4	21	
15	Females.....	666	10		2	3	3	2	259		4	147	108	54	1	41	
16	Diagnosis reasonably certain. (M.....)	239	48	17	5	7	16	3	27			15	12	25	2	6	
		379	10		2	3	3	2	36			19	17	22	1	9	
17	White.....	1,112	56	16	7	10	18	5	468		6	291	171	92	5	60	
18	Males.....	473	46	16	5	7	15	3	213		2	146	65	41	4	21	
19	Females.....	639	10		2	3	3	2	255		4	145	106	51	1	39	
20	Diagnosis reasonably certain. (M.....)	232	46	16	5	7	15	3	26			15	11	24	2	6	
		360	10		2	3	3	2	35			18	17	21	1	9	
21	Colored.....	43	2	1			1		12			6	6	4		2	
22	Males.....	16	2	1			1		8			4	4	1			
23	Females.....	27							4			2	2	3		2	
24	Diagnosis reasonably certain. (M.....)	7	2	1			1		1				1	1			
		19							1			1		1			
MONTANA.																	
25	Total.....	141	9	3			5	1	61		2	40	19	17		11	
26	Males.....	68	8	3			4	1	35		1	26	8	10		7	
27	Females.....	73	1				1		26		1	14	11	7		4	
28	Diagnosis reasonably certain. (M.....)	45	8	3			4	1	14			10	4	10		7	
		48	1				1		5		1	2	2	4		1	
29	White.....	137	9	3			5	1	59		2	39	18	15		11	
30	Males.....	67	8	3			4	1	35		1	26	8	9		7	
31	Females.....	70	1				1		24		1	13	10	6		4	
32	Diagnosis reasonably certain. (M.....)	44	8	3			4	1	14			10	4	9		7	
		47	1				1		5		1	2	2	3		1	
33	Colored.....	4							2			1	1	2			
34	Males.....	1												1			
35	Females.....	3							2			1	1	1			
36	Diagnosis reasonably certain. (M.....)	1												1			
		1												1			
NEW HAMPSHIRE.																	
37	Total.....	269	11	2	4		5		84			38	46	48	2	36	
38	Males.....	88	10	2	4		4		83			15	18	16	1	13	
39	Females.....	181	1				1		51			23	28	32	1	23	
40	Diagnosis reasonably certain. (M.....)	37	10	2	4		4		3			1	2	3		1	
		105	1				1		4			3	1	13	1	4	
41	White.....	268	11	2	4		5		83			37	46	48	2	36	
42	Males.....	88	10	2	4		4		33			15	18	16	1	13	
43	Females.....	180	1				1		50			22	28	32	1	23	
44	Diagnosis reasonably certain. (M.....)	37	10	2	4		4		3			1	2	3		1	
		105	1				1		4			3	1	13	1	4	
45	Colored.....	1							1			1					
46	Males.....																
47	Females.....	1							1			1					
48	Diagnosis reasonably certain. (M.....)																

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

[See note at head of this table, p. 88.]

Digitized by Google

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.		
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
RURAL PART OF REGISTRA- TION STATES—Continued.																
NEW HAMPSHIRE—continued.																
1	Rockingham County.....	51	2	1	1	18	12	6	8	6
2	Males.....	10	2	1	1	5	4	1	1	1
3	Females.....	41	13	8	5	7	5
4	Diagnosis reasonably certain. (M. F.)	4 23	2	1	1	1 2	1 2	3	1
5	Other rural districts.....	218	9	2	3	4	66	26	40	40	2	30
6	Males.....	78	8	2	3	3	28	11	17	15	1	12
7	Females.....	140	1	1	38	15	23	25	1	18
8	Diagnosis reasonably certain. (M. F.)	33 82	8 1	2	3	3 1	2 2 1	2 1	3 10 1	1 3
NEW JERSEY.																
9	Total.....	797	28	4	10	4	9	1	302	5	196	101	117	6	73
10	Males.....	314	23	4	8	4	6	1	150	3	106	41	49	1	30
11	Females.....	483	5	2	3	152	2	90	60	68	5	43
12	Diagnosis reasonably certain. (M. F.)	127 279	23 5	4	8	4	6 3	1	20 16	14 11	6 5	24 28	1 1	5 7
13	White.....	779	28	4	10	4	9	1	298	5	195	98	113	6	70
14	Males.....	308	23	4	8	4	6	1	149	3	106	40	48	1	29
15	Females.....	471	5	2	3	149	2	89	58	65	5	41
16	Diagnosis reasonably certain. (M. F.)	125 272	23 5	4	8	4	6 3	1	20 16	14 11	6 5	24 27	1 1	5 7
17	Colored.....	18	4	1	3	4	3
18	Males.....	6	1	1	1	1
19	Females.....	12	3	1	2	3	2
20	Diagnosis reasonably certain. (M. F.)	2 7	1
21	Bergen County.....	101	3	3	39	24	15	17	2	8
22	Males.....	39	2	2	22	14	8	8	3
23	Females.....	62	1	1	17	10	7	9	2	5
24	Diagnosis reasonably certain. (M. F.)	16 36	2 1	2 1	6	3	3	5 4 1 1
25	Burlington County.....	60	2	1	1	18	14	4	7	4
26	Males.....	23	2	1	1	9	7	2	2	1
27	Females.....	37	9	7	2	5	3
28	Diagnosis reasonably certain. (M. F.)	11 23	2	1	1	2 2	1 2	1	1 2
29	Monmouth County.....	86	34	25	9	12	1	7
30	Males.....	30	16	14	2	6	3
31	Females.....	56	18	11	7	6	1	4
32	Diagnosis reasonably certain. (M. F.)	11 31	2	2	4 2	1 1
33	Morris County.....	50	3	2	1	22	1	13	8	5	4
34	Males.....	22	2	2	12	8	4	1	1
35	Females.....	28	1	1	10	1	5	4	4	3
36	Diagnosis reasonably certain. (M. F.)	8 12	2 1	2	1	1	1 1	1
37	Other rural districts.....	500	20	3	8	4	4	1	189	4	120	65	76	3	50
38	Males.....	200	17	3	6	4	3	1	91	3	63	25	32	1	22
39	Females.....	300	3	2	1	98	1	57	40	44	2	28
40	Diagnosis reasonably certain. (M. F.)	81 177	17 3	3	6	4	3 1	1	9 14	7 9	2 5	13 19	1	3 5
NEW YORK.																
41	Total.....	2,286	96	19	27	10	33	7	832	2	20	519	291	287	28	151
42	Males.....	883	79	16	23	9	25	6	395	2	6	276	111	124	5	65
43	Females.....	1,403	17	3	4	1	8	1	437	14	243	180	163	23	86
44	Diagnosis reasonably certain. (M. F.)	438 870	79 17	16 3	23 4	9 1	25 8	6 1	66 49	1	51 19	13 26	70 86	1 7	15 28
45	White.....	2,263	94	19	27	10	31	7	822	2	20	509	291	283	28	147
46	Males.....	873	77	16	23	9	23	6	391	2	6	272	111	122	5	63
47	Females.....	1,390	17	3	4	1	8	1	431	14	237	180	161	23	84
48	Diagnosis reasonably certain. (M. F.)	436 863	77 17	16 3	23 4	9 1	23 8	6 1	66 48	1	51 18	13 26	70 85	1 7	15 27

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.
2		12		11	1		5	1	5			2		1	1			1
2		12		11	1		5	1	1			2		1	1			1
2		12		11	1		5	1	1			1						1
8		38	1	36		1	23	11	31	1	2	2		2	6		1	17
2		38	1	36		1	23	9	18	1	2	2		2	4		1	6
6		38					23	2	13						2			11
2		37		36		1	23	2	11	1	1	2					1	6
6									7									7
38		103	8	92	2	1	96	35	116	1	4	4	10	17	15	4	9	50
18		103	8	92	2	1	95	25	66		1	2	6	17	10	2	4	22
20							95	10	50		3	2	4		5	2	5	11
18		96	4	91	2	1	95	10	34		1		2	3	1	1	2	28
20							95	10	27			1	2		1	2	3	17
37		98	8	87	2	1	96	35	111	1	4	4	10	17	14	3	9	47
18		98	8	87	2	1	95	25	62		1	2	6	17	9	1	4	20
19							95	10	49		3		4		2	2	5	27
18		93	4	86	2	1	95	10	32		1		2	3	6	1	1	16
19									26			1	2		1	2	3	16
1		5		5					5						1	1		3
1		5		5					4						1	1		2
1		5		5					2						1			1
1									1									1
7		12		11		1	14	2	14				2	2	2	1	1	6
5		12		11		1	14	1	6				2	2	1			1
2								1	8						1			5
5		12		11		1	14	1	2						1			1
2		12		11		1	14	1	4						1			2
3		9	1	8			9	3	12		1	1		3	3			4
1		9	1	8			9	3	7		1	1		3	2			2
2									5						1			27
1		9	1	8			9	3	3					1	2			1
2									1									28
4		13	1	11	1		10	5	12			1	1	1	2	1		6
3		13	1	11	1		10	3	5			1		1	1			2
1		13	1	11	1		10	2	7				1		1			31
3		13	1	11	1		10	3	2									4
1		13	1	11	1		10	2	2									2
1		5	1	4			2	5	4				1	1			1	3
1		5	1	4			2	4	3				1	1			1	3
1		4		4			2	1	5						1			3
1		4		4			2	1	3				1					2
23		64	5	58	1		61	20	70	1	3	1	6	10	7	2	7	31
9		64	5	58	1		60	14	45		1	1	3	10	6	2	3	17
14							60	6	25		2		3		1		4	14
9		60	2	57	1		60	6	27		1		2	2	4	1	1	14
14									15				2				3	9
105	3	301	10	269	17	5	310	124	336	18	12	20	14	32	39	3	19	171
54		301	10	269	17	5	307	82	200	15	8	12	6	32	27	2	5	85
51	3						307	42	136	3	4	8	8		12	1	14	86
54		293	6	267	17	3	307	42	138	15	4	7	2	10	15	1	4	72
51							307	20	76	3	1	3	2		5		7	55
105	3	299	10	267	17	5	308	124	333	18	12	20	14	32	38	2	19	170
54		299	10	267	17	5	305	82	198	15	8	12	6	32	26	1	5	85
51	3						305	42	135	3	4	8	8		12	1	14	85
54		291	6	265	17	3	305	42	138	15	4	7	2	10	15	1	4	72
51							305	20	75	3	1	3	2		5		7	54

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES¹.—Continued.																	
NEW YORK.—continued.																	
Total—Continued.																	
1	Colored.....	23	2				2		10			10		4		4	
2	Males.....	10	2				2		4			4		2		2	
3	Females.....	13							6			6		2		2	
4	Diagnosis reasonably certain. {M. F.}	2	2				2		1			1		1		1	
5	Cattaraugus County.....	53	4	1	1	2			14			7	7	6		3	
6	Males.....	15	4	1	1	2			5			4	1	2		1	
7	Females.....	38							9			3	6	4		2	
8	Diagnosis reasonably certain. {M. F.}	9	4	1	1	2			23					1			
9	Chautauqua County.....	58	7	1	2	1	3		18			9	9	11		7	
10	Males.....	18	6	1	2		3		7			5	2	2		2	
11	Females.....	40	1			1			11			4	7	9		5	
12	Diagnosis reasonably certain. {M. F.}	8	6	1	2		3		21					3		1	
13	Delaware County.....	60	1		1				26		1	14	11	7		5	
14	Males.....	19	1		1				11			7	4	4		3	
15	Females.....	41							15		1	7	7	3		2	
16	Diagnosis reasonably certain. {M. F.}	8	1		1				3			2	1	1			
17	Dutchess County.....	63	3	1	2				21		1	9	11	8	2	5	
18	Males.....	26	3	1	2				11		1	8	2	4	1	3	
19	Females.....	37							10			1	9	4		2	
20	Diagnosis reasonably certain. {M. F.}	12	3	1	2				2			2					
21	Erie County.....	71	3	1	1		1		30			16	14	10		6	
22	Males.....	32	3	1	1		1		14			10	4	5		4	
23	Females.....	39							16			6	10	5		2	
24	Diagnosis reasonably certain. {M. F.}	15	3	1	1		1		3			2	1	3		2	
25	Monroe County.....	50	2	1			1		22				2	4		1	
26	Males.....	14							6			2	4	1			
27	Females.....	36	2	1			1		7			3	4	3		1	
28	Diagnosis reasonably certain. {M. F.}	7	2	1			1		1			1		2			
29	Nassau County.....	78	3			1	2		34			21	13	16	2	9	
30	Males.....	39	2			1	1		18			11	7	11	1	6	
31	Females.....	39	1						16			10	6	5	1	3	
32	Diagnosis reasonably certain. {M. F.}	15	2			1	1		2			2		6		2	
33	Onondaga County.....	74	3		2		1		1		1		1	2		1	
34	Males.....	25	3		2		1		26		1	14	11	8		4	
35	Females.....	49							13		1	8	4	3		2	
36	Diagnosis reasonably certain. {M. F.}	10	3		2		1		13			6	7	5		2	
37	Onondaga County.....	62	2	1	1				1			1		3		1	
38	Males.....	26	2	1	1				26		2	19	5	3	1	1	
39	Females.....	36							14		1	11	2	1		1	
40	Diagnosis reasonably certain. {M. F.}	13	2	1	1				12			8	3	2			
41	Ontario County.....	56	1					1	4			4		1			
42	Males.....	29	1						22			18	4	8		4	
43	Females.....	27							15			13	2	5		2	
44	Diagnosis reasonably certain. {M. F.}	13	1					1	7			5	2	3		2	
45	Orange County.....	55	1			1			1			1		1			
46	Males.....	22	1			1			21			14	7	6		4	
47	Females.....	33							10			6	4	4		2	
48	Diagnosis reasonably certain. {M. F.}	9	1			1			11			8	3	2		2	
49	Rockland County.....	51	2		1			1	1			1		1		1	
50	Males.....	28	2		1			1	18			13	5	5		2	
51	Females.....	23							13			10	3	3			
52	Diagnosis reasonably certain. {M. F.}	19	2		1			1	5			3	2	2		2	
		16							6			6		3			
									2			1	1	1		1	

1 Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
		2		2			2		3						1	1			1
		2		2			2		2						1	1			2
		2		2			2		1										3
		2		2			2		1										4
3		10		10			4	5	10			1			2		1		6
1								2	2			1							1
2		10		10			4	3	8						2		1		5
1								2	2			1							1
2		10		10			4	3	4						1				3
2	2	7		6	1		9	1	5						1				4
								1	2										2
2	2	7		6	1		9	1	3						1				2
2		7		6	1		9	1	1										1
2		8		8			10	1	7						2				5
1		8		8			10	1	3										3
1									4						2				2
1		8		8			10	1	3										3
1		8	1	7			9	4	1								2		3
								3	5	1	2						2		18
1		8	1	7			9	1	5		1		1						19
1		7		7			9	3	4	1	1						2		20
4		4		3	1		9	4	3										3
									11	1	1	1	1	2	3				2
1								2	8	1	1			2	2				2
3		4		3	1		9	2	3			1	1		1				2
1									4	1									2
3		4		3	1		9	2	1				1						2
3		9	1	6	2		7	2	13			2		2	1		1		7
1		9	1	6	2		7	1	6			2		2	1				1
2								1	7								1		6
1								1	5			2		1	1				1
2		9	1	6	2		7	1	4										4
5		6		5	1		8	3	8			3		1	1		1		2
4							1	2	5			2		1	1				1
1		6		5	1		7	1	3			1					1		1
4							1	2	2			1		1					1
1		6		5	1		7	1	2								1		1
4		13		13			10	4	10	1		1	1	1	1				5
1		13		13			10	2	4	1			1	1	1				1
3								2	6			1	1						4
1		13		13			10	2	2	1		1							1
3								2	4			1							3
1		5	1	4			13	3	10		1	1	1	1			1		5
1		5	1	4			13	1	7		1	1		1					4
								2	3				1				1		1
1		5	1	4			13	1	4								1		4
4		3		3			10	4	2			2	1	2					3
									8										
3		3		3			10	2	6			1	1	2					2
1								2	2										1
3		3		3			10	2	6			1	1	2					2
1																			
2		7		6	1		4	2	14						1	3	2		8
2		7		6	1		4	2	7					1	2	1			3
2									7						1	1			5
		6		5	1		4	2	5						1				3
3		7	1	6			4	2	4										8
3		7		6			4	2	13	2			2	1	4		1		3
3		7	1	6			4	2	8	2			1	1	2				2
									5				1		2		1		1
3		7		6			4	2	6	2			1		2				2
									2										1

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

(See note at head of this table, p. 88.)

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue.	Mouth.	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES ¹ —Continued.																	
NEW YORK—continued.																	
1	St. Lawrence County.....	50	2				2		18			12	6	7		2	
2	Males.....	21	2				2		11			7	4	1			
3	Females.....	29							7			5	2	6		2	
4	Diagnosis reasonably certain. {M. F.}	11 17	2				2		2			1	1	1		1	
5	Steuben County.....	69	4	2	1		1		27		1	15	11	7	1	4	
6	Males.....	36	3	2	1				14			11	3	5		3	
7	Females.....	33	1				1		13		1	4	8	2	1	1	
8	Diagnosis reasonably certain. {M. F.}	20 20	3 1	2	1			1	1 2			1		3 2	1	1	
9	Suffolk County.....	92	2		1		1		35		1	26	8	17	1	12	
10	Males.....	26							15		1	13	1	8		6	
11	Females.....	66	2		1		1		20			13	7	9	1	6	
12	Diagnosis reasonably certain. {M. F.}	8 42			1		1		3 1			3		3 5	1	2	
13	Wayne County.....	59	1				1		23		1	14	8	10	2	4	
14	Males.....	13	1				1		6			3	3	3	1	1	
15	Females.....	46							17		1	11	5	7	1	3	
16	Diagnosis reasonably certain. {M. F.}	8 27	1				1		1 4			1	1	3 8	1	1	
17	West Chester County.....	106	10		4		5	1	28			18	10	12	1	4	
18	Males.....	49	9		4		4	1	16			12	4	3		1	
19	Females.....	57	1				1		12			6	6	9	1	3	
20	Diagnosis reasonably certain. {M. F.}	32 43	9 1		4		4	1	2 3			1	1	3 6	1	1	
21	Other rural districts.....	1,179	45	11	10	5	15	4	432	2	12	275	143	142	18	74	
22	Males.....	445	36	9	7	5	12	3	196	2	2	135	57	59	2	28	
23	Females.....	734	9	2	3		3	1	236		10	140	86	83	16	46	
24	Diagnosis reasonably certain. {M. F.}	231 460	36 9	9 2	7 3	5	12 3	3 1	34 30	1	1	23 13	9 14	34 42	5	16	
NORTH CAROLINA. ²																	
25	Total.....	149	3	1			2		48		1	29	18	18	2	10	
26	Males.....	88	1	1					21		1	11	9	6	1	2	
27	Females.....	111	2				2		27			18	9	12	1	8	
28	Diagnosis reasonably certain. {M. F.}	19 76	1 2	1			2		6 6			4 4	2 2	5 4	1	1	
29	White.....	114	2				2		37		1	22	14	17	2	10	
30	Males.....	27							13		1	7	5	5	1	2	
31	Females.....	87	2				2		24			15	9	12	1	8	
32	Diagnosis reasonably certain. {M. F.}	15 54					2		5 4			3 2	2 2	4 4	1	1	
33	Colored.....	35	1	1					11			7	4	1			
34	Males.....	11	1	1					8			4	4	1			
35	Females.....	24							3			3					
36	Diagnosis reasonably certain. {M. F.}	4 22	1	1					1 2			1		1			
OHIO.																	
37	Total.....	2,072	98	23	18	12	40	5	833		12	520	301	227	16	127	
38	Males.....	871	78	21	12	10	32	3	414		10	290	114	101	8	52	
39	Females.....	1,201	20	2	6	2	8	2	419		2	230	187	126	8	75	
40	Diagnosis reasonably certain. {M. F.}	420 721	78 20	21 2	12 6	10 2	32 8	3 2	78 69		2	55 34	21 35	60 59	3	17	
41	White.....	2,039	96	23	18	12	39	4	821		12	510	299	225	16	126	
42	Males.....	860	77	21	12	10	31	3	407		10	284	113	101	8	52	
43	Females.....	1,179	19	2	6	2	8	1	414		2	226	186	124	8	74	
44	Diagnosis reasonably certain. {M. F.}	417 706	77 19	21 2	12 6	10 2	31 8	3 1	77 69		2	54 34	21 35	60 58	3	17	
45	Colored.....	33	2				1	1	12			10	2	2		1	
46	Males.....	11	1				1		7			6	1				
47	Females.....	22						1	5			4	1	2		1	
48	Diagnosis reasonably certain. {M. F.}	3 15					1	1	1			1		1			

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																		
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.									
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Teeth.
5		5		5			5	2	11	1			1	1				1
1								2	5					1				3
4		5		5			5		6	1			1					4
1								2	4					1				2
4		5		5			5		2	1								1
2		11		11			1	9	10				1		1		1	6
2								8	6				1		1		1	2
2		11		11			1	1	4						1			4
2								8	5						1		1	2
		11		11			1	1	2									2
4		16	2	12	1	1	13	1	8					1	1			6
2								1	3					1	1			1
2		16	2	12	1	1	13	1	5						1			5
2								1	2									1
2		16	2	12	1	1	13	1	4						1			4
3	1	10		10			6	1	8						1		1	6
1								1	3						1			2
2	1	10		10			6	1	5						1		1	4
1								1	3						1			2
2		10		10			6	1	3									3
7		13		11	2		10	11	22	2			1	1	3	1	1	12
2								6	15						2	1	1	8
5		13		11	2			5	7				1		1		1	4
2								6	12						1	1	1	7
5		13		11	2		10	5	5						1		1	3
50		159	4	143	8	4	178	65	158	10	7	9	4	18	15		9	5
29							2	47	105	8	4	5	3	18	13		2	5
21		159	4	143	8	4	176	18	53	2	3	4	1		2		7	34
29							2	47	68	8	3	2	1	4	6		1	5
21		153	1	142	8	2	176	18	32	2	1	2	1		1		4	21
6		44		44			13	5	18		1		1		3	2	1	10
3								1	9						2	2	1	4
3		44		44			13	4	9		1		1		1		1	6
3								1	6						1	2	1	2
3		44		44			13	4	3				1					2
5		30		30			9	4	15		1		1		2	2	1	8
2								1	8						1	2	1	4
3		30		30			9	3	7		1		1		1		1	4
2								1	5							2	1	2
3		30		30			9	8	2				1					1
1		14		14			4	1	3						1			2
1									1						1			
1		14		14			4	1	2						1			2
1									1									1
83	1	258	12	238	6	2	224	133	269	11	8	29	17	34	34	6	27	7
40	1						3	75	200	10	8	14	10	34	21	6	15	7
43		258	12	238	6	2	221	58	99	1		15	7		13		12	51
40							3	75	126	10	1	7	5	13	8	3	6	7
43		252	8	238	6		221	58	42	1		2	2		3		3	31
82	1	249	12	229	6	2	220	133	265	11	8	29	17	34	34	6	25	7
40	1						3	75	197	10	8	14	10	34	21	6	14	7
42		249	12	229	6	2	217	58	98	1		15	7		13		11	51
40							8	75	125	10	1	7	5	13	8	3	6	7
42		243	8	229	6		217	58	42	1		2	2		8		3	31
1		9		9			4		4								2	2
1		9		9			4		3								1	2
1		9		9			4		1								1	1
1		9		9			4		1									1

* Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
OHIO—continued.																	
1	Hamilton County.....	54	2		1		1	22				16	6	7		4	
2	Males.....	23	1		1			10				9	1	3		2	
3	Females.....	31	1				1	12				7	5	4		2	
4	Diagnosis reasonably certain. {M.....	13	1		1			4				4		2		1	
	{F.....	18	1				1	1					1	2			
5	Tuscarawas County.....	56	1			1		26				17	9	12	3	5	
6	Males.....	26						13				11	2	7	2	3	
7	Females.....	30	1			1		13				6	7	5	1	2	
8	Diagnosis reasonably certain. {M.....	10												4	1	1	
	{F.....	16	1			1		2				1	1	2			
9	Other rural districts.....	1,962	95	23	17	11	40	4	785		12	487	286	206	13	118	
10	Males.....	822	77	21	11	10	32	3	391		10	270	111	91	6	47	
11	Females.....	1,140	18	2	6	1	8	1	394		2	217	175	117	7	71	
12	Diagnosis reasonably certain. {M.....	397	77	21	11	10	32	3	74		2	51	21	54	2	15	
	{F.....	687	18	2	6	1	8	1	66			33	33	55	1	15	
PENNSYLVANIA.																	
13	Total.....	2,752	155	28	19	18	62	28	1,141	2	16	708	420	331	40	180	
14	Males.....	1,100	124	26	12	16	50	20	529	1	11	373	144	129	13	66	
15	Females.....	1,652	31	2	7	2	12	8	612	1	5	330	276	202	27	114	
16	Diagnosis reasonably certain. {M.....	521	124	26	12	16	50	20	96		3	77	16	63	3	12	
	{F.....	982	31	2	7	2	12	8	80			40	40	112	14	38	
17	White.....	2,708	152	28	19	18	60	27	1,125	2	16	663	414	326	40	178	
18	Males.....	1,083	122	26	12	16	49	19	518	1	11	365	141	127	13	65	
19	Females.....	1,620	30	2	7	2	11	8	607	1	5	328	273	199	27	113	
20	Diagnosis reasonably certain. {M.....	516	122	26	12	16	49	19	95		3	76	16	61	3	11	
	{F.....	955	30	2	7	2	11	8	79			39	40	110	14	38	
21	Colored.....	49	3				2	1	16			10	6	5		2	
22	Males.....	17	2				1	1	11			8	3	2		1	
23	Females.....	32	1				1		5			2	3	3		1	
24	Diagnosis reasonably certain. {M.....	5	2				1	1	1			1		2		1	
	{F.....	27	1				1		1			1		2			
25	Allegheny County.....	223	7	1		1	4	1	105	1	3	63	38	23	3	14	
26	Males.....	80	6	1			4	1	51	1	3	35	12	6	2	2	
27	Females.....	143	1			1			54			28	26	17	1	12	
28	Diagnosis reasonably certain. {M.....	32	6	1			4	1	9		1	7	1	2			
	{F.....	94	1			1			11			6	5	11		7	
29	Berks County.....	66	4		1		3		25		1	16	8	6	1	4	
30	Males.....	29	4		1		3		10		1	5	4	2		1	
31	Females.....	37							15			11	4	4	1	3	
32	Diagnosis reasonably certain. {M.....	14	4		1		3		2			2					
	{F.....	19							1				1				
33	Bradford County.....	68	4			1	2	1	16			8	8	10		7	
34	Males.....	29	4			1	2	1	5			5		5		4	
35	Females.....	39							11			3	8	5		3	
36	Diagnosis reasonably certain. {M.....	19	4			1	2	1	2			2		2		1	
	{F.....	30							3				3	4		2	
37	Bucks County.....	76	4	1	1	1	1		29		1	13	15	9	1	7	
38	Males.....	26	3	1		1	1		12			7	5	3		3	
39	Females.....	50	1		1				17		1	6	10	6	1	4	
40	Diagnosis reasonably certain. {M.....	10	3	1		1	1		1			1					
	{F.....	29	1		1				1				1	4	1	2	
41	Chester County.....	65	6	1		1	3	1	24		1	16	7	10	2	7	
42	Males.....	19	5	1		1	2	1	6			5	1	1	1		
43	Females.....	46	1				1		18		1	11	6	9	1	7	
44	Diagnosis reasonably certain. {M.....	11	5	1		1	2	1	2			2		2			
	{F.....	21	1				1		2			2		2		1	
45	Clearfield County.....	50	1				1		25		1	15	9	8	1	6	
46	Males.....	20							11		1	7	3	4		4	
47	Females.....	30	1				1		14			8	6	4	1	2	
48	Diagnosis reasonably certain. {M.....	10							3		1	2		2		2	
	{F.....	16	1				1		1			1		3	1	1	

* Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rectum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pancreas.	Kidneys and suprarenals.	Prostate.	Bladder.	Brain.	Bones (except jaw).	Testes.	Others of this class.
3		8	1	6	1		6	3	6		1		1	2	2				1
1								3	6		1		1	2	2				2
2		8	1	6	1		6	3											3
1													2	1					4
2		8	1	6	1		6												
4		6		6				4	4					2					5
2								3	3					1					6
2		6		6			3	1	1					1					7
2								3	3					1					8
2		6		6			3	1	1					1					
76	1	244	11	226	5	2	215	126	289	11	7	29	16	32	30	6	27	7	124
37	1						3	69	191	10	7	14	9	32	18	6	15	7	73
39		244	11	226	5	2	212	57	98	1		15	7		12		12		51
37							3	69	120	10	1	7	5	11	6	3	6	7	64
39		238	7	226	5		212	57	41	1		2	2		2		3		31
109	2	371	12	354	3	2	280	142	332	12	8	27	18	34	37	4	22	5	165
49	1						3	97	218	9	5	13	11	34	27	2	10	5	102
60	1	371	12	354	3	2	277	45	114	3	3	14	7		10	2	12		63
48							3	97	138	9	3	7	3	4	7	2	5	5	93
60		364	6	354	3	1	277	45	73	3	1	6	1		5	1	6		50
106	2	358	12	341	3	2	271	142	329	12	8	27	18	33	36	4	22	5	164
48	1						3	97	216	9	5	13	11	33	26	2	10	5	102
58	1	358	12	341	3	2	268	45	113	3	3	14	7		10	2	12		62
47							3	97	138	9	3	7	3	4	7	2	5	5	93
58		351	6	341	3	1	268	45	72	3	1	6	1		5	1	6		49
3		13		13			9		3						1				1
1									2										22
2		13		13			9		1						1				23
1																			
2		13		13			9		1										24
6		87		37			24	11	16				1		4		1	1	9
2								7	10				1		3				26
4		37		37			24	4	6						1		1		27
2								7	8						2				28
4		37		37			24	4	6						1		1		28
1		7		7			9	4	11	1		1		3	3				29
1								4	9	1		1		3	2				30
		7		7			9		2						1				31
								4	4	1					1				32
		7		7			9		2						1				32
3		14		14			7	6	11			1	2	1	3				33
1								6	9				2						34
2		14		14			7		2			1		1	2				35
1								6	5				1						36
2		14		14			7		2			1			1				36
1								6	5										
1		12		11		1	10	4	8				1	1	2		1		37
								4	3										
1		12		11		1	9	4	5				1		1		1		38
								4	1										39
1		11		11			9		3						1				40
1								9	1										1
1		8		7	1		6	2	9					1	3		1		41
1		8		7	1		6	1	6					1	2		1		42
								1	3						1				43
1		8		7	1		6	1	1								1		43
1								1	1										44
1		8		7			1	3	4	1	1				1				45
								2	3										
1		8		7			1	1	1						1				46
1								2	3										47
1		8		7			1	1	1						1				48

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—													
			Buccal cavity.					Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.
RURAL PART OF REGISTRATION STATES!—Continued.																
PENNSYLVANIA—continued.																
1	Delaware County.....	74	2	1			1	32				19	13	5		1
2	Males.....	27	1	1				16				11	5	4		1
3	Females.....	47	1				1	16				8	8	1		
4	Diagnosis reasonably certain. { M..... F.....	12 31	1 1	1			1	3 2				1 2	2 2	3 1		
5	Erie County.....	67	7	1		3	2	17				11	6	5		1
6	Males.....	24	7	1		3	2	8				6	2	2		
7	Females.....	43						9				5	4	3		1
8	Diagnosis reasonably certain. { M..... F.....	16 30	7 3	1		3	2	1 3				2 2	1 1	2 2		
9	Fayette County.....	67	3		1		1	30				20	10	8	1	5
10	Males.....	31	1		1			15				13	2	4		3
11	Females.....	36	2				1	15				7	8	4	1	2
12	Diagnosis reasonably certain. { M..... F.....	10 18	1 2		1		1	1 1				1 1		1 1		
13	Jefferson County.....	51	6			2	3	23				15	8	3		2
14	Males.....	30	6			2	3	14				12	2			
15	Females.....	21						9				3	6	3		2
16	Diagnosis reasonably certain. { M..... F.....	16 9	6 3			2	3	3				3 3		2		1
17	Lancaster County.....	90	6			2	3	37				23	14	11		8
18	Males.....	37	4			2	2	20				12	8	4		2
19	Females.....	53	2				1	17				11	6	7		6
20	Diagnosis reasonably certain. { M..... F.....	17 29	4 2			2	2	2 3				2 2	1	2		1
21	Luzerne County.....	99	6	2	1		2	49				36	13	14	1	8
22	Males.....	45	4	1	1		2	25				22	3	6	1	3
23	Females.....	54	2	1				24				14	10	8		5
24	Diagnosis reasonably certain. { M..... F.....	16 29	4 2	1	1		2	2 3				2 1	2	2 6		4
25	Montgomery County.....	95	5	1	1		1	38		1		22	15	15	2	5
26	Males.....	48	4	1	1		1	20		1		12	7	9	1	4
27	Females.....	47	1				1	18				10	8	6	1	1
28	Diagnosis reasonably certain. { M..... F.....	27 28	4 1	1	1		1	5 1		1		4		6 5	1	1
29	Northampton County.....	54	3				2	27				16	11	3	3	
30	Males.....	24	3				2	12				8	4	1	1	
31	Females.....	30						15				8	7	2	2	
32	Diagnosis reasonably certain. { M..... F.....	4 17	3				2	1 3						1 1	1	
33	Schuylkill County.....	89	6	2			3	37		1		22	14	10		4
34	Males.....	35	5	2			2	16		1		9	6	4		1
35	Females.....	54	1				1	21				13	8	6		3
36	Diagnosis reasonably certain. { M..... F.....	22 33	5 1	2			2	6 3				5 2	1 3	1 4		1
37	Washington County.....	75	2	2				42		1		29	12	3	1	2
38	Males.....	34	2	2				20		1		15	4			
39	Females.....	41						22				14	8	3	1	2
40	Diagnosis reasonably certain. { M..... F.....	17 21	2	2				7 5				7 3		1	1	
41	Westmoreland County.....	110	8	1	3	1	3	45		1		21	23	14	2	7
42	Males.....	45	7	1	2	1	3	23		1		12	10	5		2
43	Females.....	65	1		1			22				9	13	9	2	5
44	Diagnosis reasonably certain. { M..... F.....	28 37	7 1	1	2	1	3	8 4				6 2	2	4		1
45	York County.....	64	5			1	3	20				9	11	9	2	4
46	Males.....	22	4			1	2	9				5	4	4		3
47	Females.....	42	1				1	11				4	7	5	2	1
48	Diagnosis reasonably certain. { M..... F.....	12 29	4 1		1	2	1	3 1				2 1	1 1	1 4		1
49	Other rural districts.....	1,269	70	15	11	5	24	15	520	1	5	329	185	165	20	88
50	Males.....	495	54	14	6	4	19	11	236		2	172	62	65	7	33
51	Females.....	774	16	1	5	1	5	4	284	1	3	157	123	100	13	55
52	Diagnosis reasonably certain. { M..... F.....	228 462	54 16	14 1	6 5	4 1	19 5	11 4	34 40			26 22	8 18	33 55	2 6	7 1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 83.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-sta-te.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
4		9		9			16	2	8	1	1	1	1			1		3	1	
3		9		9			16	1	5	1		1	1					2	2	
1							16	1	3		1					1		1	3	
3		9		9			16	1	4	1			1					2	4	
1							16	1	1									1		
4		8		8			12	3	15			2	1	1	1	2		8	5	
2							12	2	5				1	1		1		2	6	
2		8		8			12	1	10			2	1			1		7	7	
2		8		8			12	2	7			1				1		2	8	
2		8		8			4	3	11		1	1	2	1		1	1	4	9	
1							4	2	9		1		1	1		1	1	3	10	
1		8		8			4	1	2									1	11	
1		8		8			4	1	5							1	1	3	12	
1							4	1	1									1		
1		5	1	4			2	2	10		1	2		2	1			4	13	
1			1				2	2	8		1	1		2	1			3	14	
1		4		4			2		2			1						2	15	
1							2		5		1	1		1				1	16	
3		10		9	1		12	5	9						3	2	1	3	17	
2							1	4	4						1	1	1	1	18	
1		10		9	1		11	1	5						2	1		2	19	
2							1	4	4						1	1	1	1	20	
1		10		9	1		11	1	4											
4	1	6	1	5			9	7	8	1		1	2					4	21	
2							9	6	4				1					3	22	
2	1	6	1	5			9	1	4	1		1	1					1	23	
2		6	1	5			9	1	2				1					2	24	
8		7		7			11	7	12	2		1		4	1			4	25	
4							11	5	10	2				4	1			3	26	
4		7		7			11	2	2			1						1	27	
4							11	2	7	2				1	1			3	28	
		7		7			4	1	9			1	1	3	2	1		1	29	
							4	1	8			1	1	3	2	1			30	
		7		7			4	1	1			1						1	31	
							4	1	1										32	
6		10		10			8	5	13						1			1	33	
3							8	5	10						1				34	
3		10		10			8	5	3							2		8	35	
3							8	5	8									8	36	
3		10		10			8	5	2							1		1		
		8		8			6	3	11	1			1	2	1	1	1	4	37	
							6	3	9	1				2	1		1	3	38	
		8		8			6	3	2				1					1	39	
							6		5	1								3	40	
5		19	1	18			9	2	13	1				1		1	2	8	41	
3							9	1	9					1				7	42	
2		19	1	18			9	1	4							1	2	1	43	
3							9	1	8	1								7	44	
2		18		18			9	1	4						1	2		1		
3		11	1	10			10	2	7		1	1	1					4	45	
1							10	1	4		1		1					2	46	
2		11	1	10			10	1	3				1					2	47	
1							10	1	1				1					2	48	
2		10		10			10	1	2				1					1		
56	1	177	7	168	1	1	120	70	147	4	3	15	5	14	11	1	7	2	85	49
24	1						1	46	93	2	1	8	3	14	8		3	2	51	50
32		177	7	168	1	1	119	24	54	2	2	7	2		3	1	4		34	51
24							1	46	60	2	1	5		2	1	1	2	2	44	
32		174	4	168	1	1	119	24	34	2	1	2			1		1		27	52

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stomach.	Liver and gall bladder.	Total.	Peritoneum and mesentery.	Intestines.	
RURAL PART OF REGISTRATION STATES—Continued.																	
RHODE ISLAND.																	
1	Total.....	113	5			1	3	1	36		1	26	9	21	1	12	
2	Males.....	41	4			1	2	1	18		1	14	3	9	1	3	
3	Females.....	72	1				1		18			12	6	12		9	
4	Diagnosis reasonably certain. (M.....	16	4			1	2	1	2			1	1	5			
	(F.....	45	1				1		4			3	1	4		1	
5	White.....	111	5			1	3	1	34		1	24	9	21	1	12	
6	Males.....	41	4			1	2	1	18		1	14	3	9	1	3	
7	Females.....	70	1				1		16			10	6	12		9	
8	Diagnosis reasonably certain. (M.....	16	4			1	2	1	2			1	1	5			
	(F.....	45	1				1		4			3	1	4		1	
9	Colored.....	2							2			2					
10	Males.....																
11	Females.....	2							2			2					
12	Diagnosis reasonably certain. (M.....																
	(F.....																
UTAH.																	
13	Total.....	97	1		1				57	1	1	42	13	5		3	
14	Males.....	49	1		1				37		1	30	6	1		1	
15	Females.....	48							20	1		12	7	4		2	
16	Diagnosis reasonably certain. (M.....	12	1		1				4			4					
	(F.....	29							3	1		1	1	2			
17	White.....	97	1		1				57	1	1	42	13	5		3	
18	Males.....	49	1		1				37		1	30	6	1		1	
19	Females.....	48							20	1		12	7	4		2	
20	Diagnosis reasonably certain. (M.....	12	1		1				4			4					
	(F.....	29							3	1		1	1	2			
VERMONT.																	
21	Total.....	324	14	3	3	4	2	2	103		1	65	37	45	2	23	
22	Males.....	130	12	3	3	2	2	2	47		1	31	15	23		9	
23	Females.....	194	2			2			56			34	22	22	2	14	
24	Diagnosis reasonably certain. (M.....	69	12	3	3	2	2	2	10		1	7	3	16		2	
	(F.....	120	2			2			7			3	4	8		2	
25	White.....	324	14	3	3	4	2	2	103		1	65	37	45	2	23	
26	Males.....	130	12	3	3	2	2	2	47		1	31	15	23		9	
27	Females.....	194	2			2			56			34	22	22	2	14	
28	Diagnosis reasonably certain. (M.....	69	12	3	3	2	2	2	10			7	3	16		2	
	(F.....	120	2			2			7			3	4	8		2	
VIRGINIA.																	
29	Total.....	747	33	4	7	4	16	2	248		2	167	79	49	2	28	
30	Males.....	289	23	3	7	3	8	2	124			88	36	25	1	13	
31	Females.....	458	10	1		1	8		124		2	79	43	24	1	15	
32	Diagnosis reasonably certain. (M.....	127	23	3	7	3	8	2	9			8	1	14		3	
	(F.....	297	10	1		1	8		7		1		6	8			
33	White.....	551	28	3	7	4	12	2	190		2	121	67	38	2	19	
34	Males.....	238	22	3	7	3	7	2	97			66	31	21	1	10	
35	Females.....	313	6			1	5		93		2	55	36	17	1	9	
36	Diagnosis reasonably certain. (M.....	112	22	3	7	3	7	2	9			8	1	12		2	
	(F.....	196	6			1	5		7		1		6	7			
37	Colored.....	196	5	1			4		58			46	12	11		9	
38	Males.....	51	1				1		27			22	5	4		3	
39	Females.....	145	4	1			3		31			24	7	7		6	
40	Diagnosis reasonably certain. (M.....	15	1				1							2		1	
	(F.....	101	4	1			3							1			

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

GENERAL TABLES.

179

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																				
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.											
Rec- tum.	Others of this class.	Total.	Ovary and fal- lopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pro- state.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
8		15	1	14			18	3	15			4	2		2				7	1
5		15	1	14			18	1	9			3	1		1				4	2
3		15	1	14			18	2	6			1	1		1				3	3
5		15	1	14			18	1	4										4	4
3		15	1	14			18	2	1										1	1
8		15	1	14			18	3	15			4	2		2				7	5
5		15	1	14			18	1	9			3	1		1				4	6
3		15	1	14			18	2	6			1	1		1				3	7
5		15	1	14			18	1	4										4	8
3		15	1	14			18	2	1										1	1
																				9
																				10
																				11
																				12
2		12		11		1	8		14			2		3		1	1		7	13
2		12		11		1	8		10			1		3		1			5	14
2		12		11		1	8		4			1				1			2	15
2		12		11		1	8		7			1		1					5	16
2		12		11		1	8		4			1				1			2	16
2		12		11		1	8		14			2		3		1	1		7	17
2		12		11		1	8		10			1		3		1			5	18
2		12		11		1	8		4			1				1			2	19
2		12		11		1	8		7			1		1					5	20
2		12		11		1	8		4			1				1			2	20
20		60	2	55	3		23	15	64	2	3	7	4	9	4		3	1	31	21
14		60	2	55	3		23	9	39		1	2	1	9	4		2	1	19	22
6		60	2	55	3		23	6	25	2	2	5	3				1		12	23
14		59	1	55	3		23	9	22					2	1		1		17	24
6		59	1	55	3		23	6	15	2	1	2	3						7	24
20		60	2	55	3		23	15	64	2	3	7	4	9	4		3	1	31	25
14		60	2	55	3		23	9	39		1	2	1	9	4		2	1	19	26
6		60	2	55	3		23	6	25	2	2	5	3				1		12	27
14		59	1	55	3		23	9	22					2	1		1		17	28
6		59	1	55	3		23	6	15	2	1	2	3						7	28
19		158	2	153	3		77	56	126	3	4	8	7	8	14	3	5	1	73	29
11		158	2	153	3		77	34	83	3	3	4	6	8	11	3	2	1	42	30
8		158	2	153	3		77	22	43		1	4	1		3		3		31	31
11		156	1	152	3		77	34	47	3		1	3	2	3	1		1	83	32
8		156	1	152	3		77	22	17			1			1		1		14	32
17		90	1	87	2		56	51	98	1	4	6	4	7	11	2	4	1	58	33
10		90	1	87	2		56	32	66	1	3	3	3	7	8	2	1	1	37	34
7		90	1	87	2		56	19	32		1	3	1		3		3		21	35
10		89	1	86	2		56	32	37			1	1	2	1	1		1	29	36
7		89	1	86	2		56	19	12			1			1		1		9	36
2		68	1	66	1		21	5	28	2		2	3	1	3	1	1		15	37
1		68	1	66	1		21	2	17	2			1	3	1	1	1		5	38
1		68	1	66	1		21	3	11			1			3				10	39
1		67		66	1		21	2	10	2			2		2				4	40
1		67		66	1		21	3	5										5	40

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

[See note at head of this table, p. 88.]

AREA AND BASIS OF DIAGNOSIS.		Aggregate.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—														
			Buccal cavity.						Stomach and liver.					Peritoneum, intestines, and rectum.			
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar-yx.	Esoph-agus.	Stom-ach.	Liver and gall blad-der.	Total.	Perito-neum and mesen-tery.	Intes-tines.	
RURAL PART OF REGISTRA-TION STATES ¹ —Continued.																	
WASHINGTON.																	
1	Total.....	372	20	6	4	5	4	1	174			131	43	35		22	
2	Males.....	195	13	5	3	2	3		111			92	19	20		13	
3	Females.....	177	7	1	1	3	1	1	63			39	24	15		9	
4	Diagnosis reasonably certain. (M.....	94	13	5	3	2	3		32			26	6	13		6	
	(F.....	117	7	1	1	3	1	1	15			7	8	9		3	
5	White.....	368	20	6	4	5	4	1	173			130	43	35		22	
6	Males.....	193	13	5	3	2	3		110			91	19	20		13	
7	Females.....	175	7	1	1	3	1	1	63			39	24	15		9	
8	Diagnosis reasonably certain. (M.....	93	13	5	3	2	3		31			25	6	13		6	
	(F.....	115	7	1	1	3	1	1	15			7	8	9		3	
9	Colored.....	4							1			1					
10	Males.....	2							1			1					
11	Females.....	2															
12	Diagnosis reasonably certain. (M.....	1							1			1					
	(F.....	2															
WISCONSIN.																	
13	Total.....	1,273	53	17	9	2	24	1	652	1	21	472	158	144	10	86	
14	Males.....	633	44	16	8	1	18	1	385		20	304	61	76	5	42	
15	Females.....	640	9	1	1	1	6		267	1	1	168	97	68	5	44	
16	Diagnosis reasonably certain. (M.....	243	44	16	8	1	18	1	67		2	56	9	45	4	12	
	(F.....	352	9	1	1	1	6		42			21	21	31	1	11	
17	White.....	1,266	52	17	9	2	23	1	650	1	21	472	156	144	10	84	
18	Males.....	632	44	16	8	1	18	1	384		20	304	60	76	5	42	
19	Females.....	634	8	1	1	1	5		266	1	1	168	96	68	5	44	
20	Diagnosis reasonably certain. (M.....	243	44	16	8	1	18	1	67		2	56	9	45	4	12	
	(F.....	347	8	1	1	1	5		42			21	21	31	1	11	
21	Colored.....	7	1					1	2				2				
22	Males.....	1							1				1				
23	Females.....	6	1				1		1				1				
24	Diagnosis reasonably certain. (M.....	5	1				1										
	(F.....	5	1														
25	Milwaukee County ¹	59	3	1			2		30		2	19	9	5		2	
26	Males.....	41	3	1			2		21		2	14	5	4		1	
27	Females.....	18							9			5	4	1		1	
28	Diagnosis reasonably certain. (M.....	26	3	1			2		8		1	4	3	3		1	
	(F.....	11							3			1	2	1			
29	Other rural districts.....	1,214	50	16	9	2	22	1	622	1	19	453	149	139	10	82	
30	Males.....	592	41	15	8	1	16	1	364		18	290	56	72	5	4	
31	Females.....	622	9	1	1	1	6		258	1	1	163	93	67	5	40	
32	Diagnosis reasonably certain. (M.....	217	41	15	8	1	16	1	59		1	52	6	42	4	16	
	(F.....	341	9	1	1	1	6		39			20	19	30	1	13	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR, FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF—																			
Peritoneum, intestines, and rectum—Con.		Female genital organs.					Breast.	Skin.	Other organs or of organs not specified.										
Rec-tum.	Others of this class.	Total.	Ovary and fallopian tube.	Uterus.	Vagina and vulva.	Others of this class.			Total.	Larynx.	Lung and pleura.	Pan-creas.	Kid-neys and supra-renals.	Pro-state.	Blad-der.	Brain.	Bones (except jaw).	Testes.	Others of this class.
13		43	2	41			31	16	53	1	4	7	2	8	4	1	3	1	22
7							1	12	38		4	5	2	8	3	1	1	1	13
6		43	2	41			30	4	15	1		2			1	2			9
7							1	12	23		2	5		3	1	1		1	10
6		43	2	41			30	4	9	1		1					1		6
13		41	2	39			31	16	52	1	4	7	2	8	4	1	2	1	22
7							1	12	37		4	5	2	8	3	1		1	13
6		41	2	39			30	4	15	1		2			1	2			9
7							1	12	23		2	5		3	1	1		1	10
6		41	2	39			30	4	9	1		1					1		6
		2		2					1								1		
									1								1		
		2		2															
		2		2															
		2		2															
48		119	9	102	6	2	102	57	146	2	5	12	12	24	11	3	9	3	65
29								30	98	2	4	8	6	24	7	1	8	3	35
19		119	9	102	6	2	102	27	48		1	4	6		4	2	1		30
29								30	57	2		4	4	8			1	3	32
19		115	6	102	6	1	101	27	27			2	1		3				21
48		118	9	101	6	2	99	57	146	2	5	12	12	24	11	3	9	3	65
29								30	98	2	4	8	6	24	7	1	8	3	35
19		118	9	101	6	2	99	27	48		1	4	6		4	2	1		30
29								30	57	2		4	4	8			1	3	32
19		114	6	101	6	1	98	27	27			2	1		3				21
		1		1			3												
		1		1			3												
		1		1			3												
3		6	1	4	1			2	13				1	2					10
3								2	11					2					9
		6	1	4	1			2	2				1						1
									10					1					9
		6	1	4	1				1										1
45		113	8	98	5	2	102	55	133	2	5	12	11	22	11	3	9	3	55
26								28	87	2	4	8	6	22	7	1	8	3	26
19		113	8	98	5	2	102	27	46		1	4	5		4	2	1		29
26								28	47	2		4	4	7			1	3	23
19		109	5	98	5	1	101	27	26			2	1		3				20

* Includes National Military Home.

MORTALITY FROM CANCER.

TABLE 3.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA
NATIVITY OF

AREA AND SEX, COLOR, AND NATIVITY.			All deaths.	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
REGISTRATION AREA.													
1	Total.....		52,420	49	42	61	43	42	237	122	92	174	294
2	Males.....		21,282	21	20	33	27	17	118	70	54	86	147
3	Females.....		31,138	28	22	28	16	25	119	52	38	88	147
4	White.....		50,515	47	41	60	42	40	230	118	84	167	269
5	Males.....		20,717	21	19	32	27	16	115	69	48	86	140
6	Females.....		29,798	26	22	28	15	24	115	49	36	81	129
7	Native.....		31,288	46	39	60	42	39	226	113	76	141	213
8	Males.....		11,586	21	18	32	27	16	114	66	44	72	111
9	Females.....		19,702	25	21	28	15	23	112	47	32	69	102
10	Both parents native.....	(M.....)	6,342	8	10	19	19	7	63	35	28	38	61
		(F.....)	11,306	13	16	14	7	16	66	29	19	40	54
11	One or both parents foreign.....	(M.....)	3,144	13	8	12	8	8	49	27	16	33	45
		(F.....)	5,365	11	4	14	8	7	44	17	12	29	40
12	Parentage unknown.....	(M.....)	2,100	1	1	1	1	1	2	4	1	1	5
		(F.....)	3,031	1	1	1	1	1	2	1	1	1	8
13	Foreign.....		18,775	1	2	1	1	1	4	3	8	25	55
14	Males.....		8,871	1	1	1	1	1	1	1	4	14	29
15	Females.....		9,904	1	1	1	1	1	3	2	4	11	26
16	Unknown.....		452	2	1	1	1	1	1	2	1	1	1
17	Males.....		260	2	1	1	1	1	1	2	1	1	1
18	Females.....		192	2	1	1	1	1	1	1	1	1	1
19	Colored.....		1,905	2	1	1	1	2	7	4	8	7	25
20	Males.....		565	2	1	1	1	1	3	1	6	7	7
21	Females.....		1,340	2	1	1	1	1	4	3	2	7	18
22	Negro.....	(M.....)	507	2	1	1	1	1	3	1	4	7	7
		(F.....)	1,317	2	1	1	1	1	4	2	2	7	18
23	Indian.....	(M.....)	7	1	1	1	1	1	1	1	1	1	1
		(F.....)	15	1	1	1	1	1	1	1	1	1	1
24	Chinese.....	(M.....)	37	1	1	1	1	1	1	1	1	1	1
		(F.....)	3	1	1	1	1	1	1	1	1	1	1
25	Japanese.....	(M.....)	12	1	1	1	1	1	1	1	1	1	1
		(F.....)	5	1	1	1	1	1	1	1	1	1	1
26	Other colored.....	(M.....)	2	1	1	1	1	1	1	1	1	1	1
		(F.....)	2	1	1	1	1	1	1	1	1	1	1
REGISTRATION STATES. ¹													
27	Total.....		47,986	45	39	56	36	40	216	110	87	165	243
28	Males.....		19,474	18	19	30	22	16	105	62	52	81	124
29	Females.....		28,512	27	20	26	14	24	111	48	35	84	119
30	White.....		46,549	43	38	55	35	38	209	106	79	160	231
31	Males.....		19,047	18	18	29	22	15	102	61	46	81	120
32	Females.....		27,502	25	20	26	13	23	107	45	33	79	111
33	Native.....		29,192	42	36	55	35	37	205	101	73	135	184
34	Males.....		10,842	18	17	29	22	15	101	58	42	68	96
35	Females.....		18,350	24	19	26	13	22	104	43	31	67	88
36	Both parents native.....	(M.....)	6,020	7	10	18	17	7	59	31	27	36	54
		(F.....)	10,649	12	14	13	7	15	61	27	19	38	48
37	One or both parents foreign.....	(M.....)	2,883	11	7	10	5	7	40	23	15	31	38
		(F.....)	4,953	11	4	13	6	7	41	15	11	29	34
38	Parentage unknown.....	(M.....)	1,939	1	1	1	1	1	2	4	1	1	4
		(F.....)	2,748	1	1	1	1	1	2	1	1	1	6
39	Foreign.....		16,936	1	2	1	1	1	4	3	6	24	46
40	Males.....		7,967	1	1	1	1	1	1	1	4	13	24
41	Females.....		8,969	1	1	1	1	1	3	2	2	11	22
42	Unknown.....		421	2	1	1	1	1	1	2	1	1	1
43	Males.....		238	2	1	1	1	1	1	2	1	1	1
44	Females.....		183	2	1	1	1	1	1	1	1	1	1
45	Colored.....		1,437	2	1	1	1	2	7	4	8	5	12
46	Males.....		427	2	1	1	1	1	3	1	6	4	4
47	Females.....		1,010	2	1	1	1	1	4	3	2	5	8
48	Negro.....	(M.....)	381	2	1	1	1	1	3	1	4	4	4
		(F.....)	989	2	1	1	1	1	4	2	2	5	8
49	Indian.....	(M.....)	6	1	1	1	1	1	1	1	1	1	1
		(F.....)	14	1	1	1	1	1	1	1	1	1	1
50	Chinese.....	(M.....)	29	1	1	1	1	1	1	1	1	1	1
		(F.....)	2	1	1	1	1	1	1	1	1	1	1
51	Japanese.....	(M.....)	9	1	1	1	1	1	1	1	1	1	1
		(F.....)	5	1	1	1	1	1	1	1	1	1	1
52	Other colored.....	(M.....)	2	1	1	1	1	1	1	1	1	1	1
		(F.....)	2	1	1	1	1	1	1	1	1	1	1

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

183

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS AT AGE OF—																	Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
587	1,064	2,119	3,325	4,632	6,131	6,663	6,909	6,780	5,883	4,033	2,213	823	225	34	8	57	
222	323	566	967	1,502	2,323	2,741	3,071	3,134	2,754	1,757	966	352	94	9	4	22	
365	741	1,553	2,358	3,130	3,808	3,922	3,838	3,646	3,139	2,276	1,247	476	131	25	4	35	
541	976	1,935	3,129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	221	31	7	52	
211	304	528	919	1,441	2,232	2,666	2,995	3,077	2,714	1,736	960	351	92	9	4	20	
330	672	1,407	2,210	2,932	3,606	3,788	3,713	3,552	3,074	2,228	1,225	465	129	22	3	32	
385	687	1,325	2,070	2,686	3,573	4,063	4,010	3,844	3,415	2,378	1,368	521	152	15	5	32	
137	201	305	515	707	1,164	1,498	1,631	1,656	1,519	975	571	224	59	5	2	10	
248	496	1,020	1,555	1,979	2,409	2,555	2,379	2,188	1,896	1,403	797	297	93	10	3	22	
77	108	153	245	321	558	698	883	997	927	613	348	139	43	4	2	3	
143	275	540	803	1,025	1,190	1,364	1,377	1,394	1,252	940	523	190	59	5	2	16	
50	85	121	220	296	458	582	450	306	207	116	60	17	2	2	2	2	
79	175	371	591	714	904	841	605	377	280	167	78	29	7	2	1	5	
10	8	31	50	88	148	218	298	353	385	246	163	68	14	1	2	2	
26	36	109	161	240	315	350	397	417	364	296	196	78	27	3	3	4	
153	281	594	1,034	1,660	2,214	2,349	2,634	2,712	2,328	1,545	796	286	65	16	2	11	
73	97	214	395	715	1,034	1,140	1,326	1,378	1,167	741	375	124	33	4	2	4	
80	184	380	639	945	1,180	1,209	1,306	1,334	1,161	804	421	162	32	12	7	15	
3	8	16	25	27	51	52	64	73	45	41	21	9	4	9	
1	6	9	9	19	34	28	38	43	28	20	14	3	6	
2	2	7	16	8	17	24	26	30	17	21	7	6	4	3	
46	88	184	196	259	293	209	201	151	106	69	28	12	4	3	1	5	
11	19	38	48	61	91	75	76	57	40	21	6	1	2	2	
35	69	146	148	198	202	134	125	94	65	48	22	11	2	3	1	20	
11	18	34	44	55	77	68	63	54	38	21	6	1	2	
35	67	143	148	196	199	131	123	90	64	47	22	10	2	3	1	3	
.....	1	1	2	1	1	1	1	
.....	1	2	2	2											

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

SEX, COLOR, AND NATIVITY.			All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE BUCCAL CAVITY.													
1	Total.....		2,086	1	1	1	4	7	6	8	9	3
2	Males.....		1,724	1	2	3	4	6	5	3
3	Females.....		362	1	1	2	4	2	2	4
4	White.....		2,045	1	1	1	4	7	4	6	9	3
5	Males.....		1,696	1	2	3	3	5	5	3
6	Females.....		349	1	1	2	4	1	1	4
7	Native.....		1,246	1	1	1	4	7	4	6	6	2
8	Males.....		1,003	1	2	3	3	5	3	2
9	Females.....		243	1	1	2	4	1	1	3
10	Both parents native.....	(M	535	1	2	3	2	3	2	2
		(F	136	1	2	3	1	2
11	One or both parents foreign.....	(M	247	2	3	2	1
		(F	65	1	1	1	1
12	Parentage unknown.....	(M	221	1
		(F	42
13	Foreign.....		765	3	1
14	Males.....		660	2	1
15	Females.....		105	1
16	Unknown.....		34
17	Males.....		33
18	Females.....		1
19	Colored.....		41	2	2
20	Males.....		28	1	1
21	Females.....		13	1	1
22	Negro.....	(M	25	1	1
		(F	11	1	1
23	Indian.....	(F	2
24	Chinese.....	(M	3
Cancer of the lip.													
25	Total.....		354	2
26	Males.....		328	1
27	Females.....		26	1
28	White.....		352	1
29	Males.....		327	1
30	Females.....		25
31	Native.....		218	1
32	Males.....		206	1
33	Females.....		12
34	Both parents native.....	(M	111	1
		(F	8
35	One or both parents foreign.....	(M	39
		(F	1
36	Parentage unknown.....	(M	56
		(F	3
37	Foreign.....		128
38	Males.....		115
39	Females.....		13
40	Unknown.....	(M	6
41	Colored.....		2	1
42	Negro.....	(M	1
		(F	1	1
Cancer of the tongue.													
43	Total.....		547	1	1	2
44	Males.....		465	1
45	Females.....		82	1	1	1
46	White.....		537	1	1	2
47	Males.....		458	1
48	Females.....		79	1	1	1
49	Native.....		295	1	1	2
50	Males.....		235	1
51	Females.....		60	1	1	1
52	Both parents native.....	(M	113	1
		(F	35	1
53	One or both parents foreign.....	(M	76
		(F	14	1	1
54	Parentage unknown.....	(M	46
		(F	11

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Dea at u kno ag
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
1	1	2	4	27	23	36	39	38	30	27	7	2	1			
1	1	2	2	25	21	36	36	35	29	24	6	2	1			
	1		2	2	2	1	1	3	1	3	1					
						1	1									
			2	2		1	1	2	2							
			2	1		1	1	2	1							
			2	1		1	1	2	1							
			2	1		1	1	2	1							
							1									
1		1	8	9	15	25	31	35	35	26	18	6	2			
1			5	9	13	22	26	29	28	17	13	3	2			
		1	3	2	2	3	5	6	7	9	5	3				
1		1	8	9	15	25	30	35	35	26	18	6	2			
1			5	9	13	22	26	29	28	17	13	3	2			
		1	3	2	2	3	4	6	7	9	5	3				
1		1	6	5	8	16	15	24	22	19	11	3	1			
1			4	5	7	13	12	20	16	12	9	2	1			
		1	2	1	1	3	3	4	6	7	2	1				
1		1	2	1	4	7	10	17	11	8	4	2	1			
			1	3	2	4	1	3	5	5	2	1				
			2	1	1	1	1	1	1	2	1					
				1	1	2	2	2	4	3	4					
			2	4	7	7	13	10	12	6	6	3	1			
			1	4	6	7	12	8	11	4	3	1	1			
			1	1	1		1	2	1	2	3	2				
						2	2	1	1	1	1					
							1									
6	8	17	38	49	76	92	92	121	115	83	44	20	3			
6	6	12	29	38	62	80	71	101	90	60	32	15	2			
	2	5	9	11	14	12	21	20	25	23	12	6	1			
6	8	15	37	48	73	87	90	118	115	81	43	20	3			
6	6	11	28	37	59	76	70	99	90	59	31	15	2			
	2	4	9	11	14	11	20	19	25	22	12	5	1			
3	5	8	25	26	50	55	58	80	64	50	29	13	2			
3	3	5	17	18	41	46	46	64	47	36	22	9	1			
	2	3	8	8	9	9	12	16	17	14	7	4	1			
	1	1	10	7	23	25	20	39	21	18	9	7	1			
		1	3	1	4	5	6	8	9	7	5	3				
		2	6	9	11	15	14	15	8	6	4					
		2	4	6	4	3	4	5	6	2	1					
1		2	1	2	7	6	12	10	18	12	9	2	1			
		1	1	1	1	1	2	3	2	5	1	1				
3	3	7	12	19	21	29	32	37	49	30	13	5	1			
3	3	6	11	16	17	27	24	34	41	22	8	4	1			
		1	1	3	4	2	8	3	8	8	5	1				
				3	2	3		1	2	1	1	2				
					1	3										
				3	1			1	2	1	1	2				
					1											
		2	1	1	3	5	2	3		2	1					
		1	1	1	3	4	1	2		1	1					
		1	1	1	3	4	1	1		1	1					
		1	1	1	3	4	1	2		1	1					
						1	1	1								

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE BUCCAL CAVITY—continued.												
Others of this class.												
1	Total.....	184									2	1
2	Males.....	142									1	1
3	Females.....	42									1	
4	White.....	179									2	
5	Males.....	139									1	1
6	Females.....	40									1	
7	Native.....	115									2	1
8	Males.....	90									1	1
9	Females.....	25									1	
10	Both parents native.....	17									1	1
11	One or both parents foreign.....	22									1	
12	Parentage unknown.....	16										
13	Foreign.....	63										
14	Males.....	48										
15	Females.....	15										
16	Unknown.....	1										
17	Colored.....	5										
18	Males.....	3										
19	Females.....	2										
20	Negro.....	1										
21	Chinese.....	2										
CANCER OF THE STOMACH AND LIVER.												
22	Total.....	18,285	7	6	5	4	4	26	9	6	17	32
23	Males.....	9,236	2	2	2	3	1	10	7	4	6	13
24	Females.....	9,049	5	4	3	1	3	16	2	2	11	19
25	White.....	17,806	7	6	5	4	4	26	9	6	17	28
26	Males.....	9,004	2	2	2	3	1	10	7	4	6	12
27	Females.....	8,802	5	4	3	1	3	16	2	2	11	16
28	Native.....	9,773	7	5	5	4	4	25	8	6	13	23
29	Males.....	4,584	2	2	2	3	1	10	6	4	5	9
30	Females.....	5,189	5	3	3	1	3	15	2	2	8	14
31	Both parents native.....	2,483	1	2	2	3	1	9	3	2	1	7
32	One or both parents foreign.....	2,994	4	1	1	1		7	1	1	5	7
33	Parentage unknown.....	1,257	1					1	2	2	4	1
34	Foreign.....	1,337		2	2		3	7	1	1	3	5
35	Males.....	844										1
36	Females.....	858	1					1	1			2
37	Unknown.....	7,859		1				1			4	5
38	Males.....	4,308									1	3
39	Females.....	3,551		1				1			3	2
40	Colored.....	174							1			
41	Males.....	112										
42	Females.....	62							1			
43	Negro.....	479										4
44	Males.....	232										1
45	Females.....	247										3
46	Indian.....	201										1
47	Chinese.....	238										3
48	Japanese.....	3										
49	Other colored.....	6										
50	Cancer of the pharynx.	20										
51	Total.....	50							1		2	
52	Males.....	41							1		1	
53	Females.....	9									1	
54	White.....	46							1		2	
55	Males.....	37							1		1	
56	Females.....	9									1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
1	5	3	8	12	16	18	26	22	31	21	12	2	4			1
1	3	3	6	12	11	17	20	18	23	14	9	1	2			2
2			2		5	1	6	4	8	7	3	1	2			3
1	4	3	8	11	14	18	25	22	31	21	12	2	4			4
1	3	3	6	11	10	17	19	18	23	14	9	1	2			5
1	1		2		4	1	6	4	8	7	3	1	2			6
1	1	2	5	6	7	12	11	14	21	19	9	2	2			7
1	1	2	4	6	5	11	9	12	15	12	8	1	1			8
1	1	1	2	3	2	1	5	2	6	7	6	1	1			9
			1		2		2	5	7	10	6	1	1			10
			2	3	2		5	2	5	6	1	1				11
			1		1		1	3	5	2	2	1	1			12
							2									13
	3	1	3	5	7	5	14	8	10	2	3		2			14
	2	1	2	5	5	5	10	6	8	2	1		1			15
	1		1		2		4	2	2		2					16
						1										17
	1			1	2		1									18
					1											19
	1				1											20
				1			1									21
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2,441	1,631	822	226	52	6	1	21
52	92	233	402	671	1,112	1,278	1,455	1,441	1,217	747	374	94	20		1	7
61	120	254	402	645	948	1,151	1,300	1,378	1,224	884	448	132	32	6		14
108	200	455	777	1,256	1,987	2,372	2,677	2,762	2,410	1,607	812	224	49	5	1	18
51	88	219	384	646	1,071	1,249	1,412	1,411	1,204	739	372	94	18		1	26
57	112	236	393	610	916	1,123	1,265	1,351	1,206	868	440	130	31	5		12
72	119	258	423	649	1,041	1,324	1,468	1,475	1,339	893	458	133	34	1	1	10
36	51	107	184	291	506	645	735	714	639	384	192	52	10		1	3
36	68	151	239	358	535	679	733	761	700	509	265	81	24			7
18	31	46	89	130	247	284	402	436	390	239	119	30	10			30
25	41	79	114	185	262	348	396	490	465	339	174	41	10			31
14	18	49	76	123	199	267	196	124	96	51	31	2				4
9	21	58	102	132	207	253	201	124	102	69	24	15		1		1
4	2	12	19	38	60	94	137	154	163	94	42	20			1	32
2	6	14	23	41	66	78	136	147	133	101	68	25	13			2
35	79	192	346	597	914	1,031	1,187	1,255	1,055	701	345	88	15	4		5
15	36	107	196	346	541	592	662	677	557	349	176	41	8			1
20	43	85	150	251	373	439	525	578	498	352	169	47	7	4		4
1	2	5	8	10	32	17	22	32	16	13	9	3				3
1	1	5	4	9	24	12	15	20	8	6	4	1				2
	1		4	1	8	5	7	12	8	7	5	2				1
5	12	32	27	60	73	57	78	57	31	24	10	2	3	1		3
1	4	14	18	25	41	29	43	30	13	8	2		2			41
4	8	18	9	35	32	28	35	27	18	16	8	2	1	1		2
1	4	13	16	21	31	25	36	28	13	8	2		1	1		42
4	7	16	9	34	32	27	35	25	17	15	8	2	1	1		1
					1								1			43
	1	1			2	6	3	2	1	1						44
		1			2	3		1								45
					1											46
																47
																48
																49
																50
																51
																52
																53

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE STOMACH AND LIVER—contd.												
Cancer of the pharynx—Continued.												
1	White—Continued.											
2	Native.....	27							1		1	
3	Males.....	20							1			
4	Females.....	7									1	
5	Both parents native.....	6										
6	One or both parents foreign.....	11							1			
7	Parentage unknown.....	3									1	
8	Foreign.....	19									1	
9	Males.....	17									1	
10	Females.....	2										
11	Colored—Negro.....	4										
Cancer of the esophagus.												
12	Total.....	534										
13	Males.....	413										
14	Females.....	121										
15	White.....	519										
16	Males.....	404										
17	Females.....	115										
18	Native.....	176										
19	Males.....	122										
20	Females.....	54										
21	Both parents native.....	52										
22	One or both parents foreign.....	36										
23	Parentage unknown.....	49										
24	Foreign.....	13										
25	Males.....	21										
26	Females.....	5										
27	Foreign.....	337										
28	Males.....	277										
29	Females.....	60										
30	Unknown.....	6										
31	Males.....	5										
32	Females.....	1										
33	Colored.....	15										
34	Males.....	9										
35	Females.....	6										
36	Negro.....	6										
37	Japanese.....	3										
Cancer of the stomach.												
38	Total.....	11,733		3		1	1	5	2		6	20
39	Males.....	6,405		1		1	1	3	1		3	5
40	Females.....	5,328		2				2	1		3	15
41	White.....	11,417		3		1	1	5	2		6	16
42	Males.....	6,249		1		1	1	3	1		3	4
43	Females.....	5,168		2				2	1		3	12
44	Native.....	6,027		2		1	1	4	2		5	14
45	Males.....	3,112		1		1	1	3	1		3	3
46	Females.....	2,915		1				1	1		2	11
47	Both parents native.....	1,662		1		1	1	3				3
48	One or both parents foreign.....	1,648										6
49	Parentage unknown.....	871									3	
50	Foreign.....	772		1				1	1		2	4
51	Males.....	579							1			1
52	Females.....	495										
53	Foreign.....	5,271		1				1			1	2
54	Males.....	3,059										1
55	Females.....	2,212		1				1			1	1
56	Unknown.....	119										
57	Males.....	78										
58	Females.....	41										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
		1	2	1	6	7	3		3	1		1				1
		1	1	1	6	5	3		1			1				2
		1	1	1	2	2	1		2	1						3
		1	1	1	3	3	2		1	1						4
					1	1			1			1				5
									1							6
				2		6	1	4	1	3	1					7
				2		6	1	4	1	1	1					8
				1			1	1	1							9
																10
2	2	13	24	46	77	76	82	78	63	40	21	9	1			11
2	1	4	17	36	64	67	65	58	47	31	14	6	1			12
	1	9	7	10	13	9	17	20	16	9	7	3				13
2	2	12	22	42	72	76	79	78	63	40	21	9	1			14
2	1	4	15	33	60	67	65	58	47	31	14	6	1			15
	1	8	7	9	12	9	14	20	16	9	7	3				16
2	2	4	11	18	22	27	20	24	16	16	7	6	1			17
2	1		6	13	18	19	15	18	9	11	5	4	1			18
	1	4	5	5	4	8	5	6	7	5	2	2				19
2			1	3	7	9	4	9	4	6	4	2	1			20
	1	1	4	4	1	4	3	4	6	4	2	2				21
	1		5	8	9	8	7	7	2	2						22
		3	1	2	2	4	1	1	1	3	1	2				23
				1	1	2	1	1		1						24
		8	11	23	49	48	58	53	47	23	14	3				25
		4	9	19	41	47	49	40	38	19	9	2				26
		4	2	4	8	1	9	13	9	4	5	1				27
				1	1	1	1	1		1						28
				1	1	1	1									29
		1	2	4	5		3									30
			2	3	4											31
		1	1	1	2		3									32
		1		1	1		3									33
				1	2											34
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	544	141	37	3		10
35	65	162	282	461	789	889	1,015	1,007	833	520	257	60	14			4
37	69	161	234	368	524	655	763	802	754	540	287	81	23	3		6
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3		8
34	62	156	271	444	760	870	986	986	823	515	255	60	12			4
35	65	150	228	343	503	639	741	786	742	529	281	79	22	3		4
45	76	162	246	384	647	804	912	912	840	561	306	78	24			5
21	38	70	121	191	358	440	503	493	438	255	134	32	6			2
24	38	92	125	193	289	364	409	419	402	306	172	46	18			3
7	25	25	53	81	183	196	272	297	252	160	80	19	6			4
18	19	50	61	94	147	181	208	270	253	196	113	23	7			2
12	12	35	52	85	133	178	141	93	75	27	23	2				4
6	18	36	55	73	114	134	120	72	65	44	19	7	1			2
2	1	10	16	25	42	66	90	103	111	68	31	11				1
	1	6	9	26	28	49	81	77	84	66	40	10				1
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3		1
13	23	82	146	248	385	422	473	478	381	255	117	28	6			1
10	26	58	101	150	211	271	327	359	335	219	104	31	4	3		4
1	2	4	6	5	20	12	15	23	9	9	9	2				2
	1	4	4	5	17	8	10	15	4	5	4					1
1	1		2		3	4	5	8	5	4	5	2				1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE STOMACH AND LIVER—contd.												
Cancer of the stomach—Continued.												
1	Colored.....	316										4
2	Males.....	156										1
3	Females.....	160										3
4	Negro.....	140										1
5	Indian.....	155										3
6	Chinese.....	3										
7	Japanese.....	2										
		9										
		4										
		3										
Cancer of the liver and gall bladder.												
8	Total.....	5,968	7	3	5	3	3	21	6	6	9	12
9	Males.....	2,377	2	1	2	2		7	5	4	2	8
10	Females.....	3,591	5	2	3	1	3	14	1	2	7	4
11	White.....	5,824	7	3	5	3	3	21	6	6	9	12
12	Males.....	2,314	2	1	2	2		7	5	4	2	8
13	Females.....	3,510	5	2	3	1	3	14	1	2	7	4
14	Native.....	3,543	7	3	5	3	3	21	5	6	7	9
15	Males.....	1,330	2	1	2	2		7	4	4	2	6
16	Females.....	2,213	5	2	3	1	3	14	1	2	5	3
17	Both parents native.....	763	1	1	2	2		6	3	2	1	4
18	One or both parents foreign.....	1,306	4	1	1	1		7	1	1	5	1
19	Parentage unknown.....	326	1					1	1	2	1	1
		549		1	2		3	6		1		1
		241										1
		358	1					1				1
20	Foreign.....	2,232									2	3
21	Males.....	955										2
22	Females.....	1,277									2	1
23	Unknown.....	49							1			
24	Males.....	29							1			
25	Females.....	20										
26	Colored.....	144										
27	Males.....	63										
28	Females.....	81										
29	Negro.....	51										
30	Indian.....	77										
31	Chinese.....	4										
32	Other colored.....	11										
		1										
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM.												
33	Total.....	6,234	4	5	4	1	5	19	17	10	20	49
34	Males.....	2,690	1	3	1	1	2	8	10	9	15	28
35	Females.....	3,544	3	2	3		3	11	7	1	5	21
36	White.....	6,108	4	5	4	1	4	18	17	9	20	47
37	Males.....	2,649	1	3	1	1	1	7	10	8	15	28
38	Females.....	3,459	3	2	3		3	11	7	1	5	19
39	Native.....	3,842	4	5	4	1	3	17	16	8	18	36
40	Males.....	1,576	1	3	1	1	1	7	10	7	13	21
41	Females.....	2,266	3	2	3		2	10	6	1	5	15
42	Both parents native.....	897		1	1			2	6	5	6	10
43	One or both parents foreign.....	1,306	2				1	3	4	1	2	7
44	Parentage unknown.....	445	1	2		1	1	5	4	2	7	10
		640	1	1	3		1	6	2		3	6
		234										1
		320		1				1				2
45	Foreign.....	2,236					1	1	1	1	2	11
46	Males.....	1,056								1	2	7
47	Females.....	1,180					1	1	1			4
48	Unknown.....	30										
49	Males.....	17										
50	Females.....	13										
51	Colored.....	126					1	1		1		2
52	Males.....	41					1	1		1		
53	Females.....	85										2
54	Negro.....	36					1	1				2
55	Indian.....	83										
		1										
		1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

193

DEATHS AT AGE OF—																Deaths at unknown age.	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3	7	17	17	42	50	35	51	37	22	16	8	2	3	2	1
1	3	6	11	17	29	19	29	21	10	5	2	2	2
2	4	11	6	25	21	16	22	16	12	11	6	2	1	3
1	3	6	10	14	23	18	26	20	10	5	2	1	4
2	4	10	6	24	21	15	22	15	11	11	6	2	1	5
.....	1	1	1	6
.....	2	4	3	1	1	7
.....	1	1	1	1
.....
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11	8
15	26	66	102	170	253	311	370	371	334	195	102	27	5	1	3	9
24	50	84	160	267	411	485	520	556	452	332	154	48	9	3	8	10
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10	11
15	25	58	97	166	245	301	357	363	332	192	102	27	5	1	2	12
22	46	78	157	258	401	473	510	545	446	327	152	48	9	2	8	13
25	41	91	164	246	366	486	533	539	480	315	145	48	9	1	1	5	14
13	12	26	56	86	124	181	214	203	191	118	53	15	3	1	1	15
12	29	55	108	160	242	305	319	336	289	197	92	33	6	1	4	16
9	6	21	35	45	55	77	125	130	124	73	35	9	3	17
7	21	28	48	87	114	162	185	216	205	138	59	16	3	18
2	5	13	18	30	54	78	46	24	19	22	8	19
3	3	19	46	59	91	114	80	51	35	25	5	8	1	1	20
2	1	2	3	11	15	26	43	49	48	23	10	6	1	21
2	5	8	14	14	37	29	54	69	49	34	28	9	3	22
12	30	44	88	174	269	284	328	361	291	201	109	26	5	1	4	23
2	13	21	41	77	115	117	139	155	137	74	49	11	2	24
10	17	23	47	97	154	167	189	206	154	127	60	15	3	1	4	25
.....	1	2	4	11	4	6	8	7	3	1	1	26
.....	3	6	3	4	5	4	1	27
.....	2	1	5	1	2	3	3	3				

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE STOMACH AND LIVER—contd.												
Cancer of the stomach—Continued.												
1 Colored.....		316										4
2 Males.....		156										1
3 Females.....		160										3
4 Negro.....	M	140										1
	F	155										3
5 Indian.....	M	3										
	F	2										
6 Chinese.....	M	9										
	F	4										
7 Japanese.....	M	3										
	F											
Cancer of the liver and gall bladder.												
8 Total.....		5,968	7	3	5	3	3	21	6	6	9	12
9 Males.....		2,377	2	1	2	2		7	5	4	2	8
10 Females.....		3,591	5	2	3	1	3	14	1	2	7	4
11 White.....		5,824	7	3	5	3	3	21	6	6	9	12
12 Males.....		2,314	2	1	2	2		7	5	4	2	8
13 Females.....		3,510	5	2	3	1	3	14	1	2	7	4
14 Native.....		3,543	7	3	5	3	3	21	5	6	7	9
15 Males.....		1,330	2	1	2	2		7	4	4	2	6
16 Females.....		2,213	5	2	3	1	3	14	1	2	5	3
17 Both parents native.....	M	763	1	1	2	2		6	3	2	1	4
	F	1,306	4	1	1	1		7	1	1	5	1
18 One or both parents foreign.....	M	326	1					1	1	2	1	1
	F	549		1	2		3	6		1		1
19 Parentage unknown.....	M	241										1
	F	358	1					1				1
20 Foreign.....		2,232									2	3
21 Males.....		955										2
22 Females.....		1,277									2	1
23 Unknown.....		49							1			
24 Males.....		29							1			
25 Females.....		20										
26 Colored.....		144										
27 Males.....		63										
28 Females.....		81										
29 Negro.....	M	51										
	F	77										
30 Indian.....	M	4										
31 Chinese.....	M	11										
32 Other colored.....	M	1										
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM.												
33 Total.....		6,234	4	5	4	1	5	19	17	10	20	49
34 Males.....		2,690	1	3	1	1	2	8	10	9	15	28
35 Females.....		3,544	3	2	3		3	11	7	1	5	21
36 White.....		6,108	4	5	4	1	4	18	17	9	20	47
37 Males.....		2,649	1	3	1	1	1	7	10	8	15	28
38 Females.....		3,459	3	2	3		3	11	7	1	5	19
39 Native.....		3,842	4	5	4	1	3	17	16	8	18	36
40 Males.....		1,576	1	3	1	1	1	7	10	7	13	21
41 Females.....		2,266	3	2	3		2	10	6	1	5	15
42 Both parents native.....	M	897		1	1			2	6	5	6	10
	F	1,306	2				1	3	4	1	2	7
43 One or both parents foreign.....	M	445	1	2		1	1	5	4	2	7	10
	F	640	1	1	3		1	6	2		3	6
44 Parentage unknown.....	M	234										1
	F	320		1				1				2
45 Foreign.....		2,236					1	1	1	1	2	11
46 Males.....		1,056								1	2	7
47 Females.....		1,180					1	1	1			4
48 Unknown.....		30										
49 Males.....		17										
50 Females.....		13										
51 Colored.....		126					1	1		1		2
52 Males.....		41					1	1		1		
53 Females.....		85										2
54 Negro.....	M	36					1	1				
	F	83										2
55 Indian.....	M	1										
	F	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

193

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
3	7	17	17	42	50	35	51	37	22	16	8	2	3			2
1	3	6	11	17	29	19	29	21	10	5	2		2			2
2	4	11	6	25	21	16	22	16	12	11	6	2	1			2
1	3	6	10	14	23	18	26	20	10	5	2		1			2
2	4	10	6	24	21	15	22	15	11	11	6	2	1			2
					1	1		1					1			
				2	4		3		1							
			1	1	1		1									
		1		1		1										
39	76	150	262	437	664	796	890	927	786	527	256	75	14	3	1	11
15	26	66	102	170	253	311	370	371	334	195	102	27			1	3
24	50	84	160	267	411	485	520	556	452	332	154	48	5	3		8
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10
15	25	58	97	166	245	301	357	363	332	192	102	27	5		1	2
22	46	78	157	258	401	473	510	545	446	327	152	48	9	2		8
25	41	91	164	246	366	486	533	539	480	315	145	48	9	1	1	5
13	12	36	56	86	124	181	214	203	191	118	53	15	3		1	1
12	29	55	108	160	242	305	319	336	289	197	92	33	6	1		4
9	6	21	35	45	55	77	125	130	124	73	35	9	3			17
7	21	28	48	87	114	162	185	216	205	138	59	16	3			2
2	5	13	18	30	54	78	46	24	19	22	8					1
3	3	19	46	59	91	114	80	51	25	5	8			1		1
2	1	2	3	11	15	26	43	49	48	23	10	6			1	1
2	5	8	14	14	37	29	54	69	49	34	28	9	3			1
12	30	44	88	174	269	284	328	361	291	201	109	26	5	1		4
2	13	21	41	77	115	117	139	155	137	74	49	11	2			21
10	17	23	47	97	154	167	189	206	154	127	60	15	3	1		4
		1	2	4	11	4	6	8	7	3		1				1
		1		3	6	3	4	5	4			1				1
		2		1	5	1	2	3	3	3						24
2	5	14	8	13	18	22	23	19	8	8	2			1		1
	1	8	5	4	8	10	13	8	2	3						1
2	4	6	3	9	10	12	10	11	6	5	2			1		28
	1	7	4	4	6	7	9	7	2	3						1
2	3	5	3	9	10	12	10	10	6	4	2			1		30
	1						1	1		1						31
	1				2	3	4	1								32
		1														
96	151	218	336	483	631	777	873	858	799	536	249	83	23	2		4
48	65	80	151	201	263	339	400	375	336	220	96	87	8			1
48	86	138	185	282	368	438	473	483	463	316	153	46	15	2		3
94	144	201	327	472	619	762	858	847	788	529	246	82	23	1		4
47	63	76	148	196	260	332	397	372	332	217	95	37	8			1
47	81	125	179	276	359	430	461	475	456	312	151	45	15	1		3
61	101	136	222	309	386	484	524	490	466	331	166	51	16	1		3
29	44	43	87	114	147	211	219	207	202	124	63	23	4			1
32	57	93	135	195	239	273	305	283	264	207	103	28	12	1		2
17	26	25	45	52	77	115	114	128	131	79	42	15	2			42
20	34	45	53	104	122	153	179	161	176	134	71	26	9	1		1
12	18	12	34	53	59	79	67	39	24	14	3	2				1
10	20	40	71	76	86	88	83	65	45	28	9			1		1
		6	8	9	11	17	38	40	47	31	18	6	2			44
2	3	8	11	15	31	32	43	57	43	45	23	2	2			
32	42	64	102	161	233	274	328	352	320	195	79	31	6			1
18	19	32	59	80	113	121	175	161	128	91	31	14	4			46
14	23	32	43	81	120	153	153	191	192	104	48	17	2			1
1	1	1	3	2		4	6	5	2	3	1		1			48
		1	2	2				3	2	2	1					49
1	1		1			4	3	1		1			1			50
2	7	17	9	11	12	15	15	11	11	7	3	1		1		51
1	2	4	3	5	3	7	3	3	4	3	1					52
1	5	13	6	6	9	8	12	8	7	4	2	1		1		53
1	2	3	3	5	2	7	2	2	4	3	1					54
1	4	13	6	6	9	7	12	8	7	4	2	1		1		55

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.			All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.													
Colored—Continued.													
1	Chinese.....	M.	1										
2	Japanese.....	M.	2										
3	Other colored.....	F.	1										
		M.	1								1		
Cancer of the mesentery and peritoneum.													
4	Total.....		447	2	2	2	1	7	5	3	8	9	
5	Males.....		168		1		1	2	3	3	7	6	
6	Females.....		279	2	1	2		5	2		1	3	
7	White.....		441	2	2	2	1	7	5	2	8	8	
8	Males.....		165		1		1	2	3	2	7	6	
9	Females.....		276	2	1	2		5	2		1	2	
10	Native.....		282	2	2	2	1	7	4	2	6	7	
11	Males.....		107		1		1	2	3	2	5	5	
12	Females.....		175	2	1	2		5	1		1	2	
13	Both parents native.....	M.	55						2	2	1	2	
		F.	109	1				1				1	
14	One or both parents foreign.....	M.	39		1		1	2	1		4	2	
		F.	47	1		2		3	1		1		
15	Parentage unknown.....	M.	13									1	
		F.	19		1			1				1	
16	Foreign.....		158						1		2	1	
17	Males.....		58								2	1	
18	Females.....		100						1				
19	Unknown.....	F.	1										
20	Colored.....		6							1		1	
21	Males.....		3							1			
22	Females.....		3									1	
23	Negro.....	M.	1										
		F.	3									1	
24	Japanese.....	M.	1										
25	Other colored.....	M.	1							1			
Cancer of the intestines (except rectum).													
26	Total.....		3,768	1	2	2		4	9	12	5	10	26
27	Males.....		1,533		2	1		2	5	7	5	6	16
28	Females.....		2,235	1		1		2	4	5		4	10
29	White.....		3,693	1	2	2		3	8	12	5	10	26
30	Males.....		1,512		2	1		1	4	7	5	6	16
31	Females.....		2,181	1		1		2	4	5		4	10
32	Native.....		2,292	1	2	2		2	7	12	5	10	17
33	Males.....		883		2	1		1	4	7	5	6	10
34	Females.....		1,409	1		1		1	3	5		4	7
35	Both parents native.....	M.	511		1	1			2	4	3	4	5
		F.	817	1				1	2	4		2	3
36	One or both parents foreign.....	M.	239		1			1	2	3	2	2	5
		F.	390			1		1	1	1		2	4
37	Parentage unknown.....	M.	133										
		F.	202										
38	Foreign.....		1,380					1	1				9
39	Males.....		617										6
40	Females.....		763					1	1				3
41	Unknown.....		21										
42	Males.....		12										
43	Females.....		9										
44	Colored.....		75					1	1				
45	Males.....		21					1	1				
46	Females.....		54										
47	Negro.....	M.	20					1	1				
		F.	53										
48	Chinese.....	M.	1										
49	Japanese.....	F.	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
																1
		1			1			1								2
	1															3
13	13	19	28	27	50	64	55	43	43	42	12	5				4
9	8	11	10	11	22	23	18	11	11	11	2					5
4	5	8	18	16	28	41	37	32	32	31	10	5				6
13	13	18	27	27	49	63	55	43	43	42	12	5				7
9	8	11	10	11	21	22	18	11	11	11	2					8
4	5	7	17	16	28	41	37	32	32	31	10	5				9
8	5	12	17	15	30	40	39	22	28	31	7	2				10
5	4	6	8	6	14	12	13	6	8	7	1					11
3	1	6	9	9	16	28	26	16	20	24	6	2				12
2	3	5	5	2	5	8	7	4	5	2						13
2	1	3	5	4	9	18	14	8	16	21	4	2				14
3	1	1	2	3	8	4	4	1	1	2						15
		3	2	4	5	9	9	6	3	1	1					16
			1	1	1	1	2	1	2	3	1					17
1			2	1	2	1	3	2	1	3	1					18
5	8	6	10	12	19	22	16	21	15	11	5	3				19
4	4	5	2	5	7	10	5	5	3	4	1					20
1	4	1	8	7	12	12	11	16	12	7	4	3				21
						1										22
		1	1		1	1										23
						1										24
		1	1		1											25
54	79	133	201	303	366	460	540	533	472	336	163	49	15			26
27	32	51	95	122	140	183	231	217	184	131	56	20	5			27
27	47	82	106	181	226	277	309	316	288	205	107	29	10			28
52	76	123	196	298	355	452	530	527	464	331	163	48	15			29
26	32	49	93	120	138	180	230	215	181	129	56	20	5			30
26	44	74	103	178	217	272	300	312	283	202	107	28	10			31
30	53	81	128	197	217	273	329	297	274	208	110	32	10			32
14	22	28	47	70	72	111	130	118	114	73	37	12	3			33
16	31	53	81	127	145	162	199	179	160	135	73	20	7			34
10	14	15	24	35	41	52	61	76	75	54	26	8	2			35
10	17	27	31	71	72	94	117	98	108	84	53	18	5			36
4	8	8	18	29	26	49	43	18	13	6	2	1				37
6	12	23	44	47	50	49	56	39	25	23	6	3	1			38
		5	5	6	5	10	26	24	26	13	9	2	1			39
	2	3	6	9	23	19	26	42	27	28	14	2	1			40
21	22	41	65	100	138	177	197	226	190	121	52	16	4			41
12	10	20	44	49	66	69	98	94	67	54	18	8	2			42
9	12	21	21	51	72	108	99	132	123	67	34	8	2			43
1	1	1	3	1		2	4	4		2	1		1			44
1	1	1	2	1		2	2	3		2	1					45
																46
2	3	10	5	5	11	8	10	6	8	5		1				47
																48
1		2	2	2	2	3	1	2	3	2						49
1		3	3	3	9	5	9	4	5	3						50
1		2	2	2	2	3	1	1	3	2						51
		8	3	3	9	5	9	4	5	3						52
																53
1																54
																55
																56
																57
																58
																59
																60
																61
																62
																63
																64
																65
																66
																67
																68
																69
																70
																71
																72
																73
																74
																75
																76
																77
																78
																79
																80
																81
																82
																83
																84
																85
																86
																87
																88
																89
																90
																91
																92
																93
																94
																95
																96
																97
																98
																99
																100

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.												
Cancer of the rectum and anus.												
1	Total.....	1,992	1	1			1	3		2	2	14
2	Males.....	982	1				1	1		1	2	6
3	Females.....	1,010		1			1	2		1		8
4	White.....	1,949	1	1			1	3		2	2	13
5	Males.....	965	1				1	1		1	2	6
6	Females.....	984		1			1	2		1		7
7	Native.....	1,252	1	1			1	3		1	2	12
8	Males.....	582	1				1	1			2	6
9	Females.....	670		1			1	2		1		6
10	Both parents native.....	(M. 328 F. 372)									1	3
11	One or both parents foreign.....	(M. 166 F. 199)	1	1			1	1			1	3
12	Parentage unknown.....	(M. 88 F. 99)						2				2
13	Foreign.....	690								1		1
14	Males.....	378								1		
15	Females.....	312										1
16	Unknown.....	7										
17	Males.....	5										
18	Females.....	2										
19	Colored.....	43										1
20	Males.....	17										
21	Females.....	26										1
22	Negro.....	(M. 15 F. 25)										1
23	Indian.....	(M. 1 F. 1)										
24	Japanese.....	M. 1										
Others of this class.												
25	Total.....	27										
26	Males.....	7										
27	Females.....	20										
28	White.....	25										
29	Males.....	7										
30	Females.....	18										
31	Native.....	16										
32	Males.....	4										
33	Females.....	12										
34	Both parents native.....	(M. 3 F. 8)										
35	One or both parents foreign.....	(M. 1 F. 4)										
36	Foreign.....	8										
37	Males.....	3										
38	Females.....	5										
39	Unknown.....	1										
40	Colored—Negro.....	2										
CANCER OF THE FEMALE GENITAL ORGANS.												
41	Total.....	7,247	1			1	1	3	2	5	6	36
42	White.....	6,824	1			1	1	3	2	5	6	34
43	Native.....	4,906	1			1	1	3	2	4	3	26
44	Both parents native.....	F. 2,823	1			1	1	3	2	2	1	16
45	One or both parents foreign.....	F. 1,351								2	2	9
46	Parentage unknown.....	F. 732										1
47	Foreign.....	1,871								1	3	7
48	Unknown.....	47										1
49	Colored.....	423										2
50	Negro.....	419										2
51	Indian.....	1										
52	Chinese.....	2										
53	Japanese.....	1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
27	58	62	107	151	213	251	273	277	282	156	74	29	8	2	1
12	25	16	46	68	101	133	149	146	139	78	38	17	3	1
15	33	46	61	83	112	118	124	131	143	78	36	12	5	2	2
27	54	56	104	146	213	245	269	272	279	154	71	29	8	1	1
12	23	14	45	65	101	130	147	145	138	77	37	17	3	1
15	31	42	59	81	112	115	122	127	141	77	34	12	5	1	5
22	42	41	77	96	138	169	154	169	162	90	49	17	6	1	6
10	18	8	32	38	61	88	75	83	78	44	25	11	1	1
12	24	33	45	58	77	81	79	86	84	46	24	6	5	1	8
5	9	5	16	15	31	55	45	48	49	23	16	7	9
7	16	15	17	29	40	39	47	54	62	27	14	6	10
5	9	2	14	21	25	26	20	20	10	6	1	1	11
4	7	13	25	24	31	30	18	19	17	5	2	12
1	1	1	2	2	5	7	10	15	19	15	8	3	1	13
5	12	15	27	49	75	75	114	102	115	63	22	12	2	14
2	5	6	13	26	40	42	71	61	58	33	12	6	2	15
3	7	9	14	23	35	33	43	41	57	30	10	6	16
.....	1	1	1	1	2	1	17
.....	1	1	1	1	2	18
.....	4	6	3	5	6	4	5	3	2	3	1	19
.....	2	2	1	3	3	2	1	1	1	1	20
.....	2	4	2	2	3	2	4	2	1	2	21
.....	2	1	1	3	3	1	1	1	1	22
.....	2	4	2	2	2	2	4	2	1	2	23
.....	1	1	24
.....	1	25
2	1	4	2	2	2	5	5	2	2	26
.....	27
2	1	2	2	2	2	2	1	2	28
.....	29
2	1	2	1	2	2	2	1	2	30
1	1	2	1	1	2	2	2	2	2	31
.....	32
1	1	1	1	1	2	1	2	2	2	33
.....	34
1	1	2	1	1	2	35
.....	1	1	1	36
1	2	1	1	3	37
.....	38
.....	39
.....	1	1	40
114	265	560	853	982	1,084	999	800	616	442	274	134	47	15	3	7
99	237	508	787	917	1,019	956	762	596	428	261	133	46	15	3	7
78	183	374	563	660	731	703	559	418	283	169	97	36	8	6
43	103	205	314	353	365	388	340	273	194	111	70	28	6	6
26	67	120	183	214	266	194	128	67	41	22	9	1	45
9	13	49	66	93	100	121	91	78	48	36	18	7	2	46
21	54	128	215	256	283	248	200	171	142	88	35	9	7	3	47
.....	6	9	1	5	5	3	7	3	4	1	1	48
15	28	52	66	65	65	43	38	20	14	13	1	1	49
.....	50
15	28	51	66	64	64	42	38	20	14	13	1	1	51
.....	1	1	52
.....	1	53

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.			All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE FEMALE GENITAL ORGANS—contd.													
Cancer of the ovary and fallopian tube.													
1	Total.....	F.	406					1	1		3	3	10
2	White.....	F.	399					1	1		3	3	10
3	Native.....	F.	293					1	1		2	2	7
4	Both parents native.....	F.	151					1	1				3
5	One or both parts foreign.....	F.	111							2	2		4
6	Parentage unknown.....	F.	31										
7	Foreign.....	F.	105							1	1		3
8	Unknown.....	F.	1										
9	Colored—Negro.....	F.	7										
Cancer of the uterus.													
10	Total.....	F.	6,629				1		1	2	2	3	25
11	White.....	F.	6,220				1		1	2	2	3	23
12	Native.....	F.	4,463				1		1	2	2	1	18
13	Both parents native.....	F.	2,579				1		1	2	2	1	13
14	One or both parents foreign.....	F.	1,202										4
15	Parentage unknown.....	F.	682										1
16	Foreign.....	F.	1,713									2	4
17	Unknown.....	F.	44										1
18	Colored.....	F.	409										2
19	Negro.....	F.	405										2
20	Indian.....	F.	1										
21	Chinese.....	F.	2										
22	Japanese.....	F.	1										
Cancer of the vagina and vulva.													
23	Total.....	F.	170										1
24	White.....	F.	163										1
25	Native.....	F.	117										1
26	Both parents native.....	F.	72										
27	One or both parents foreign.....	F.	30										1
28	Parentage unknown.....	F.	15										
29	Foreign.....	F.	44										
30	Unknown.....	F.	2										
31	Colored—Negro.....	F.	7										
Others of this class.													
32	Total.....	F.	42	1					1				
33	White.....	F.	42	1					1				
34	Native.....	F.	33	1					1				
35	Both parents native.....	F.	21	1					1				
36	One or both parents foreign.....	F.	8										
37	Parentage unknown.....	F.	4										
38	Foreign.....	F.	9										
CANCER OF THE BREAST.													
39	Total.....		5,052									4	6
40	Males.....		81										
41	Females.....		4,971									4	6
42	White.....		4,897									4	6
43	Males.....		81										
44	Females.....		4,816									4	6
45	Native.....		3,608									4	4
46	Males.....		52										
47	Females.....		3,556									4	4
48	Both parents native.....	(M. F.)	25 2,086									1	2
49	One or both parents foreign.....	(M. F.)	18 996									3	2
50	Parentage unknown.....	(M. F.)	9 474										
51	Foreign.....		1,260										2
52	Males.....		29										
53	Females.....		1,231										2
54	Unknown.....	F.	29										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

199

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
16	13	37	58	46	61	50	53	25	14	10	4	2	1
16	13	35	56	45	60	50	52	25	14	10	4	2	2
13	8	29	44	32	44	36	36	21	9	5	3	1	3
6	4	17	20	12	22	16	22	15	8	2	3	4
5	4	10	20	15	19	13	11	4	1	1	5
2	2	4	5	3	7	3	2	2	1	6
3	5	5	12	13	16	14	16	4	5	5	1	1	7
.....	1	8
.....	2	2	1	1	1	9
97	242	516	783	916	1,007	926	724	564	401	244	117	38	11	3	7
82	216	467	720	852	945	883	688	544	387	231	116	37	11	3	7
64	167	342	513	612	678	650	504	377	255	153	85	28	5	6
36	94	187	290	334	340	363	301	246	176	101	60	21	5	6
21	60	108	162	192	241	175	116	58	36	19	9	1	14
7	13	47	61	86	97	112	87	73	43	33	16	6	15
18	49	121	198	239	262	228	181	161	129	74	30	8	6	3	16
.....	4	9	1	5	5	3	6	3	4	1	1	17
15	26	49	63	64	62	43	36	20	14	13	1	1	18
15	26	48	63	63	61	42	36	20	14	13	1	1	19
.....	1	1	1	20
.....	1	1	21
.....	1	22
.....	8	5	9	14	13	18	16	24	24	15	13	7	3	23
.....	6	4	8	14	11	18	15	24	24	15	13	7	3	24
.....	6	2	5	11	6	12	14	18	16	8	9	7	2	25
.....	3	4	3	3	7	12	10	10	5	7	7	1	26
.....	3	2	6	3	4	1	5	3	2	2	27
.....	1	2	1	1	3	3	1	2	1	28
.....	1	3	3	5	6	1	5	8	7	4	1	29
.....	1	1	30
.....	2	1	1	2	1	31
1	2	2	3	6	3	5	7	3	3	5	1	32
1	2	2	3	6	3	5	7	3	3	5	1	33
1	2	1	1	5	3	5	5	2	3	3	1	34
1	2	1	4	2	5	2	3	35
.....	1	1	3	2	1	1	36
.....	1	2	37
.....	1	2	1	2	1	2	38
44	101	301	460	646	671	658	551	520	435	311	207	93	23	6	6
1	2	3	4	7	12	8	12	13	9	6	2	1	1	40
43	99	298	456	639	659	650	539	516	426	305	205	92	22	6	6
40	94	284	447	624	644	640	541	509	429	307	204	90	23	5	6
1	2	3	4	7	12	8	12	13	9	6	2	1	1	43
39	92	281	443	617	632	632	529	496	420	301	202	89	22	5	6
34	74	218	337	453	485	488	382	346	323	213	158	63	19	3	4
1	2	2	4	4	8	6	6	7	6	3	1	1	1	46
33	72	216	333	449	477	482	376	339	317	210	157	62	18	3	4
1	1	3	1	3	2	1	5	4	2	1	1	47
21	37	114	189	236	240	262	234	227	211	148	102	40	16	2	4
.....	2	1	1	3	4	3	3	1	48
10	30	86	121	168	182	170	85	52	44	17	18	7	1	49
.....	1	1	2	2	2	1	50
2	5	16	23	45	55	50	57	60	62	45	37	15	1	1	1
6	20	65	108	109	158	148	153	159	104	91	46	26	2	2	1
.....	1	3	4	2	6	6	3	3	1	52
6	20	64	108	166	154	146	147	153	101	88	45	26	2	2	1
.....	1	2	2	1	4	6	4	2	3	1	2	54

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE FEMALE GENITAL ORGANS—contd.												
CANCER OF THE BREAST—continued.												
1	Colored.....	155										
2	Negro..... F.	152										
3	Indian..... F.	3										
CANCER OF THE SKIN.												
4	Total.....	1,838	5	1	3	2	5	16	3	4	2	4
5	Males.....	1,177	1	1	1	1	2	6		3	2	2
6	Females.....	661	4		2	1	3	10	3	1		2
7	White.....	1,816	4	1	3	2	5	15	3	3	2	4
8	Males.....	1,169	1	1	1	1	2	6		2	2	2
9	Females.....	647	3		2	1	3	9	3	1		2
10	Native.....	1,269	3	1	3	2	5	14	3	3	2	4
11	Males.....	847	1	1	1	1	2	6		2	2	2
12	Females.....	422	2		2	1	3	8	3	1		2
13	Both parents native..... (M. F.)	517 252	1 1	1	1	1	1	5 4		2 1		1 1
14	One or both parents foreign..... (M. F.)	137 77			2				2		2	1
15	Parentage unknown..... (M. F.)	193 98	2			1	1	4 1	1			
16	Foreign.....	512	1					1				
17	Males.....	298										
18	Females.....	214	1					1				
19	Unknown.....	35										
20	Males.....	24										
21	Females.....	11										
22	Colored.....	22	1					1		1		
23	Negro..... (M. F.)	8 14								1		
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED.												
24	Total.....	7,244	27	26	44	27	21	145	73	54	107	113
25	Males.....	4,566	14	13	26	16	9	78	41	30	53	78
26	Females.....	2,678	13	13	18	11	12	67	32	24	54	35
27	White.....	7,053	26	25	43	26	20	140	71	50	102	109
28	Males.....	4,448	14	12	25	16	9	76	41	27	53	75
29	Females.....	2,605	12	13	18	10	11	64	30	23	49	34
30	Native.....	4,548	26	24	43	26	20	139	68	46	89	89
31	Males.....	2,780	14	11	25	16	9	75	39	24	45	62
32	Females.....	1,768	12	13	18	10	11	64	29	22	44	27
33	Both parents native..... (M. F.)	1,563 1,052	5 5	6 12	14 10	12 5	3 9	40 41	20 18	15 13	27 27	34 15
34	One or both parents foreign..... (M. F.)	779 487	9 7	5 1	10 8	4 5	6 2	34 23	17 10	9 8	17 17	26 12
35	Parentage unknown..... (M. F.)	438 229			1			1	2		1	2
36	Foreign.....	2,433		1				1	2	4	12	20
37	Males.....	1,616		1				1	1	3	8	13
38	Females.....	817							1	1	4	7
39	Unknown.....	72							1		1	
40	Males.....	52							1			
41	Females.....	20									1	
42	Colored.....	191	1	1	1	1	1	5	2	4	5	4
43	Males.....	118		1	1			2		3		3
44	Females.....	73	1			1	1	3	2	1	5	1
45	Negro..... (M. F.)	111 72		1	1			2 3		2 1		3 1
46	Indian..... (M. F.)	2 1	1			1	1		1	1		
47	Chinese..... M.	5										
Cancer of the larynx.												
48	Total.....	318	1	1	1			3	1		1	
49	Males.....	261										
50	Females.....	57	1	1	1			3	1		1	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

201

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
4	7	17	13	22	27	18	10	20	6	4	3	3	1	1
4	7	17	13	22	27	18	10	18	6	4	3	2	1	2
.....	2	1	3
5	11	14	30	70	124	127	178	222	274	273	242	158	59	10	5	7
4	6	10	14	53	84	93	119	160	183	168	139	88	31	4	2	6
1	5	4	16	17	40	34	59	62	91	105	103	70	28	6	3	1
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	7
4	6	10	13	53	82	91	119	160	182	167	139	88	31	4	2	6
1	5	3	15	16	39	34	57	61	90	105	99	69	28	6	3	1
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3
3	3	8	8	41	59	70	91	108	131	114	100	68	25	2	1	3
1	3	3	12	11	25	24	39	40	60	67	58	42	16	4	3	12
2	3	4	4	27	29	37	57	62	81	69	67	46	19	1	1
.....	2	2	4	5	11	16	22	30	40	42	36	23	7	2	13
1	4	4	12	19	23	18	14	11	4	5	5	1
1	6	4	8	4	13	5	9	8	5	4	3	1	1	14
.....	2	11	10	16	28	36	34	29	17	5	1	1	2
.....	1	1	2	2	6	4	4	5	11	17	17	15	6	1	15
1	5	2	7	17	37	29	38	69	76	82	78	46	17	4	1	2
1	3	2	4	12	23	20	23	49	46	47	38	20	6	2	1	1
.....	2	3	5	14	9	15	20	30	35	40	26	11	2	1
.....	1	2	8	4	5	9	2	1	1	2
.....	1	5	3	5	6	1	20
.....	1	3	1	3	1	1	1	21
.....	1	2	1	3	2	2	1	2	1	4	1	22
.....	2	1	1	23
.....	1	1	1	1	2	1	4	1
124	167	250	400	506	738	838	901	959	855	544	312	121	25	5	1	6
78	99	143	224	300	430	538	595	643	591	346	202	72	16	3	1	5
46	68	107	176	206	308	300	306	316	264	198	110	49	9	2	1
121	159	237	384	486	718	820	881	944	834	533	310	118	25	5	1	5
76	94	134	217	289	418	526	580	631	574	341	201	71	16	3	1	4
45	65	103	167	197	300	294	301	313	260	192	109	47	9	2	1
87	115	167	259	288	434	522	529	577	511	344	188	71	18	3	4
50	69	97	141	157	236	325	348	371	353	207	123	43	10	2	3
37	46	70	118	131	198	197	181	206	158	137	65	28	8	1	32
27	31	59	64	74	116	149	198	225	229	143	73	27	8	2	2
22	31	40	59	71	100	104	112	131	98	104	43	18	5	33
19	33	29	67	61	94	126	97	74	42	17	14	3	34
12	14	24	50	48	77	63	51	39	21	10	6	2
4	5	9	10	22	26	50	53	72	82	47	36	13	2	1
3	1	6	9	12	21	30	18	36	39	23	16	8	3	1	1
34	41	69	123	194	275	289	344	356	313	182	118	46	7	2	1	36
26	22	36	74	130	174	196	225	252	215	130	74	28	6	1	1	37
8	19	33	49	64	101	93	119	104	98	52	44	18	1	38
.....	3	1	2	4	9	9	8	11	10	7	4	1	1
.....	3	1	2	2	8	5	7	8	6	4	4	40
.....	2	1	4	1	3	4	3	1	41
3	8	13	16	20	20	18	20	15	21	11	2	3	1
2	5	9	7	11	12	12	15	12	17	5	1	1	1
1	3	4	9	9	8	6	5	3	4	6	1	2	44
2	5	8	7	11	12	11	13	12	16	5	1	1
1	3	4	9	9	8	6	5	3	4	6	1	2	45
.....	1	46
.....	1	1	2	1	47
3	1	10	17	24	45	43	55	51	29	21	8	4	1	1	48
3	5	13	19	38	40	44	44	25	19	7	2	1	49
.....	1	5	4	5	7	3	11	7	4	2	1	2	1	50

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.												
Cancer of the larynx—Continued.												
1	White	308	1	1	1			3	1		1	
2	Males	255							1			
3	Females	53	1	1	1			3			1	
4	Native	150	1	1	1			3	1		1	
5	Males	121							1			
6	Females	29	1	1	1			3			1	
7	Both parents native	55										
8	One or both parents foreign	20		1	1			2			1	
9	Parentage unknown	43	1					1				
	M	4										
	F	23							1			
	F	5										
10	Foreign	153										
11	Males	129										
12	Females	24										
13	Unknown	5										
14	Colored	10										
15	Negro	6										
	M	4										
	F											
Cancer of the lung and pleura.												
16	Total	333					1	1	2	4	6	17
17	Males	187					1	1	1	3	4	11
18	Females	146							1	1	2	6
19	White	328					1	1	2	4	6	17
20	Males	185					1	1	1	3	4	11
21	Females	143							1	1	2	6
22	Native	174					1	1	1	3	4	10
23	Males	91					1	1		2	2	6
24	Females	83							1	1	2	4
25	Both parents native	47								2	2	3
26	One or both parents foreign	50					1	1		1		1
27	Parentage unknown	80							1		2	3
	M	24										3
	F	14										
	F	9										
28	Foreign	154							1	1	2	7
29	Males	94							1	1	2	5
30	Females	60										2
31	Colored	5										
32	Negro	2										
	M	3										
	F											
Cancer of the pancreas.												
33	Total	617							1	1		2
34	Males	325								1		1
35	Females	292							1			1
36	White	599							1	1		2
37	Males	314								1		1
38	Females	285							1			1
39	Native	384							1	1		2
40	Males	188								1		1
41	Females	196							1			1
42	Both parents native	106										1
43	One or both parents foreign	116							1			1
44	Parentage unknown	48								1		
	M	47										
	F	34										
	F	33										
45	Foreign	210										
46	Males	121										
47	Females	89										
48	Unknown	5										
49	Colored	18										
50	Males	11										
51	Females	7										
52	Negro	10										
53	Chinese	7										
	M	1										
	F											

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

208

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
3	1	10	14	23	44	43	53	51	27	21	8	3	1	1		1
3	1	5	12	18	38	40	42	44	23	19	7	2	1			2
		5	2	5	6	3	11	7	4	2	1	1		1		3
1		6	9	7	16	22	28	27	13	8	4	2	1	1		4
1		3	8	6	14	21	21	23	11	7	3	1	1			5
		3	1	1	2	1	7	4	2	1	1	1		1		6
		2	3	1	5	7	10	13	7	3	2	1	1			7
		1	1	1	1	1	6	3	2	1		1				8
1		1	5	5	7	10	8	4		1	1					9
		2			2	1	1	1	4	3				1		10
					1		3	6								11
2	1	4	5	16	27	21	24	24	12	12	4	1				12
2		2	4	12	23	19	20	21	10	11	4	1				13
	1	2	1	4	4	2	4	3	2	1						14
					1		1		2	1						15
			3	1	1		2		2			1				16
			1	1												17
			2		1											18
14	11	19	22	33	43	49	47	27	24	9	3	1	1			19
8	7	9	12	21	23	28	27	13	13	2	2	1	1			20
6	4	10	10	12	20	21	20	14	11	7	1					21
13	11	18	21	32	42	49	47	27	24	9	3	1	1			22
8	7	9	11	21	22	28	27	13	13	2	2	1	1			23
5	4	9	10	11	20	21	20	14	11	7	1					24
7	7	12	13	15	21	20	22	16	13	7	2					25
3	4	7	6	6	10	10	15	8	8	1	2					26
4	3	5	7	9	11	10	17	8	5	6						27
	2	5	3	3	5	3	8	6	7	1	1					28
	2	4	3	5	7	7	6	2	3	6	1					29
	1	1	3	2	3	3	5	2	2	1						30
	1	1	3	4	4	4	1	2	1	1						31
	1	1	1	1	2	2	2		4	1						32
6	4	6	8	17	21	29	25	11	11	2	1	1	1			33
5	3	2	5	15	12	18	12	5	5	1		1	1			34
1	1	4	3	2	9	11	13	6	6	1	1					35
1		1	1	1	1											36
1		1	1	1	1											37
1		1	1	1	1											38
5	11	25	40	53	77	93	97	85	68	44	9	6				39
4	3	14	26	32	37	50	58	45	32	17	2	3				40
1	8	11	14	21	40	43	39	40	36	27	7	3				41
5	9	24	38	50	75	91	95	84	66	43	9	6				42
4	3	13	25	30	36	48	57	44	30	17	2	3				43
1	6	11	13	20	39	43	38	40	36	26	7	3				44
4	6	17	27	28	46	62	62	45	45	29	6	3				45
3	1	8	18	14	20	31	36	22	23	9		1				46
1	5	9	10	6	26	31	26	23	22	20	6	2				47
	4	7	5	9	10	17	21	14	13	7		1				48
	1	3	5	4	6	16	15	11	15	12	4	2				49
	1	2	4	2	4	10	9	5	2	1		1				50
	1	1	3	4	11	10	7	3	1	1		1				51
	1	1	3	4	4	4	6	3	8	1		1				52
	1	1	3	3	1	5	4	5	6	7		1				53
1	3	7	10	22	28	28	32	38	21	14	3	3				54
1	2	5	6	16	15	16	20	21	7	8	2	2				55
	1	2	4	6	13	12	12	17	14	6	1	1				56
			1		1	1	1	1								57
																58
	2	1	2	3	2	2	2	1	2	1						59
																60
	2	1	1	2	1	2	1	1		1						61
			1	1	1	1	1	1	1							62
	2	1	1	1	1	2	1	1	1	1						63

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.												
Cancer of the kidneys and suprarenals.												
1	Total.....	467	7	8	20	9	6	50	22	4	8	7
2	Males.....	239	3	5	13	5	3	29	15	1	4	4
3	Females.....	228	4	3	7	4	3	21	7	3	4	3
4	White.....	452	6	8	20	9	6	49	21	4	8	6
5	Males.....	230	3	5	13	5	3	29	15	1	4	3
6	Females.....	222	3	3	7	4	3	20	6	3	4	3
7	Native.....	324	6	7	20	9	6	48	21	4	5	4
8	Males.....	156	3	4	13	5	3	28	15	1	2	3
9	Females.....	168	3	3	7	4	3	20	6	3	3	1
10	Both parents native.....	(M. 86	3	3	7	3	3	13	7	1	1	2
11	One or both parents foreign.....	(F. 96	3	3	3	2	3	14	3	2	1	1
12	Parentage unknown.....	(M. 55	3	1	6	2	3	15	7	1	2	1
13	Foreign.....	(F. 50			4	2		6	3			
14	Foreign.....	126		1				1			3	2
15	Males.....	72		1				1			2	
16	Females.....	54									1	2
17	Unknown.....	M. 2										
18	Colored.....	15	1					1	1			1
19	Negro.....	(M. 9										1
20	Indian.....	(F. 6	1					1	1			
Cancer of the prostate.												
21	Total.....	M. 716										
22	White.....	M. 701										
23	Native.....	M. 458										
24	Both parents native.....	M. 287										
25	One or both parents foreign.....	M. 86										
26	Parentage unknown.....	M. 85										
27	Foreign.....	M. 237										
28	Unknown.....	M. 6										
29	Colored.....	M. 15										
30	Negro.....	M. 14										
31	Indian.....	M. 1										
Cancer of the bladder.												
32	Total.....	915	1		1		1	3			2	1
33	Males.....	648	1		1			2			2	
34	Females.....	267					1	1				1
35	White.....	897	1		1		1	3			2	1
36	Males.....	633	1		1			2			2	
37	Females.....	264					1	1				1
38	Native.....	561	1		1		1	3			2	
39	Males.....	386	1		1			2			2	
40	Females.....	175					1	1				
41	Both parents native.....	(M. 213									1	
42	One or both parents foreign.....	(F. 103					1	1				
43	Parentage unknown.....	(M. 103	1		1			2				
44	Foreign.....	(F. 46										
45	Males.....	70									1	
46	Females.....	26										
47	Foreign.....	330										1
48	Males.....	243										
49	Females.....	87										1
50	Unknown.....	6										
51	Males.....	4										
52	Females.....	2										
53	Colored.....	18										
54	Males.....	15										
55	Females.....	3										
56	Negro.....	(M. 14										
57	Chinese.....	(F. 3										
58	Indian.....	M. 1										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

205

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
9	14	21	28	36	43	55	38	49	38	28	12	5				1
4	5	11	16	19	22	31	19	19	19	14	5	2				2
5	9	10	12	17	21	24	19	30	19	14	7	3				3
8	13	18	27	35	42	54	37	49	37	27	12	5				4
3	4	10	15	18	21	30	18	19	19	14	5	2				5
5	9	8	12	17	21	24	19	30	18	13	7	3				6
6	9	12	18	19	21	38	27	31	28	21	8	4				7
2	3	6	10	10	9	17	14	10	12	9	3	2				8
4	6	6	8	9	12	21	13	21	16	12	5	2				9
1	2	3	7	4	5	6	9	9	6	7	3					10
2	3	3	4	3	6	11	9	14	7	10	3	1				11
2	1	3	3	4	2	8	3	1	4	2						12
2	2	3	4	4	4	7	4	2	3	1	1					13
1				2	2	3	2		2			2				14
2	1			2	2	3		5	6	1	1	1				15
2	4	6	9	16	20	15	10	18	9	6	4	1				16
1	1	4	5	8	11	12	4	9	7	5	2					17
1	3	2	4	8	9	3	6	9	2	1	2	1				18
					1	1										19
1	1	3	1	1	1	1	1		1	1						20
1	1	1	1	1	1	1	1		1	1						21
		2														22
	4	6	10	17	27	74	110	157	149	103	42	12	3		1	1
	4	6	9	17	26	73	107	156	145	100	42	11	3		1	1
	3	5	6	10	7	43	72	107	86	70	32	6				2
	1	1	3	6	7	18	43	65	63	56	19	5				3
	2	2	3	3	9	18	18	16	8	4	3					4
	2			1	1	7	11	26	15	10	11	1				5
	1	1	3	7	9	29	35	47	57	29	10	5	3		1	6
						1		2	2	1						7
					1	1	3	1	4	3		1				8
																9
					1	1	3	1	4	3		1				10
																11
																12
																13
																14
																15
																16
																17
																18
																19
																20
																21
																22
																23
																24
																25
																26
																27
																28
																29
																30
																31
																32
																33
																34
																35
																36
																37
																38
																39
																40
																41
																42
																43
																44
																45
																46
																47
																48
																49
																50
																51
																52

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.												
Cancer of the brain.												
1	Total.....	123		1	1			2	3	2	8	5
2	Males.....	66		1	1			2	2	1	2	3
3	Females.....	57							1	1	6	2
4	White.....	120		1	1			2	3	2	8	4
5	Males.....	63		1	1			2	2	1	2	2
6	Females.....	57							1	1	6	2
7	Native.....	84		1	1			2	3	2	7	4
8	Males.....	44		1	1			2	2	1	2	2
9	Females.....	40							1	1	5	2
10	Both parents native.....	29		1	1			2	1		2	1
		21							1	1	3	1
11	One or both parents foreign.....	12										1
		15							1	1		1
12	Parentage unknown.....	3									2	1
		4										
13	Foreign.....	36									1	
14	Males.....	19										
15	Females.....	17									1	
16	Colored—Negro.....	3										1
Cancer of the bones (except jaw).												
17	Total.....	448	2	4	2	4	2	14	14	15	27	20
18	Males.....	229		1	1	2		4	8	8	15	13
19	Females.....	219	2	3	1	2	2	10	6	7	12	7
20	White.....	433	2	4	2	4	2	14	14	14	25	19
21	Males.....	220		1	1	2		4	8	7	15	13
22	Females.....	213	2	3	1	2	2	10	6	7	10	6
23	Native.....	311	2	4	2	4	2	14	13	13	24	17
24	Males.....	160		1	1	2		4	7	6	15	11
25	Females.....	151	2	3	1	2	2	10	6	7	9	6
26	Both parents native.....	92		1	1	1		2	3	5	8	6
		93	1	2		1	2	6	5	4	5	4
27	One or both parents foreign.....	45			1	1		2	4	1	7	4
		49	1	1	1	1		4		2	4	2
28	Parentage unknown.....	19										1
		13							1	1		
29	Foreign.....	116								1	1	2
30	Males.....	56								1		2
31	Females.....	60									1	
32	Unknown.....	6							1			
33	Males.....	4							1			
34	Females.....	2										
35	Colored.....	15								1	2	1
36	Negro.....	9								1		
		6									2	1
Cancer of the testes.												
37	Total.....	111			1		1	2		3	2	10
38	White.....	111			1		1	2		3	2	10
39	Native.....	84			1		1	2		3	1	9
40	Both parents native.....	52			1			1		2	1	5
41	One or both parents foreign.....	30					1	1		1		4
42	Parentage unknown.....	2										
43	Foreign.....	25									1	1
44	Unknown.....	2										
Others of this class.												
45	Total.....	3,196	16	12	18	14	10	70	30	25	53	51
46	Males.....	1,784	10	6	9	9	4	38	14	13	24	38
47	Females.....	1,412	6	6	9	5	6	32	16	12	29	15
48	White.....	3,104	16	11	17	13	9	66	29	22	50	50
49	Males.....	1,736	10	5	8	9	4	36	14	11	24	35
50	Females.....	1,368	6	6	9	4	5	30	15	11	26	15

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

GENERAL TABLES.

207

THE BODY AFFECTED, IN THE REGISTRATION STATES,¹ BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
8	10	12	10	17	16	13	5	9	3							1
3	7	4	7	11	10	7	2	5								2
5	3	8	3	6	6	6	3	4	3							3
8	10	11	10	17	16	12	5	9	3							4
3	7	3	7	11	10	6	2	5								5
5	3	8	3	6	6	6	3	4	3							6
6	7	7	9	9	10	10	4	3	1							7
3	5	2	7	4	5	5	2	2								8
3	2	5	2	5	5	5	2	1	1							9
2	2	2	3	3	4	4	2	1								10
3	2	1	1	3	2	2	1									11
2	2		4	1	1	1	1	1								12
		3	1	1	3	2	1	1								13
1	1			1	1				1							14
		1		1	1											15
2	3	4	1	8	6	2	1	6	2							16
																17
2	1	3	1	7	5	1		3								18
				1	1	1	1	3	2							19
		1				1										20
19	19	15	34	28	47	41	41	45	40	17	8	1	2			1
10	10	9	17	10	22	24	20	27	21	6	3	1				1
9	9	6	17	18	25	17	21	18	19	11	5		2			1
19	17	14	33	28	47	40	39	45	38	15	8	1	2			1
10	9	8	16	10	22	23	19	27	19	5	3	1				1
9	8	6	17	18	25	17	20	18	19	10	5		2			1
15	13	10	22	15	29	27	26	27	28	11	4	1	2			1
8	7	5	11	5	15	16	13	15	15	4	2	1				24
7	6	5	11	10	14	11	13	12	13	7	2		2			25
6	3	5	6	2	8	9	8	7	11	2		1				26
5	4	3	3	5	7	6	7	9	10	7	2		1			27
2	3		4	1	6	4	5	5			1					28
2	2	2	7	5	5	5	3	2								29
	1		1	2	2	3	3	3	4	2	1					30
			1	1	1		3	1	3				1			31
4	3	4	11	12	18	11	13	18	10	4	4					32
2	1	3	5	5	7	6	6	12	4	1	1					33
2	2	1	6	7	11	5	7	6	6	3	3					34
	1			1		2										35
																36
	1			1		1	1									37
																38
	2	1	1			1	2		2	2						39
																40
	1	1	1			1	1		2	1						41
10	9	13	12	13	5	5	6	7	7	4	3					42
																43
10	9	13	12	13	5	5	6	7	7	4	3					44
9	9	11	10	12	3	4	3	3	3	1	1					45
5	5	6	7	7	2	4	2	2	2	1						46
4	4	5	3	6		1	1	1	1		1					47
					1											48
1		2	2	1	2	1	3	4	3	3	1					49
									1							50
52	76	108	191	234	330	364	363	391	363	221	183	72	14	4		1
36	46	60	92	131	168	204	205	224	222	113	108	38	9	3		1
16	30	48	99	103	162	160	158	167	141	108	75	34	5	1		1
51	73	103	185	222	320	354	353	380	357	218	181	71	14	4		1
35	43	56	91	125	164	199	198	216	219	113	107	38	9	3		1
16	30	47	94	97	156	155	155	164	138	105	74	33	5	1		1

MORTALITY FROM CANCER.

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

SEX, COLOR, AND NATIVITY.		All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.												
<i>Others of this class—Continued.</i>												
1	White—Continued.											
	Native.....	2,018	16	11	17	13	9	66	28	20	45	43
2	Males.....	1,062	10	5	8	9	4	36	14	10	21	30
3	Females.....	926	6	6	9	4	5	30	14	10	24	13
4	Both parents native.....	596	5	1	5	8	3	22	9	5	12	16
	M.....	553	1	6	6	2	3	18	8	5	17	8
5	One or both parents foreign.....	323	5	4	2	1	1	13	5	5	9	13
	M.....	256	5		3	2	2	12	6	5	7	5
6	Parentage unknown.....	173			1			1				1
	F.....	117										
7	Foreign.....	1,046							1	2	4	7
8	Males.....	620								1	3	5
9	Females.....	426							1	1	1	2
10	Unknown.....	40									1	
11	Males.....	24										
12	Females.....	16									1	
13	Colored.....	92		1	1	1	1	4	1	3	3	1
14	Males.....	48		1	1			2		2		1
15	Females.....	44				1	1	2	1	1	3	
16	Negro.....	44		1	1			2		1		1
	M.....	43				1	1	2		1	3	
17	Indian.....	1								1		
	M.....	1										
18	Chinese.....	3							1			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

209

[illegible]

35030°—16—14

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 to 104 years.	105 to 114 years.	115 to 124 years.	125 to 134 years.	135 to 144 years.	145 to 154 years.	155 to 164 years.	
SINGLE.																	
Total.....	5,572	736	361	280	371	544	672	603	603	481	424	285	132	40	24	7	
Males.....	2,570	402	192	125	150	228	290	273	305	227	203	104	51	11	8	1	
Females.....	3,002	334	169	155	221	316	382	330	298	254	221	181	81	29	16	6	
White.....	5,405	707	338	270	361	531	657	586	584	470	421	282	129	40	22	7	
Males.....	2,494	389	186	115	145	221	284	270	288	221	202	104	50	11	7	1	
Females.....	2,911	318	152	155	216	310	373	316	296	249	219	178	79	29	15	6	
Native.....	3,794	637	241	196	260	366	446	410	392	278	264	176	76	32	16	4	
Males.....	1,537	316	125	70	84	125	162	160	165	110	104	49	26	7	4		
Females.....	2,257	321	116	126	176	241	284	250	227	168	160	127	50	25	12	4	
Both parents native.....	1,263	193	60	29	35	38	58	60	78	59	47	31	16	5	3		
One or both parents foreign.....	585	167	61	63	79	116	143	118	134	114	116	88	34	17	10	3	
Parentage unknown.....	830	117	51	58	88	109	126	115	78	29	28	19	7	3	1	1	
Foreign.....	230	11	6	10	7	14	32	23	38	25	38	15	8	2	1		
Females.....	164	7	4	5	9	16	15	17	15	25	16	20	9	5	1		
Foreign.....	1,505	67	92	68	97	160	197	166	178	177	147	98	48	4	5	1	
Males.....	800	41	58	40	58	92	112	102	114	103	93	50	21	3	3		
Females.....	615	26	34	28	39	68	85	64	64	74	54	48	27	1	2	1	
Unknown.....	106	3	5	6	4	5	14	10	14	15	10	8	5	4	1	2	
Males.....	67	2	3	5	3	4	10	8	9	8	5	5	3	1		1	
Females.....	39	1	2	1	1	1	4	2	5	7	5	3	2	3	1	1	
Colored.....	167	29	23	19	10	13	15	17	19	11	3	3	3		2		
Males.....	70	13	6	10	5	7	6	3	17	6	1				1		
Females.....	91	16	17	9	5	6	9	14	2	5	2	3	2				
Negro.....	60	11	6	9	4	6	4	1	12	6			1				
Males.....	89	15	17	9	5	6	9	14	2	4	2	3	2		1		
Females.....	3	1						1							1		
Indian.....	2	1								1							
Chinese.....	9					1	1	1	5		1						
Japanese.....	2			1			1										
Other colored.....	2	1			1												
MARRIED.																	
Total.....	27,711	78	1,010	1,424	2,284	3,017	3,824	4,031	3,839	3,490	2,568	1,373	561	152	29	31	
Males.....	12,770	20	266	352	643	1,001	1,548	1,842	2,018	1,995	1,586	921	416	129	22	11	
Females.....	14,941	58	744	1,072	1,641	2,016	2,276	2,189	1,821	1,495	982	452	145	23	7	20	
White.....	26,917	71	952	1,329	2,186	2,895	3,706	3,938	3,764	3,425	2,535	1,350	557	151	29	29	
Males.....	12,503	19	258	339	620	970	1,501	1,798	1,988	1,959	1,567	909	413	129	22	11	
Females.....	14,414	52	694	990	1,566	1,925	2,205	2,140	1,776	1,466	968	441	144	23	7	18	
Native.....	16,832	56	674	901	1,434	1,798	2,261	2,499	2,289	2,068	1,554	809	350	97	21	21	
Males.....	7,058	17	171	197	347	485	789	1,028	1,102	1,106	930	522	253	85	17	9	
Females.....	9,774	39	503	704	1,087	1,313	1,472	1,471	1,187	962	624	287	97	12	4	12	
Both parents native.....	4,050	12	101	110	180	242	414	506	634	705	574	347	155	56	12	2	
One or both parents foreign.....	5,618	24	299	390	580	720	758	823	725	632	409	184	70	5	1	8	
Parentage unknown.....	1,862	5	60	71	138	189	299	389	287	197	127	62	29	6	1	2	
Foreign.....	2,781	12	165	237	401	435	515	445	273	153	99	37	5	2	1	1	
Females.....	1,146		10	16	29	54	76	133	181	204	229	113	69	23	4	5	
Parentage unknown.....	1,375	3	39	87	106	158	199	203	189	177	116	66	22	5	2	3	
Foreign.....	9,956	14	276	422	737	1,086	1,429	1,419	1,459	1,342	969	535	202	52	8	6	
Males.....	5,386	2	87	140	271	479	704	762	875	847	630	383	156	43	5	2	
Females.....	4,570	12	189	282	466	607	725	657	584	495	339	152	46	9	3	4	
Unknown.....	129	1	2	6	15	11	16	20	16	15	12	6	5	2		2	
Males.....	59			2	2	6	8	8	11	6	7	4	4	1			
Females.....	70	1	2	4	13	5	8	12	5	9	5	2	1	1		2	
Colored.....	794	7	58	95	98	122	118	93	75	65	33	23	4	1		2	
Males.....	267	1	8	13	23	31	47	44	30	36	19	12	3				
Females.....	527	6	50	82	75	91	71	49	45	29	14	11	1			2	
Negro.....	241	1	8	11	22	27	38	41	25	34	19	12	3				
Males.....	514	6	48	79	75	89	70	47	44	28	13	11	1	1		2	
Females.....	2						1		1								
Indian.....	6			1			2		1		1						
Chinese.....	17			2		2	5	3	4	1							
Japanese.....	3		1	1		1	3			1							
Other colored.....	7		1	1		2	3										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—														Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.						
WIDOWED.																
Total.....	13,993	5	38	123	258	488	896	1,325	1,775	2,242	2,469	2,081	1,398	585	202	8
Males.....	3,698	1	4	14	44	85	172	303	413	615	738	598	448	189	71	3
Females.....	10,195	4	34	109	214	403	724	1,022	1,362	1,627	1,731	1,483	950	396	131	5
White.....	13,452	5	29	108	235	444	827	1,278	1,705	2,191	2,422	2,047	1,381	575	198	7
Males.....	3,630	1	4	12	42	79	164	296	399	609	725	592	447	188	70	2
Females.....	9,822	4	25	96	193	365	663	982	1,306	1,582	1,697	1,455	934	387	128	5
Native.....	8,066	3	23	69	155	256	503	782	992	1,239	1,415	1,251	877	366	131	4
Males.....	2,026	1	3	6	28	34	79	165	220	319	397	342	269	119	43	1
Females.....	6,040	2	20	63	127	222	424	617	772	920	1,018	909	608	247	88	3
Both parents native.....	1,139	1	4	11	14	14	37	65	109	170	254	206	164	72	31	1
One or both parents foreign.....	3,609	1	13	33	62	99	188	321	415	573	671	622	394	161	53	3
Parentage unknown.....	396	3	1	15	14	31	74	73	60	48	39	28	9	1
Foreign.....	1,269	1	4	27	48	93	173	204	212	172	140	102	62	23	8
Males.....	491	1	2	6	11	26	38	89	95	97	77	38	11
Females.....	1,162	3	3	17	30	63	92	145	175	207	185	152	63	27
Foreign.....	5,266	2	5	38	78	185	314	485	696	928	992	774	496	206	65	2
Males.....	1,549	6	13	42	78	126	174	277	320	244	174	68	27
Females.....	3,717	2	5	32	65	143	236	359	522	651	672	530	322	138	38	2
Unknown.....	120	1	2	3	10	11	17	24	15	22	8	3	2	1
Males.....	55	1	1	3	7	5	5	13	8	6	4	1
Females.....	65	1	1	3	6	12	11	7	16	4	2	2
Colored.....	441	9	23	44	69	47	70	51	47	34	17	10	4	1
Males.....	68	2	2	6	8	7	14	6	13	6	1	1	1	1
Females.....	373	9	21	38	61	40	56	45	34	28	16	9	3
Negro.....	66	2	2	6	8	7	13	6	13	6	1	1	1	1
Indian.....	366	9	21	38	61	39	55	43	33	27	16	8	3
Chinese.....	1	1	2	1	1	1
Japanese.....	1
Other colored.....	1	1
DIVORCED.																
Total.....	403	1	11	23	51	62	62	58	43	31	19	7	2	1
Males.....	172	1	4	8	11	30	24	35	21	19	13	3	2	1
Females.....	231	1	10	19	24	40	32	38	23	22	12	6	4
White.....	392	1	10	20	30	49	61	62	58	43	29	19	7	2	1
Males.....	168	1	2	7	11	30	24	35	21	18	13	3	2	1
Females.....	224	1	9	18	23	38	31	38	23	22	11	6	4
Native.....	299	1	9	19	28	38	44	45	43	33	18	15	3	2	1
Males.....	113	1	2	6	7	17	15	23	16	11	11	1	2	1
Females.....	186	1	8	17	22	31	27	30	20	17	7	4	2
Both parents native.....	59	1	4	5	9	8	9	9	6	5	2
One or both parents foreign.....	114	1	5	10	15	17	16	14	15	10	6	3	2
Parentage unknown.....	22	1	1	2	5	4	3	3	1	1	1
Foreign.....	46	2	6	4	9	10	11	1	2	1
Males.....	32	1	1	3	5	3	3	11	4	4	5	1
Females.....	26	1	1	3	5	1	5	4	5	1
Foreign.....	85	1	1	2	11	14	17	12	9	11	3	4
Males.....	49	1	4	10	9	10	5	7	1	2
Females.....	36	1	1	7	4	8	2	4	4	2	2
Unknown.....	8	3	3	1	1
Males.....	6	3	2	1
Females.....	2	1	1
Colored.....	11	1	3	2	2	1	2
Males.....	7	2	1	1	1
Females.....	4	1	1	1	2	1	1
Negro.....	7	1	2	1	2	1	1
Indian.....
Chinese.....
Japanese.....
Other colored.....

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

MORTALITY FROM CANCER.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES,¹ OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 25 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 to 84 years.	85 to 94 years.	95 years and over.							
UNKNOWN.																	
Total.....	407	1	15	13	24	28	46	43	55	54	53	39	23	7	1	5	
Males.....	264	1	9	8	15	15	26	31	38	40	37	23	13	4		4	
Females.....	143		6	5	9	13	20	12	17	14	16	16	10	3	1	1	
White.....	383	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4	
Males.....	252	1	8	7	14	15	25	30	36	38	35	23	13	4		3	
Females.....	131		6	4	7	11	19	11	15	13	16	14	10	3	1	1	
Native.....	201	1	6	6	7	13	24	20	26	25	30	21	17	4		1	
Males.....	108	1	4	3	3	5	10	14	15	15	19	9	8	2			
Females.....	93		2	3	4	8	14	6	11	10	11	12	9	2		1	
Both parents native..	60	1	4		1	3	1	7	10	10	12	4	5	2			
One or both parents foreign..	45		2	1	4	5	2	4	5	2	6	7	6				
Parentage unknown..	8				1	4			1	1	2						
Foreign.....	124		7	4	10	9	13	14	18	16	14	12	4	3			
Males.....	93		3	4	8	6	9	12	14	13	9	10	3	2			
Females.....	31		4		2	3	4	2	4	3	5	2	1	1			
Unknown.....	58		1	1	4	4	7	7	10	7	4	2			1	3	
Males.....	51		1		3	4	6	4	7	10	7	4	2			3	
Females.....	7			1	1		1	3							1		
Colored.....	24		1	2	3	2	2	2	4	3	2	2				1	
Males.....	12		1	1	1		1	1	2	2	2					1	
Females.....	12			1	2		1	1	2	1	2					1	
Negro.....	10		1	1	1		1	1	1	1	2						
Indian.....	12			1	2		1	1	2	1							
Chinese.....	2								1	1							
Japanese.....																	
Other colored.....																	

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

HC 202Y 7

* 13 VII
13.V.11.
Mortality from cancer and other 1010
Country Library AMZ2000
3 2044 045 192 739

Mortality from cancer and other1916
Countway Library

AMZ3900



3 2044 045 192 739